

Date of Revision: June 19, 2019

## Section 1 - Chemical Product and Company Identification

Product Name	CMS-100
Synonyms	Mineral Spirits; Stoddard Solvent; Distillates (petroleum), hydrotreated light
Product Use	Solvent
Restriction on Use	None identified
Manufacturer/Supplier	CFR Chemicals
	38451 Range Road 22
	County of Red Deer T4E 2N6
General Assistance	1 (877) 269-3419
Emergency Telephone	613-966-6666 (CANUTEC 24 Hour Phone Number)
Date of Preparation of SDS	April 1, 2017

### Section 2 – Hazard Identification

Signal Word GHS Pictogram(s) Danger



Hazard Statement:	
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315 + H320	Causes skin irritation and causes eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
Precautionary Statement	
P210	Keep away from heat, hot surface, sparks, open flames and other ignition sources. No smoking
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating, lighting and all material-handling equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/eye protection/face protection.
Response	
P321	Specific Treatment: See Response Statements on this label
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminate clothing. Rinse skin with water / shower.



Date of Revision: June 19, 2019

P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinshing.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P331	DO NOT induce vomiting.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P337 + P313	if eye irritation persists: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical, or alcohol-resistant foam to extinguish
Storage	
P403 + P233	Store in well-ventilated place. Keep contained tightly closed.
P403 + P235	Store in well-ventilated place. Keep cool
P405	Store locked up.
Disposal	
P501	Dispose of contents/container to an approved waste disposal unit.
GHS Classification	Flammable liquids (Category 3)
	Acute toxicity – Inhalation (Category 4)
	Skin corrosion/irritation (Category 2)
	Serious eye damage/eye irritation (Category 2B)
	Specific target organ toxicity - single exposure (Narcotic Effects) (Category 3)
	Aspiration hazard (Category 1)
HMIS Classification	
Health Hazard	1

S Classification	
Health Hazard	1
Chronic Health Hazard	*
Flammability	2
Physical Hazards	0

# Section 3 – Composition Information on Ingredients

HAZARDOUS INGREDIENT C9-C15 Cycloalkanes	Hazardous Ingredient, Synonyms Not applicable	<b>PERCENT</b> 30– 60%	CAS NUMBER **
C9-C15 Alkanes	Not applicable	15 – 40%	**
C9-C15 Aromatics	Not applicable	10-30%	**
Trimethylbenzene, all isomers	pseudocumene	1-5%	2551-13-7
C7 – C8 Aromatics	Not applicable	1-5%	**
Cumene	Isopropylbenzene, 2-phenylpropane	<1%	98-82-8
Ethylbenzene	Ethylbenzol; Phenylethane: alpha- Methyltoluene * = Various ** = Mixture *** = Proprietary	<0.2%	100-41-4
Chemical Formula	mixture		



Date of Revision: June 19, 2019

### **Section 4 - First Aid Measures**

Inhalation Eye Contact	Immediately move person to fresh air. If it is suspected that vas of vapour is still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, or if breathing is irregular, or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison centre or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as collar, tie, belt or waistband. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower lids. Check for and remove contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Skin Contact	Flush contaminated skin with plenty of water. Remove contaminated clothing and shows. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	Get medical attention immediately. Call a poison control centre or physician. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as collar, tie, belt or waistband.
Most Important Symptoms/Eff	
Acute	Courses and invitation
Eye contact Inhalation	Causes eye irritation. Aspiration hazard. Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness.
Skin contact	Causes skin irritation.
Ingestion	Can cause central nervous system (CNS) depression.
Delayed	
Eye contact	No specific data.
Inhalation	Adverse symptoms may include the following:, nausea or vomiting, headache, drowsiness/fatigue, dizziness/vertigo, unconsciousness, reduced fetal weight, increase in fetal deaths, skeletal malformations
Skin contact	Adverse symptoms may include the following: redness, edema, drying defatting and cracking of the skin
Ingestion	Adverse symptoms may include the following:, reduced fetal weight, increase in fetal deaths, skeletal malformations
Note to Physician	Treat symptomatically.

## Section 5 – Fire-Fighting Measures

45°C



Date of Revision: June 19, 2019

Flash Point Method	PMCC
Auto Ignition Temperature	230°C
<b>Conditions of Flammability</b>	Flammable in the presence of a source of ignition when the temperature is above
	the flash point. Keep away from heat/sparks/open flame/ hot surface.
Extinguishing Media	Use water spray (fog), alcohol-resistant foam, dry chemical or carbon dioxide
Unsuitable Extinguising Media	Do not use water jet.
Unusual Fire/	
Explosion Hazard	No data available.
Hazardous Combustion	
Products	Carbon oxides
Fire Fighting Equipment	Wear appropriate protective equipment and self-contained breathing apparatus with a full face-piece operated in positive pressure mode.

### Section 6 – Accidental Release Measures

Personal precautions	Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
Methods and materials for	
containment and cleaning up	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

### Section 7 – Handling and Storage

Precautions for safe handling	Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build-up of electrostatic charge.
Conditions for safe storage	Keep container tightly closed in a dry and well-ventilated place.
Incompatible Conditions	Heat, flames and sparks.
Incompatible Materials	Oxidizing materials.

### Section 8 – Exposure Controls / Personal Protection

#### Occupational Exposure Limits Ingredient Name Distillates (petroleum), hydrotreated light Trimethylbenzene, all isomers

Xylene (o, m, p isomers)

Exposure Limits ACGIH TLV 200mg/m<sup>3</sup> ACGIH TWA: 25ppm ACGIH TLV TWA: 100ppm STEL: 150ppm



Date of Revision: June 19, 2019

	<b>OSHA PEL</b> TWA: 100 ppm TWA: 435 mg/m <sup>3</sup>
Ethylbenzene	ACGIH
	TWA: 20ppm 8 Hours
	STEL: 10000 ppm 15 minutes
	OSHA PEL
	TWA: 100 ppm
	TWA: 435 mg/m <sup>3</sup>
Personal protective equipmen	t
Eye/face protection	Chemical safety glasses with side shields to prevent eye contact. As a general rule do not wear contact lenses when handling chemicals.
Skin protection	Wear chemical resistant gloves, impermeable protective clothing and safety shoes.
Respiratory protection	Use NIOSH approved respirators and components.
General hygiene	
Considerations	Handle in accordance with good industrial hygiene and safety.
Specific engineering controls	Use mechanical exhaust or laboratory fumehood to avoid exposure. Safety shower, eye wash, and fire extinguisher should be present.

### **Section 9 – Physical and Chemical Properties**

Physical State Appearance & Odour	Liquid Clear, Colourless. Hydrocarbon solvent odour.	Water Solubility Boiling Point	Insoluble Not applicable
Vapour Pressure	0.22 mmHg (20.0°C)	Boiling Range	157 – 208°C
Odour Threshold	Not available	Melting Point	<-40°C
Evaporation Rate	Not available	Freezing Point	<-40°C
Vapour Density	5.4 (Air = 1)	Lower Explosive Limit (LEL)	Not available
Specific Gravity	0.76 – 0.79	Upper Explosive Limit (UEL)	Not available
рН	Not available	Partition coefficient (n- octonal/water)	Not available
Flammability (Solid, Gas)	Not available		
Decomposition Temperature	Not available	Viscosity	Not available

# Section 10 – Stability and Reactivity

Reactivity	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur
Conditions to avoid Materials to avoid	Heat, flames and sparks. Oxidizing materials.
	Oxidizing materials.



Date of Revision: June 19, 2019

#### Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides.

Other decomposition products - No data available

### Section 11- Toxicological Information

#### Information on Likely Routes of Exposure

No data available

Acute toxicity

Product/Ingred	lient	Result	Species	Dose	Exposure		
Name Distillates (petroleum), hydrotreated light		Not Available					
Trimethylbenzene, all isomers		Not Available					
Xylene (o, m, p isomers)		LC50 Inhalation gas LD50 Oral	Rat Rat	6350ppm 3253mg/kg	4 Hr -		
Ethylbenzene		LD50 Dermal LD50 Oral	Rabbit Rat	12126mg/kg 5.46g/kg	24 Hr -		
Cumene		LD50 Dermal LC50 Inhalation gas LD50 Oral	Rabbit Rat Rat	>5000mg/kg 3577ppm 1400mg/kg	- 4Hr -		
		LD50 Dermal	Rabbit	12300µL/kg	-		
Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye irritation							
<b>D</b>		Causes eye irritation.					
Respiratory or	SKIN SENSITI	No data available					
Mutagenicity		No data available					
Carcinogenicity	,						
IARC:							
Ethylbenzene		2B Possibly carcinoge	2B Possibly carcinogenic to humans				
Cumene		2B Possibly carcinogenic to humans					
Reproductive toxicity		No data available					
Teratogenicity		No data available					
Specific target organ toxicity - single exposure (Globally Harmonized System)							
May cause drowsiness or dizziness.							
Specific target organ toxicity - repeated exposure (Globally Harmonized System)							
		Not assigned.					
Aspiration hazard		May be fatal if swallowed and enters airways.					
Potential health effects							
	May cause drowsiness and dizziness.						
Ingestion	May be fatal if swallowed and enters airways. Irritating to mouth, throat, and stomach.			d stomach.			
	<b>Skin</b> May be harmful if absorbed through skin. Causes skin irritation.						
Eyes	• • • •						
Signs and Symptoms of Exposure							



Date of Revision: June 19, 2019

Inhala	tion Adverse symptoms may include: nausea and vomiting, headache, drowsiness/fatigue,
	dizziness/vertigo and unconsciousness
Ingest	ion Adverse symptoms may include: nausea and vomiting
Skin	Adverse symptoms may include: irritation, redness
Eyes	Adverse symptoms may include: pain or irritation, watering, redness

#### Synergistic effects No data available

#### Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure Short Term Exposure

Potential immediate Health Effects	No data available.
Potential Delayed Health Effects	No data available.
Long Term Exposure	
Potential immediate Health Effects	No data available.
Potential Delayed Health Effects	No data available.
Potential Chronic Effects	No data available.

## Section 12 – Ecological Information

#### Toxicity

Product / Ingredient Name	Result		Species		Exposure
Distillates (petroleum), hydrotreated light	LC50 2500µg/L		Fish – Pimephales	promelas	96 Hr
Trimethylbenzene, all isome	ers EC50 1.5mg/L		Daphnia – Daphnia	a magna	48 Hr
-	LC50 4mg/L		Fish – Carassius au	ratus	24 Hr
Ethylbenzene	LC50 4mg/L		Fish – Oncorhynch	us mykiss	96 Hr
	EC50 1 – 4mg/L		Daphnia – Daphnia	n magna	48 Hr
Xylene (o, m, p isomers)	LC50 13.1 - 16.5m	g/L	Fish – Lepomis ma	crochirus	96 Hr
	LC50 13.5 – 17.3m	ig/L	Fish – Oncorhynch	us mykiss	96 Hr
Cumene	LC50 4.8mg/L		Fish – Oncorhynch	us mykiss	96 Hr
	LC50 2.14mg/L		Daphnia – Daphnia	a magna	48 Hr
Persistence and degradability					
Biodegradability	No data available				
<b>Bioaccumulative potential</b>					
Product/Ingredient Name	LogPow	BCF		Potential	
Distillates (petroleum),	Not available	Not avail	lable	Not available	
hydrotreated light					
Trimethylbenzene, all isomers	Not available	Not avail	lable	Not available	
Ethylbenzene	3.15	Not avail	lable	Not available	
Xylene (o, m, p isomers)	3.2	Not avail	lable	Not available	
Cumene	Not available	Not avail	lable	Not available	
Mobility in soil	No data available				
PBT and vPvB assessment	No data available				
Other adverse effects	No known significant eff	fects or criti	cal hazards.		



Date of Revision: June 19, 2019

### Section 13 – Disposal Considerations

Product	This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
Contaminated packaging	Dispose of as unused product.

### Section 14 - Transportation Information

CANADA Transportation of Dangerous Goods (TDG)

Shipping Name	UN1268, PETROLEUM DISTILLATES, N.O.S. (Naptha Solvent), 3. PG III
Class	3
UN Number	UN1268
Packaging Group:	III
Label	



if applicable		
Special Precautions		

Not a marine pollutant.

No data available No data available

### Section 15 – Regulatory Information

#### DSL (Canadian Domestic Substances List)

#### and CEPA (Canadian Environmental Protection Act)

All components of this product are in compliance with the chemical notification requirements of the NSN Regulations under CEPA, 1999.

#### TSCA Inventory (8b)

All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations and the SDS contains all the information required by the Hazardous Products Regulations.

### Section 16 – Other Information

**REVISION SUMMARY:** 

Date of Preparation	April 1, 2017
Date of Revision	June 19, 2019

SDS Prepared by: CFR Lab Manager



Date of Revision: June 19, 2019

CFR Chemicals Inc. provides the information contained herein in good faith, but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. CFR Chemicals Inc. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, CFR CHEMICALS INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OR RELIANCE UPON THIS INFORMATION.