

Date of Revision: June 19, 2019

Section 1 - Chemical Product and Company Identification

Product Name	Ethylene Glycol		
Synonyms	EG, 1,2-ethanethiol, Glycol, MEG		
Product Use	Industrial Heat Transfer Fluid		
Restrictions On Use	Not Applicable		
Supplier	CFR Chemicals		
	38451 Range Road 22		
	County of Red Deer T4E 2N6		
General Assistance	1 (877) 269-3419		
Emergency Telephone	Not Dangerous Goods – Call General Assistance		
Date of Preparation of SDS	April 1, 2017		

Section 2 – Hazard Identification

Signal Word GHS Pictogram(s) Warning



Hazard Statement:				
H302	Harmful if swallowed.			
H373	May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.			
Precautionary Statement				
Prevention				
P260	Do not breathe dust/gas/mist/vapours.			
P264	Wash skin thoroughly after handling.			
P270	Do not eat, drink or smoke when using this product.			
P280	Wear protective gloves/eye protection/face protection.			
Response				
P301 + P312 +P330	IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell. Rinse Mouth.			
P314	Get medical advice/attention if you feel unwell.			
Storage	·			
No Statements.				
Disposal				
P501	Dispose of contents/container to an approved waste disposal unit.			
GHS Classification	Acute Toxicity (oral) (Category 4)			
	Specific target organ toxicity - repeated exposure, oral (Kidney) (Category 2)			
HMIS Classification				
Health Hazard	1			
Chronic Health Hazard	*			



1 0
May be harmful if inhaled. Causes respiratory tract irritation.
May be harmful if absorbed through skin.
Causes eye irritation.
May be harmful if swallowed.

Section 3 – Composition Information on Ingredients

HAZARDOUS INGREDIENT, Common Name	Hazardous Ingredient, Synonyms	PERCENT	CAS NUMBER
Ethylene Glycol	1,2-ethanediol, EG, Glycol * = Various ** = Mixture *** = Pro	100% oprietary	107-21-1

Section 4 - First Aid Measures

Inhalation	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.
Eye Contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower lids. Check for and remove contact lenses. Continue to rinse for at least 15 minutes. Get medical attention.
Skin Contact	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	Get medical attention immediately. Call a poison control centre or physician. IF alert, rinse mouth and drink ½ to 1 glass of water to help dilute the material. Do not give liquids to a drowsy, convulsion, or unconscious patient. Do NOT induce vomiting. If vomiting occurs, the head should be kept low so vomit does not enter the lungs. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as collar, tie, belt or waistband.
Most Important Symptoms/E	ffects both Acute and Delayed
	Harmful if swallowed. May cause damage to the kidneys if swallowed. May cause drowsiness or dizziness. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. May cause slight eye and skin irritation. Symptoms include: Redness, swelling, itching and dryness. Suspected of damaging the unborn child.
Note to Physician	Kidney toxicity may be recognized by blood in the urine or increased or decreased urine flow. Other signs and symptoms can include nausea, vomiting, abdominal cramps, diarrhea, lumbar pain shortly after ingestion, and possibly narcosis and death. Eye irritation signs and symptoms may include a burning sensation, redness, swelling, and/or blurred vision. Skin irritation signs and symptoms may include a burning sensation, redness, swelling, and/or blisters. Respiratory



Date of Revision: June 19, 2019

irritation signs and symptoms may include a temporary burning sensation of the nose and throat, coughing, and/or difficulty breathing. IMMEDIATE TREATMENT IS EXTREMELY IMPORTANT! May cause significant renal, respiratory, and CNS toxicity. May cause significant acidosis. Call a doctor or poison control center for guidance.

Section 5 – Fire-Fighting Measures

Flash Point (°C)	115 – 116°C
Flash Point Method	PMCC
Auto Ignition Temperature	225°C
Conditions of Flammability	Not flammable or combustible.
Extinguishing Media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable Extinguishing	
Media	Water jet.
Unusual Fire/	
Explosion Hazard	No data available.
Hazardous Combustion	
Products	Carbon oxides.
Fire Fighting Equipment	Wear appropriate protective equipment and self-contained breathing apparatus with a full face-piece operated in positive pressure mode.
Special Precautions for	
Firefighters	No data available.

Section 6 – Accidental Release Measures

Personal precautions	Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapour can accumulate in low areas.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
Methods and materials for	
containment and cleaning up	Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

Section 7 – Handling and Storage

Precautions for safe handling	Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.		
Conditions for safe storage	Keep container tightly closed in a dry and well-ventilated place. Containers which		
	are opened must be carefully resealed and kept upright to prevent leakage.		
	Hygroscopic.		
Incompatible Materials	Strong Acids, Strong Bases.		



Date of Revision: June 19, 2019

Section 8 – Exposure Controls / Personal Protection

Occupational Exposure Limits Ingredient Name Ethylene Glycol

Exposure Limits Canada, Alberta OHSC Code 100mg/m³ ACGIH TLV TLV: 100mg/m³

Personal protective equipment

Eye/face protection	Chemical safety glasses with side shields to prevent eye contact. As a general rule do not wear contact lenses when handling chemicals. If contact is possible, the following protection should be worn: Splash goggles. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases, or dusts. If inhalation hazards exist, a full-face respiratory may be required instead.
Skin protection	Wear chemical resistant gloves, impermeable protective clothing and safety shoes. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary.
General hygiene	
Considerations	Handle in accordance with good industrial hygiene and safety. Eye wash fountains and safety showers must be easily accessible.
Specific engineering controls	Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Use explosion-proof ventilation equipment.

Section 9 – Physical and Chemical Properties

Physical State	Liquid	Water Solubility	miscible
Appearance & Odour	Clear, colourless. Odourless.	Boiling Point	-198°C
Vapour Pressure	0.06 kPa (20.0°C)	Boiling Point Range	Not applicable
Vapour Density	2.14 (Air = 1)	Melting Point	-13°C
Specific Gravity	1.115	Freezing Point	-13°C
Partition coefficient (n-	Not available.	Lower Explosive Limit (LEL)	Not Available
octonal/water) pH Flashpoint (Method) Odour Threshold Flammability (Solid, Gas) Decomposition Temperature	7 – 7.2 Neat Not flammable Not available. Not available. Not available.	Upper Explosive Limit (UEL) Auto Ignition temperature Evaporation Rate Viscosity	Not Available 225°C Not available. Not available.



Date of Revision: June 19, 2019

Section 10 – Stability and Reactivity

Reactivity	No specific test data related to reactivity available for this product.		
Chemical stability	Stable under recommended storage conditions.		
Possibility of hazardous	No data available.		
reactions			
Conditions to avoid	No data available.		
Materials to avoid	Strong acids. Strong oxidizing agents. Strong bases.		
Hazardous decomposition products			
	Carbon oxides.		

Section 11- Toxicological Information

Information on Likely Routes of Exposure

Inhalation:

May be harmful if inhaled. May cause respiratory tract irritation.

Skin contact

Harmful if absorbed through the skin. May cause skin irritation.

Eye contact

May cause eye irritation.

Ingestion

May cause abdominal discomfort or pain, nausea, vomiting, dizziness, drowsiness, malaise, blurring of vision, irritability, lumbar pain, oliguria, uremia, and central nervous system effects, including irregular eye movements, convulsions and coma. Cardiac failure, pulmonary edema, and severe kidney damage may develop. May be fatal if swallowed, lethal dose in adult humans for ethylene glycol is approximately 100 mL

Acute and Chronic Toxicity

Poison. Toxic if swallowed. If swallowed there is a risk of blindness.

Acute toxicity

Product/Ingredient Name	Result	Species	Dose	Exposure
Ethylene Glycol	LD50 Oral	Rat	4700mg/kg	-
	LD50 Dermal	Rabbit	10626mg/kg	-
Skin corrosion/irritation	Slightly irri	tating to s	kin	
Serious eye damage/ Eye in	• •			
Slightly irritating to the eye.				
Respiratory or skin sensitiz	ation			
	No data available. Not expected to be a sensitizer.			
Mutagenicity	No known significant effects or critical hazards.			
Carcinogenicity				
IARC:	No compo	nent of th	is product pres	ent at levels greater than or equal to 0.1% is
-	identified as probable, possible or confirmed human carcinogen by IARC.			
Domanductive tovicity				
Reproductive toxicity	Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.			
Teratogenicity	Laboratory experiments have shown teratogenic effects.			
Specific target organ toxicity - single exposure (Globally Harmonized System)				



Date of Revision: June 19, 2019

	No data availa	ble			
Specific target organ toxicity -	repeated expos	sure (Globally Harmonized System)			
	Oral - May cause damage to organs through prolonged or repeated exposure				
	Kidney				
Aspiration hazard	No data available.				
Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure					
Short Term Exposure					
Potential immediate Health Effects		No data available.			
Potential Delayed Health Effects		No data available.			
Long Term Exposure					
Potential immediate Health Effects		No data available.			
Potential Delayed Health Effects		No data available.			
Potential Chronic Effects		No data available.			

Synergistic effects

No data available

Section 12 – Ecological Information

Toxicity

Product / Ingredient Name Ethylene Glycol	-	Species Fish – Oncorhynchus mykiss Fish – Leuciscus idus Daphnia – Daphnia magna	Exposure 96 Hr 48 Hr 24 Hr
Persistence and degradability Bioaccumulative potential Mobility in soil PBT and vPvB assessment	No data available. Does not bioaccum No data available. No data available	ulate.	

Section 13 – Disposal Considerations

Product

Do not discharge substance/product into sewer system. Dispose of in accordance with national, regional, and local regulations.

Contaminated packaging

Dispose of as unused product in a licensed facility. Recommend crushing, puncturing, or other means to prevent unauthorized use of used containers. Do not cut, weld, or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled materials and runoff and contain with soil, waterways, drains, and sewers.

Section 14 - Transportation Information

CANADA Transportation of Dangerous Goods (TDG)



Not Dangerous Goods

Section 15 – Regulatory Information

DSL (Canadian Domestic Substances List)

and CEPA (Canadian Environmental Protection Act)

All components of this product are in compliance with the chemical notification requirements of the NSN Regulations under CEPA, 1999.

TSCA Inventory

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations and the SDS contains all the information required by the Hazardous Products Regulations.

All components are listed or exempted.

Section 16 – Other Information

REVISION SUMMARY:

Date of Preparation	April 1, 2017
Date of Revision	June 19, 2019

SDS Prepared by: CFR Lab Manager

CFR Chemicals Inc. provides the information contained herein in good faith, but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. CFR Chemicals Inc. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, CFR CHEMICALS INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OR RELIANCE UPON THIS INFORMATION.