

Date of Revision: May 9, 2019

Section 1 - Chemical Product and Company Identification

Product Name Glycol Refridge Inhibitor Package

Synonyms Not available

Product Use Glycol Inhibitor Package

Restrictions On Use Not Applicable Supplier CFR Chemicals

38451 Range Road 22

County of Red Deer T4E 2N6

General Assistance 1 (877) 269-3419

Emergency Telephone 613-966-6666 (CANUTEC 24 Hour Phone Number)

Date of Preparation of SDS May 1, 2019

Section 2 - Hazard Identification

Signal Word GHS Pictogram(s)

Danger





Hazard Statement:

H290 May be corrosive to metals

H301 Toxic if swallowed.

H319 Causes serious eye irritation.

H314 Causes severe skin burns and eye damage.

Precautionary Statement

P234 Keep only in original container.
P260 Do not breathe dusts or mists.
P264 Wash skin thoroughly after handling.

P270 Do not eat, drink, or smoke when using this product.
P280 Wear protective gloves/eye protection/face protection.

Response

P321 Specific treatment (see supplemental first aid instructions on this label).
P301 + P310 IF SWALLOWED: Immediately call a POISON Center or doctor/physician

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing. Rinse skin

with water/shower

P305 + P351 +P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material damage.

Storage

P405 Store locked up.

P406 Store in corrosion resistant container.

Disposal



Date of Revision: May 9, 2019

P501 Dispose of contents/container to an approved waste disposal unit.

GHS Classification Corrosive to metals (Category 1)

Acute Toxicity (oral) (Category 3)
Skin corrosion/irritation (Category 1A)
Serious eye damage/irritation (Category 1)

HMIS Classification

Health Hazard 1
Chronic Health Hazard *
Flammability 1
Physical Hazards 0

Potential Health Effects

Inhalation May be harmful if inhaled.

Skin Causes severe skin burns and eye damage.

Eye Causes serious eye irritation.

Ingestion Toxic if swallowed.

Section 3 – Composition Information on Ingredients

HAZARDOUS INGREDIENT, Common Name	Hazardous Ingredient, Synonyms	PERCENT	CAS NUMBER	
Ethylene Glycol	1,2-ethanediol, EG, Glycol	35 – 45%	107-21-1	
Water	H₂O, Aqua	30 – 45%	7732-18-5	
Potassium Hydroxide	Caustic postash, lye, potash lye, KOH	5 – 20%	1310-58-3	
Disodium tetraborate, pentahydrate	Not Applicable	7 – 13%	12173-04-3	
* = Various ** = Mixture *** = Proprietary				

Section 4 - First Aid Measures

Inhalation Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If

not breathing, give artificial respiration. Get medical attention.

Eye Contact Immediately flush eyes with plenty of water, occasionally lifting the upper and

lower lids. Check for and remove contact lenses. Continue to rinse for at least 15

minutes. Get medical attention.

Skin Contact Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash

clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion Get medical attention immediately. Call a poison control centre or physician. IF

alert, rinse mouth and drink ½ to 1 glass of water to help dilute the material. Do not give liquids to a drowsy, convulsion, or unconscious patient. Do NOT induce vomiting. If vomiting occurs, the head should be kept low so vomit does not enter the lungs. If unconscious, place in recovery position and get medical attention



Date of Revision: May 9, 2019

immediately. Maintain an open airway. Loosen tight clothing such as collar, tie,

belt or waistband.

Most Important Symptoms/Effects both Acute and Delayed

Causes burns by all exposure routes. Product is a corrosive material. Ingestion causes severe swelling, severe damage to delicate tissues, and danger of

perforation.

Note to Physician Treat symptomatically.

Section 5 – Fire-Fighting Measures

Conditions of Flammability

Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide

Unusual Fire/

Explosion Hazard No data available.

Hazardous Combustion

Products

Potassium oxides. Carbon Oxides.

Not flammable or combustible.

Fire Fighting Equipment

Wear appropriate protective equipment and self-contained breathing apparatus with a full face-piece operated in positive pressure mode**Special Precautions for**

Firefighters

No data available.

Section 6 – Accidental Release Measures

Personal precautions Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure

adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapour

can accumulate in low areas.

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter

drains. Discharge into the environment must be avoided.

Methods and materials for

containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in

suitable, closed containers for disposal.

Section 7 – Handling and Storage

Precautions for safe handling Conditions for safe storage

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Hygroscopic.

Incompatible Materials

Acids, Nitro compounds, Magnesium, Copper. Metals, Light metals. Contact with

aluminum, tin and zinc liberates hydrogen gas. Alkalai metals, halogens, azides,

anhydrides.



Date of Revision: May 9, 2019

Section 8 – Exposure Controls / Personal Protection

Occupational Exposure Limits

Ingredient Name Exposure Limits

Canada, Alberta OHSC Code Potassium Hydroxide

Ceiling: 2mg/m3

ACGIH

TLV: 2.00mg/m3

Ethylene Glycol Canada, Alberta OHSC Code

100mg/m³

ACGIH TLV TLV: 100mg/m3

Disodium tetraborate, pentahydrate

Canada, Alberta OHSC Code

TWA: 1mg/m³

Ceiling: 3mg/m3

ACGIH

TWA: 2mg/m³

Personal protective equipment

Eye/face protection Chemical safety glasses with side shields to prevent eye contact. As a general rule

> do not wear contact lenses when handling chemicals. If contact is possible, the following protection should be worn: Splash goggles. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this

is necessary to avoid exposure to liquid splashes, mists, gases, or dusts. If inhalation hazards exist, a full-face respiratory may be required instead.

Skin protection Wear chemical resistant gloves, impermeable protective clothing and safety shoes. Personal protective equipment for the body should be selected based on

the task being performed and the risks involved and should be approved by a

specialist before handling this product.

Use a properly fitted, air-purifying or supplied air respirator complying with an **Respiratory protection**

approved standard if a risk assessment indicates this is necessary.

General hygiene

Considerations Handle in accordance with good industrial hygiene and safety. Eye wash fountains

and safety showers must be easily accessible.

Specific engineering controls Use only with adequate ventilation. Use process enclosures, local exhaust

> ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Use explosion-proof

ventilation equipment.

Section 9 – Physical and Chemical Properties

Physical State Water Solubility miscible Liquid Appearance & Odour Clear, colourless. Odourless. **Boiling Point** 100°C

Vapour Pressure 17 mmHg (20.0°C) **Boiling Point Range** Not Available **Vapour Density** >1 (Air = 1) **Melting Point** Not Available

Specific Gravity 1.20-1.25 **Freezing Point** -40°C

Partition coefficient (n-Not Available Not available **Lower Explosive Limit (LEL)**

octonal/water)



Date of Revision: May 9, 2019

pH13Upper Explosive Limit (UEL)Not AvailableFlashpoint (Method)Not flammableAuto Ignition temperatureNot AvailableOdour ThresholdNot availableEvaporation RateNot available

Flammability (Solid, Gas) Not available

Decomposition Temperature Not available **Viscosity** Not available

Section 10 - Stability and Reactivity

Reactivity Thermal decomposition generates: Corrosive vapours.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous No data available.

reactions

Conditions to avoid

High temperatures, fire conditions.

Materials to avoid Acids, Nitro compounds, Magnesium, Copper. Metals, Light metals. Contact with

aluminum, tin and zinc liberates hydrogen gas. Alkali metals, halogens, azides,

anhydrides.

Hazardous decomposition products

Potassium oxides. Carbon oxides.

Section 11- Toxicological Information

Information on Likely Routes of Exposure

Inhalation May be harmful if inhaled.

Skin Causes severe skin burns and eye damage.

Eye Causes serious eye irritation.

Ingestion May cause abdominal discomfort or pain, nausea, vomiting, dizziness, drowsiness,

malaise, blurring of vision, irritability, lumbar pain, oliguria, uremia, and central nervous system effects, including irregular eye movements, convulsions and coma. Cardiac failure, pulmonary edema, and severe kidney damage may develop. May be fatal if swallowed, lethal dose in adult humans for ethylene

glycol is approximately 100 mL

Acute and Chronic Toxicity

Poison. Toxic if swallowed. If swallowed there is a risk of blindness.

Acute toxicity

Product/Ingredient Name	Result	Species	Dose	Exposure
Potassium hydroxide	LD50 Oral	Rat	333mg/kg	-
Ethylene Glycol	LD50 Oral	Rat	4700mg/kg	-
	LD50 Dermal	Rabbit	10626mg/kg	-
Disodium tetraborate, pentahydrate	LD50 Oral	Rat	>2000mg/kg	-
	LD50 Dermal	Rabbit	>2000mg/kg	-

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/ Eye irritation

Corrosive to eyes.

Respiratory or skin sensitization

No data available



Date of Revision: May 9, 2019

Mutagenicity No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by ACGIH.

Reproductive toxicityNo data available **Teratogenicity**No data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

No data available.

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

No data available.

Aspiration hazard No data available.

Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure

Short Term Exposure

Potential immediate Health Effects

No data available.

Potential Delayed Health Effects

No data available.

Long Term Exposure

Potential immediate Health Effects
Potential Delayed Health Effects
No data available.
Potential Chronic Effects
No data available.

Synergistic effects No data available

Section 12 – Ecological Information

Toxicity

Product / Ingredient Name	Result	Species	Exposure
Potassium Hydroxide	LC50 80mg/L	Fish Gambusia affinis	96 Hr
	LC50 18500mg/L	Fish – Oncorhynchus mykiss	96 Hr
Ethylene Glycol	LC50 >1000mg/L	Fish – Leuciscus idus	48 Hr
	EC50 74000mg/L	Daphnia – Daphnia magna	24 Hr
Disadium tatraharata nantahudrata	LC50 100 - 1000mg/L	Fish – Pisces	96 Hr
Disodium tetraborate, pentahydrate	EC50 340mg/L	Daphnia – Dapnhia magna	24 Hr

Persistence and degradabilityNo data available.Bioaccumulative potentialNo data availableMobility in soilNo data availablePBT and vPvB assessmentNo data available

Section 13 – Disposal Considerations

Product

Do not discharge substance/product into sewer system. Dispose of in accordance with national, regional, and local regulations.

Contaminated packaging

Dispose of as unused product in a licensed facility. Recommend crushing, puncturing, or other means to prevent unauthorized use of used containers. Do not cut, weld, or grind used containers unless they have



Date of Revision: May 9, 2019

been cleaned thoroughly internally. Avoid dispersal of spilled materials and runoff and contain with soil, waterways, drains, and sewers.

Section 14 - Transportation Information

CANADA Transportation of Dangerous Goods (TDG)

Shipping Name UN3266, Corrosive Liquid, Basic, Inorganic, N.O.S. (Potassium Hydroxide), 8, III

Class 8

UN Number UN3266
Packaging Group: III

Section 15 – Regulatory Information

DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act)

All components of this product are in compliance with the chemical notification

requirements of the NSN Regulations under CEPA, 1999.

TSCA Inventory All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations and the SDS contains all the information required by the Hazardous Products Regulations.

Section 16 – Other Information

REVISION SUMMARY:

Date of Preparation May 1, 2019
Date of Revision May 9, 2019

SDS Prepared by: CFR Lab Manager

CFR Chemicals Inc. provides the information contained herein in good faith, but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. CFR Chemicals Inc. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, CFR CHEMICALS INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OR RELIANCE UPON THIS INFORMATION.