

Date of Revision: June 19, 2019

## **Section 1 - Chemical Product and Company Identification**

Product Name StaFrost Booster Synonyms Not available

**Product Use** Various use, chemical intermediate, heat transfer fluid additive

Restrictions On Use Not Applicable Supplier CFR Chemicals

38451 Range Road 22

County of Red Deer T4E 2N6

**General Assistance** 1 (877) 269-3419

Emergency Telephone Not Dangerous Goods – Call General Assistance

Date of Preparation of SDS April 1, 2017

### Section 2 – Hazard Identification

Signal Word GHS Pictogram(s)

Danger



**Hazard Statement:** 

H314 Causes severe skin burns and eye damage.

**Precautionary Statement** 

P260 Do not breath dust/gas/mist/vapours.
P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/eye protection/face protection.

Response

P321 Specific treatment (see supplemental first aid instructions on this label).

P310 Immediately call a POISON Center or doctor/physician.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P363 Wash contaminated clothing before reuse.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing P305 + P351 +P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container to an approved waste disposal unit.

GHS Classification Skin corrosion/irritation (Category 1A)

**HMIS Classification** 

Health Hazard 1



Date of Revision: June 19, 2019

Chronic Health Hazard \*
Flammability 1
Physical Hazards 0

**Potential Health Effects** 

**Inhalation** May be harmful if inhaled.

**Skin** Causes severe skin burns and eye damage.

**Eye** Causes eye irritation.

**Ingestion** May be harmful if swallowed.

## **Section 3 – Composition Information on Ingredients**

HAZARDOUS INGREDIENT, Common Name	Hazardous Ingredient, Synonyms	PERCENT	CAS NUMBER
Potassium hydroxide	Caustic Potash, Lye	8 – 16%	1310-5-3
Phosphoric acid, 75%, aqueous solution	Orthophosphoric Acid	9 – 17%	7664-38-2
Propylene Glycol	1,2-propanediol, PG	5 – 12%	57-55-6
Boric Acid	Not Applicable	5 – 3%	10043-35-3
Sodium 4(or 5)-methyl-1H- benzotriazolide	Not Applicable	0 – 1.5%	64665-57-2
Polydimethylsiloxane	Not Applicable	0 - 0.30%	63147-62-9
Silica filled polydimethylsiloxane	Not Applicable	0-0.15%	67762-90-7
Sucrose distearate	Not Applicable	0-0.15%	27915-16-0
	* = Various ** = Mixture *** = Pr	roprietary	

### **Section 4 - First Aid Measures**

Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If		
edical attention.		
:		

**Eye Contact** Immediately flush eyes with plenty of water, occasionally lifting the upper and

lower lids. Check for and remove contact lenses. Continue to rinse for at least  ${\bf 15}$ 

minutes. Get medical attention.

**Skin Contact** Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash

clothing before reuse. Clean shoes thoroughly before reuse.

**Ingestion** Get medical attention immediately. Call a poison control centre or physician. IF

alert, rinse mouth and drink ½ to 1 glass of water to help dilute the material. Do not give liquids to a drowsy, convulsion, or unconscious patient. Do NOT induce vomiting. If vomiting occurs, the head should be kept low so vomit does not enter the lungs. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as collar, tie,

belt or waistband.

Most Important Symptoms/Effects both Acute and Delayed



Date of Revision: June 19, 2019

Causes severe skin burns and irritation.

Note to Physician No information available.

### Section 5 – Fire-Fighting Measures

Flash Point (°C) Not applicable

Flash Point Method PMCC

Auto Ignition Temperature No data available

**Conditions of Flammability** Not flammable or combustible.

Extinguishing Media
Unsuitable Extinguishing

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Unsuitable Extinguishing** 

Media Water jet.

Unusual Fire/

**Explosion Hazard** No data available.

**Hazardous Combustion** 

**Fire Fighting Equipment** 

Products

Carbon oxides.

Wear appropriate protective equipment and self-contained breathing apparatus

with a full face-piece operated in positive pressure mode.

**Special Precautions for** 

**Firefighters** No data available.

### Section 6 - Accidental Release Measures

**Personal precautions**Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure

adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapour

can accumulate in low areas.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter

drains. Discharge into the environment must be avoided.

Methods and materials for

**containment and cleaning up** Soak up with inert absorbent material and dispose of as hazardous waste. Keep in

suitable, closed containers for disposal.

## Section 7 – Handling and Storage

Precautions for safe handling Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

**Conditions for safe storage** Keep container tightly closed in a dry and well-ventilated place. Containers which

are opened must be carefully resealed and kept upright to prevent leakage.

Hygroscopic.

**Incompatible Materials** Strong acids. Strong oxidizing agents. Strong bases

## Section 8 – Exposure Controls / Personal Protection

**Occupational Exposure Limits** 



Date of Revision: June 19, 2019

Ingredient Name Exposure Limits

Propylene Glycol Canada, Alberta OHSC Code

200mg/m<sup>3</sup> ACGIH TLV

TLV: 100mg/m<sup>3</sup>

Potassium hydroxide Canada, Alberta OHSC Code

None established

**ACGIH** 

Ceiling: 2mg/m<sup>3</sup>

Phosphoric acid, 75%, aqueous

solution

Canada, Alberta OHSC Code

1mg/m<sup>3</sup>

ACGIH

TWA: 1mg/m<sup>3</sup> STEL: 3mg/m<sup>3</sup>

Boric Acid Canada, Alberta OHSC Code

None established

ACGIH

TWA: 2mg/m<sup>3</sup> STEL: 6mg/m<sup>3</sup>

Sodium 4(or 5)-methyl-1H-

benzotriazolide

Canada, Alberta OHSC Code

None established

Polydimethylsiloxane Canada, Alberta OHSC Code

None established

Silica filled polydimethylsiloxane Canada, Alberta OHSC Code

None established

Sucrose distearate Canada, Alberta OHSC Code

TWA: 10mg/m³ (Stearates in general)

#### Personal protective equipment

**Eye/face protection** Chemical safety glasses with side shields to prevent eye contact. As a general rule

do not wear contact lenses when handling chemicals. If contact is possible, the following protection should be worn: Splash goggles. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this

is necessary to avoid exposure to liquid splashes, mists, gases, or dusts. If inhalation hazards exist, a full-face respiratory may be required instead. Wear chemical resistant gloves, impermeable protective clothing and safety

shoes. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a

specialist before handling this product.

**Respiratory protection** Use a properly fitted, air-purifying or supplied air respirator complying with an

approved standard if a risk assessment indicates this is necessary.

General hygiene

Skin protection

**Considerations** Handle in accordance with good industrial hygiene and safety. Eye wash fountains

and safety showers must be easily accessible.

**Specific engineering controls** Use only with adequate ventilation. Use process enclosures, local exhaust

ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Use explosion-proof

ventilation equipment.



Date of Revision: June 19, 2019

## Section 9 – Physical and Chemical Properties

Physical State	Liquid	Water Solubility	miscible
Appearance & Odour	Clear, colourless to pale yellow. Odourless.	Boiling Point	100°C
Vapour Pressure	2.4 mmHg (20.0°C)	<b>Boiling Point Range</b>	100 – 196°C
Vapour Density	1.3 (Air = 1)	Melting Point	Not Available
Specific Gravity	1.44	Freezing Point	Not Available
Partition coefficient (n- octonal/water)	Not available.	Lower Explosive Limit (LEL)	Not Available
pH	Slightly alkaline	Upper Explosive Limit (UEL)	Not Available
Flashpoint (Method)	Not flammable	Auto Ignition temperature	Not Available
Odour Threshold	Not available.	<b>Evaporation Rate</b>	Not available.
Flammability (Solid, Gas)	Not available.		
<b>Decomposition Temperature</b>	Not available.	Viscosity	Not available.

# Section 10 - Stability and Reactivity

**Reactivity** Thermal decomposition generates: Corrosive vapours.

**Chemical stability** Stable under recommended storage conditions.

**Possibility of hazardous** No data available.

reactions

**Conditions to avoid** No data available.

Materials to avoid Strong acids. Strong oxidizing agents. Strong bases

**Hazardous decomposition products** 

Carbon oxides.

## **Section 11- Toxicological Information**

#### **Information on Likely Routes of Exposure**

#### Inhalation:

May be harmful if inhaled. May cause respiratory tract irritation.

#### Skin contact

Causes severe skin burns and irritation.

#### Eye contact

May cause eye irritation.

#### **Ingestion**

May cause abdominal discomfort or pain, nausea, vomiting, dizziness, drowsiness, malaise, blurring of vision, irritability, lumbar pain, oliguria, uremia, and central nervous system effects, including irregular eye movements, convulsions and coma. Cardiac failure, pulmonary edema, and severe kidney damage may develop. May be fatal if swallowed, lethal dose in adult humans for ethylene glycol is approximately 100 mL

#### **Acute and Chronic Toxicity**

Poison. Toxic if swallowed. If swallowed there is a risk of blindness.



Date of Revision: June 19, 2019

**Acute toxicity** 

Product/Ingredient Name	Result	Species	Dose	Exposure
Potassium hydroxide	LD50 Oral	Rat	333mg/kg	-
Phosphoric acid, 75%, aqueous solution	LD50 Oral	Rat	4400mg/kg	-
Propylene Glycol	LD50 Oral	Rat	20000mg/kg	-
	LD50 Dermal	Rabbit	20800mg/kg	-
Boric Acid	LD50 Oral	Rat	>2000mg/kg	-
BOTTC ACIU	LD50 Dermal	Rabbit	>2000mg/kg	-
Sodium 4(or 5)-methyl-1H-benzotriazolide	LD50 Oral	Rat	2660mg/kg	
30didili 4(01 3)-illettiyi-1H-belizottiazolide	LD50 Dermal	Rabbit	>2000mg/kg	
Polydimethylsiloxane	No data available			
Silica filled polydimethylsiloxane	No data available			
Sucrose distearate	No data available			

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

Serious eye damage/ Eye irritation

Not classified.

Respiratory or skin sensitization

Not classified. Not classified.

Carcinogenicity

Mutagenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**Reproductive toxicity Not classified. Teratogenicity**Not classified.

Specific target organ toxicity - single exposure (Globally Harmonized System)

No data available.

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

No data available.

**Aspiration hazard** No data available.

Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure

**Short Term Exposure** 

Potential immediate Health Effects

No data available.

Potential Delayed Health Effects

No data available.

**Long Term Exposure** 

Potential immediate Health Effects
Potential Delayed Health Effects
No data available.
Potential Chronic Effects
No data available.

Synergistic effects No data available

## **Section 12 – Ecological Information**

**Toxicity** 

Product / Ingredient NameResultSpeciesExposurePotassium hydroxideLC50 28.6mgLFish – Pisces96 Hr



Date of Revision: June 19, 2019

	Phosphoric acid, 75%, aqueous solution	LC50 138mgL	Fish – Pisces	96 Hr
	Propylene	LC50 52930mg/L	Fish – Pimephales promelas	96 Hr
		EC50 >10000mg/L	Daphnia – Daphnia magna	24 Hr
	Boric Acid	LC50 100ppm	Fish – Oncorhynchus mykiss	96 Hr
	Borre Acid	EC50 658-875mg/L	Daphnia – Dapnhia magna	48 Hr
Ś	Sodium 4(or 5)-methyl-1H-benzotriazolide	LC 50 25mgL	Fish – Oncorhynchus mykiss	96 Hr
		EC 50 280mg/L	Daphnia – Daphnia magna	24 Hr
	Bull off could be full and a	Nicolata a silala		

Polydimethylsiloxane No data available
Silica filled polydimethylsiloxane No data available
Sucrose distearate No data available

Persistence and degradabilityNot established.Bioaccumulative potentialNot established.Mobility in soilNo data available.PBT and vPvB assessmentNo data available.

### Section 13 - Disposal Considerations

#### **Product**

Do not discharge substance/product into sewer system. Dispose of in accordance with national, regional, and local regulations.

#### **Contaminated packaging**

Dispose of as unused product in a licensed facility. Recommend crushing, puncturing, or other means to prevent unauthorized use of used containers. Do not cut, weld, or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled materials and runoff and contain with soil, waterways, drains, and sewers.

# **Section 14 - Transportation Information**

CANADA Transportation of Dangerous Goods (TDG)

**Not Dangerous Goods** 

# Section 15 – Regulatory Information

**DSL (Canadian Domestic Substances List)** 

and CEPA (Canadian Environmental Protection Act)

All components of this product are in compliance with the chemical notification

requirements of the NSN Regulations under CEPA, 1999.

**TSCA Inventory** All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations and the SDS contains all the information required by the Hazardous Products Regulations.



Date of Revision: June 19, 2019

### Section 16 – Other Information

**REVISION SUMMARY:** 

Date of Preparation April 1, 2017
Date of Revision June 19, 2019

SDS Prepared by: CFR Lab Manager

CFR Chemicals Inc. provides the information contained herein in good faith, but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. CFR Chemicals Inc. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, CFR CHEMICALS INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OR RELIANCE UPON THIS INFORMATION.