

## Safety Data Sheet - GHS StaSoly 117

Date of Revision: June 29, 2019

#### **Section 1 - Chemical Product and Company Identification**

Product Name StaSolv 117

Synonyms Not applicable

Product Use Wax Solvent

Restriction on Use None identified

Manufacturer/Supplier CFR Chemicals

38451 Range Road 22

County of Red Deer T4E 2N6

**General Assistance** 1 (877) 269-3419

Emergency Telephone 613-966-6666 (CANUTEC 24 Hour Phone Number)

**Date of Preparation of SDS** August 8, 2017

#### Section 2 – Hazard Identification

Signal Word GHS Pictogram(s)

Danger







Target Organs Narcotic Effects

**Hazard Statement:** 

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.
 H315 + H320 Causes skin irritation and eye irritation.
 H336 May cause drowsiness or dizziness.

H340 May cause genetic defects.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure

H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long-lasting effects.

**Precautionary Statement** 

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surface, sparks, open flames and other ignition sources.

No smoking

P233 Keep container tightly closed.

P240 Gound/bond container and receiving equipment.

P241 Use explosion-proof electrical, ventilating, lighting and all material-handling

equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash skin thoroughly after handling.



### StaSolv 117

Date of Revision: June 29, 2019

P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. Response Specific treatment: See Response Statements on this label. P321 P301 + P310 IF SWALLOWED: Immediately call a POISON CENTRE / DOCTOR. P302 + P352 IF ON SKIN: Wash with plenty of water. P303 + P361 + P353 IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. P308 + P313 P312 Call a POISON CENTRE or doctor/physician if you feel unwell. P331 DO NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. P332 + P313 If eye irritation persists: get medical advice/attention. P337 + P313 Take off contaminated clothing and wash before reuse. P362 + P364 P370 + P378 In case of fire: Use dry sand, dry chemical, or alcohol-resistant foam to extinguish Collect spillage P391 Storage P403 + P233 Store in well-ventilated place. Keep container tightly closed. P403 + P235 Store in well-ventilated place. Keep cool. P405 Store locked up. Disposal P501 Dispose of contents/container to an approved waste disposal unit.

GHS Classification

Flammable liquids (Category 2)
Skin corrosion/irritation (Category 2)

Serious eye damage/eye irritation (Category 2B)

Mutagenicity (Category 1B)
Carcinogenicity (Category 1B)
Reproductive Toxicity (Category 2)

Specific target organ toxicity - single exposure (Category 3)

Specific target organ toxicity - repeated exposure (Category 2, Central Nervous

System (CNS))

Aspiration hazard (Category 1)

Hazardous to the aquatic environment, acute hazard (Category 2) Hazardous to the aquatic environment, acute chronic (Category 2)

**HMIS Classification** 

Health Hazard 2
Chronic Health Hazard \*
Flammability 3
Physical Hazards 0

**Potential Health Effects** 

**Inhalation** May be harmful if inhaled. Causes respiratory tract irritation.

**Skin** May be harmful if absorbed through skin.



StaSolv 117

Date of Revision: June 29, 2019

**Eye** Causes eye irritation.

**Ingestion** May be harmful if swallowed.

#### Section 3 - Composition Information on Ingredients

HAZARDOUS INGREDIENT  Natural Gas Condensate	Hazardous Ingredient, Synonyms Not available	<b>PERCENT</b> 30 - 50%	<b>CAS NUMBER</b> 8002-05-9
Toluene	benzyl hydride; methylbenzene; phenylmethane; toluol.	20 – 30%	108-88-3
Naptha, petroleum, heavy catalytic reformed**	Heavy aromatic naptha; Heavy aromatic naptha, gasoline re-run overhead; Aromatic hydrocarbon mixture	20 - 30%	64741-68-0
Monoisopropylamine Sulfonate	Not available	3 – 6%	26264-05-1

\* = Various \*\* = Mixture \*\*\* = Proprietary

Chemical Formula not applicable

#### Section 4 - First Aid Measures

**Inhalation** Move victim to fresh air and keep at rest in a position comfortable for breathing.

If it is suspected that vas of vapour is still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular, or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison centre or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing

such as collar, tie, belt or waistband.

**Eye Contact** Immediately flush eyes with plenty of water, occasionally lifting the upper and

lower lids. Check for and remove contact lenses. Continue to rinse for at least 10

minutes. Get medical attention.

**Skin Contact** Flush contaminated skin with plenty of water. Remove contaminated clothing and

shows. Continue to rinse for at least 10 minutes. Get medical attention. Wash

clothing before reuse. Clean shoes thoroughly before reuse.

**Ingestion** Get medical attention immediately. Call a poison control centre or physician.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight

clothing such as collar, tie, belt or waistband.

Most Important Symptoms/Effects

Acute No data available.
Delayed No data available.

Note to Physician Treat symptomatically.



## Safety Data Sheet - GHS StaSolv 117

Date of Revision: June 29, 2019

#### Section 5 – Fire-Fighting Measures

-35°C Flash Point (°C) **Flash Point Method PMCC Auto Ignition Temperature** Not available

**Conditions of Flammability** Flammable in the presence of a source of ignition when the temperature is above

the flash point. Keep away from heat/sparks/open flame/ hot surface. No

smoking.

**Extinguishing Media** Use water spray (fog), alcohol-resistant foam, dry chemical or carbon dioxide

Unsuitable Extinguising Media Water streams.

**Unusual Fire/** 

**Explosion Hazard** No data available.

**Hazardous Combustion** 

**Products** Carbon oxides.

**Special Protective Equipment and** 

**Precautions for Firefighters** Wear appropriate protective equipment and self-contained breathing apparatus

with a full face-piece operated in positive pressure mode.

#### Section 6 – Accidental Release Measures

**Personal precautions** Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure

adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe

areas. Beware of vapours accumulating to form explosive concentrations.

Vapours can accumulate in low areas.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter

drains. Discharge into the environment must be avoided.

Methods and materials for

containment and cleaning up Contain free liquid if possible. Pick up by covering with an activated carbon

> absorbent or other suitable inert absorbent material (e.g. sand, sawdust, generalpurpose binder). Take up & place in closed containers. Ventilate area & wash spill site after material pickup is complete. Contain and dispose of wash water in

accordance with local regulations.

### Section 7 – Handling and Storage

**Precautions for safe handling** Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away

from sources of ignition - No smoking. Take measures to prevent the build-up of

electrostatic charge.

**Conditions for safe storage** 

Keep container tightly closed in a dry and well-ventilated place.

**Incompatible Conditions** Heat, flames and sparks. **Incompatible Materials** Oxidizing materials.

#### Section 8 – Exposure Controls / Personal Protection

**Occupational Exposure Limits** 

**Ingredient Name Exposure Limits** 



StaSolv 117

Date of Revision: June 29, 2019

Can form emulsion

Natural Gas Condensate Not Established

Toluene Canada, Alberta, Occupational Health and Safety Cote (table 2: OEL)

TWA: 50ppm

Naptha, petroleum, heavy catalytic

reformed\*\*

**Not Established** 

Monoisopropylamine Sulfonate Not Established

Personal protective equipment

**Eye/face protection** Chemical safety glasses with side shields to prevent eye contact. As a general rule

do not wear contact lenses when handling chemicals.

**Skin protection** Wear chemical resistant gloves, impermeable protective clothing and safety

shoes.

Liquid

**Respiratory protection** 

**General hygiene** 

**Physical State** 

Use NIOSH approved respirators and components.

**Considerations** Handle in accordance with good industrial hygiene and safety.

shower, eye wash, and fire extinguisher should be present.

**Water Solubility** 

#### Section 9 – Physical and Chemical Properties

Appearance & Odour	Clear, pale yellow to orange. Distinct odour.	<b>Boiling Point</b>	50°C
Vapour Pressure	Not available	Boiling Range	50 – 246.5°C
Odour Threshold	No data available	Melting Point	<-40°C
<b>Evaporation Rate</b>	No data available	Freezing Point	<-40°C
Vapour Density	>1 (Air = 1)	Lower Explosive Limit (LEL)	No data available
Specific Gravity	0.83 – 0.85	Upper Explosive Limit (UEL)	No data available
рН	No data available	Partition coefficient (n- octonal/water)	No data available
Flash Point (Method)	-35°C (PMCC)	Autoignition Temperature	No data available
Flammability (Solid, Gas)	No data available		
Decomposition Temperature	No data available	Viscosity	No data available

### Section 10 - Stability and Reactivity

**Reactivity** Heating may cause fire.

**Chemical stability** Stable under recommended storage conditions.

Possibility of hazardous Under norm

reactions

Under normal conditions of storage and use, hazardous reactions will not occur

**Conditions to avoid** Heat, flames and sparks. **Materials to avoid** Oxidizing materials.

**Hazardous decomposition products** 



StaSolv 117

Date of Revision: June 29, 2019

Hazardous decomposition products formed under fire conditions. - Carbon oxides.

Other decomposition products - No data available

#### **Section 11- Toxicological Information**

#### Information on Likely Routes of Exposure

InhalationNo data availableSkin contactNo data availableEye contactNo data availableIngestionNo data availableAcute and Chronic ToxicityNo data available

#### **Acute toxicity**

Product/Ingredient Name Natural Gas Condensate	<b>Result</b> Not determined	Species	Dose	Exposure
Toluene	LC50 Inhalation gas	Rat	>20mg/L	4 Hr
	LD50 Oral	Rat	5580mg/kg	-
Naptha, petroleum, heavy catalytic reformed**	LD50 Dermal	Rabbit	12223mg/kg	-
	LC50 Inhalation gas	Rat	>5.04mg/L	4 Hr
	LD50 Dermal	Rabbit	>2000mg/kg	24 Hr
Monoisopropylamine Sulfonate	Not determined			

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/eye irritation

Causes eye irritation.

Respiratory or skin sensitization

Not classified.

**Mutagenicity** May cause genetic defects.

**Carcinogenicity** May cause cancer.

Reproductive toxicity Suspected of damaging fertility or the unborn child. Specific target organ toxicity - single exposure (Globally Harmonized System)

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** 

May be fatal if swallowed and enters airways.

Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure

**Short Term Exposure** 

Potential immediate Health Effects No data available.

Potential Delayed Health Effects No data available.

**Long Term Exposure** 

Potential immediate Health Effects
Potential Delayed Health Effects
Potential Chronic Effects
No data available.
No data available.

**Synergistic effects** No data available



StaSolv 117

Date of Revision: June 29, 2019

### Section 12 – Ecological Information

_		•	•	
	$\sim$	/1	~1	t٧
	w	M	_	LV

Product / Ingredient Name	Result	Species	Exposure
Natural Gas Condensate	No data available		
Toluene	Acute LC50 24mg/L	Fish – Onchohynchus mykiss	96 Hr
	Acute EC50 84mg/L	Daphnia – Daphnia magna	24 Hr
	Acute LC50 13mg/L	Fish – Lepomis macrochirus	96 Hr
Naptha, petroleum, heavy catalytic reformed**	Acute EC50 – 11mg/L	Pseudokirchneriella subcaptata	72 Hr
Monoisopropylamine Sulfonate	No data available		

#### Persistence and degradability

Biodegradability May cause long-term adverse effects in the environment.

Bioaccumulative potentialNo data availableMobility in soilNo data availablePBT and vPvB assessmentNo data availableOther adverse effectsNo data available

#### **Section 13 – Disposal Considerations**

**Product** This combustible material may be burned in a chemical incinerator equipped with

an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service

to dispose of this material.

**Contaminated packaging** Dispose of as unused product.

## **Section 14 - Transportation Information**

CANADA Transportation of Dangerous Goods (TDG)

Shipping Name UN1268, PETROLEUM DISTILLATES, N.O.S. 3. PG II

Class 3
UN Number UN1268
Packaging Group: II

Label



**Reportable Quantity** 12345.7 lbs / 5604.9Kg [2177.5 gal / 8242.6L]

Not a marine pollutant.

Package sizes shipped in quantities less than the product reportable quantity are

not subject to the RW transportation requirements.

**Environmental hazards** 

Transportation in bulk,

if applicableNo data availableSpecial PrecautionsNo data available



## Safety Data Sheet - GHS StaSoly 117

Date of Revision: June 29, 2019

### Section 15 - Regulatory Information

DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act)

All components of this product are in compliance with the chemical notification

requirements of the NSN Regulations under CEPA, 1999.

TSCA Inventory Listed

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations and the SDS contains all the information required by the Hazardous Products Regulations.

#### Section 16 – Other Information

**REVISION SUMMARY:** 

Date of Preparation August 8, 2017
Date of Revision June 29, 2019

SDS Prepared by: CFR Lab Manager

CFR Chemicals Inc. provides the information contained herein in good faith, but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. CFR Chemicals Inc. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, CFR CHEMICALS INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OR RELIANCE UPON THIS INFORMATION.