

### Section 1 - Chemical Product and Company Identification

<b>Product Name</b>	StaSolv 225
<b>Synonyms</b>	Not applicable
<b>Product Use</b>	Wax Solvent, Dispersant
<b>Restriction on Use</b>	None identified
<b>Manufacturer/Supplier</b>	CFR Chemicals 38451 Range Road 22 County of Red Deer T4E 2N6
<b>General Assistance</b>	1 (877) 269-3419
<b>Emergency Telephone</b>	<b>613-966-6666 (CANUTEC 24 Hour Phone Number)</b>
<b>Date of Preparation of SDS</b>	April 1, 2017

### Section 2 – Hazard Identification

**Signal Word** Danger

**GHS Pictogram(s)**



**Target Organs** Narcotic Effects

**Hazard Statement:**

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315 + H320	Causes skin irritation and causes eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H401	Toxic to aquatic life

**Precautionary Statement**

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surface, sparks, open flames and other ignition sources. No smoking
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating, lighting and all material-handling equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.

P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
<b>Response</b>	
P321	Specific Treatment: see response statements on the label
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTRE / DOCTOR.
P331	DO NOT induce vomiting.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminate clothing. Rinse skin with water / shower.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	If exposed or concerned: get medical advice / attention.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical, or alcohol-resistant foam to extinguish.
<b>Storage</b>	
P403 + P233	Store in well-ventilated place. Keep contained tightly closed.
P403 + P235	Store in well-ventilated place. Keep cool.
P405	Store locked up.
<b>Disposal</b>	
P501	Dispose of contents/container to an approved waste disposal unit.
<b>GHS Classification</b>	Flammable liquids (Category 2) Acute toxicity, dermal (Category 4) Acute toxicity, inhalation (Category 4) Skin corrosion/irritation (Category 2) Serious eye damage/eye irritation (Category 2B) Carcinogenicity (Category 2) Specific target organ toxicity - single exposure (Category 3 narcotic effects) Specific target organ toxicity - repeated exposure: Oral (Category 2) Aspiration hazard (Category 1) Hazardous to the aquatic environment, acute hazard (Category 2)
<b>HMIS Classification</b>	
<b>Health Hazard</b>	<b>2</b>
<b>Chronic Health Hazard</b>	<b>*</b>
<b>Flammability</b>	<b>3</b>
<b>Physical Hazards</b>	<b>0</b>
<b>Potential Health Effects</b>	
<b>Inhalation</b>	May be harmful if inhaled. Causes respiratory tract irritation.
<b>Skin</b>	May be harmful if absorbed through skin.
<b>Eye</b>	Causes eye irritation.
<b>Ingestion</b>	May be harmful if swallowed.

### Section 3 – Composition Information on Ingredients

HAZARDOUS INGREDIENT	Hazardous Ingredient, Synonyms	PERCENT	CAS NUMBER
Petroleum Distillate Light	Not available	15 – 45%	8002-05-9
n-hexane	n-hexane, normal-Hexane; Hexyl hydride; n-Hexylhydride; n-Caproylhydride; Hexane, normale	10 – 20%	110-54-3
Hexane, other isomers	Hexanes	10 – 20%	*
Xylene (o, m, p isomers)	Xylenes; Xylol; methyl toluene, benzene, dimethyl-; dimethylbenzene.	16 – 30%	1330-20-7
Heptane	n-heptane, normal-heptane, heptyl hydride	5 – 10%	142-82-5
Methylcyclopentane	Methyl cyclopentane, methylpentamethylene	5 – 10%	96-37-7
Ethylbenzene	Ethylbenzol; Phenylethane: alpha-Methyltoluene	0.5 – 10%	100-41-4
2-Ethylhexanol	2-Ethyl-1-hexanol, Isooctanol, Isooctyl Alcohol	3 – 8%	104-76-7
Monoisopropylamine Sulfonate	Not available	3 – 5%	26264-05-1
Cyclohexane	Hexamethylene; Hexahydrobenzene; Hexanaphthene	1 – 5%	110-82-7
Alkylphenol	Not available	< 0.5%	Not determined
<b>Chemical Formula</b>	not applicable		

\* = Various \*\* = Mixture \*\*\* = Proprietary

### Section 4 - First Aid Measures

<b>Inhalation</b>	Move victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that vas of vapour is still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular, or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison centre or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as collar, tie, belt or waistband.
<b>Eye Contact</b>	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower lids. Check for and remove contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
<b>Skin Contact</b>	Flush contaminated skin with plenty of water. Remove contaminated clothing and shows. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
<b>Ingestion</b>	Get medical attention immediately. Call a poison control centre or physician. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and

get medical attention immediately. Maintain an open airway. Loosen tight clothing such as collar, tie, belt or waistband.

**Most Important Symptoms/Effects**

Acute No data available.

Delayed No data available.

**Note to Physician** Treat symptomatically.

### Section 5 – Fire-Fighting Measures

<b>Flash Point (°C)</b>	-30°C
<b>Flash Point Method</b>	PMCC
<b>Auto Ignition Temperature</b>	Not available.
<b>Conditions of Flammability</b>	Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/ hot surface. No smoking.
<b>Extinguishing Media</b>	Use water spray (fog), alcohol-resistant foam, dry chemical or carbon dioxide
<b>Unsuitable Extinguishing Media</b>	Water streams or jet.
<b>Unusual Fire/</b>	
<b>Explosion Hazard</b>	No data available.
<b>Hazardous Combustion</b>	
<b>Products</b>	Carbon oxides
<b>Special Protective Equipment and</b>	
<b>Precautions for Firefighters</b>	Wear appropriate protective equipment and self-contained breathing apparatus with a full face-piece operated in positive pressure mode.

### Section 6 – Accidental Release Measures

<b>Personal precautions</b>	Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
<b>Environmental precautions</b>	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
<b>Methods and materials for containment and cleaning up</b>	Contain free liquid if possible. Pick up by covering with an activated carbon absorbent or other suitable inert absorbent material (e.g. sand, sawdust, general-purpose binder). Take up & place in closed containers. Ventilate area & wash spill site after material pickup is complete. Contain and dispose of wash water in accordance with local regulations.

### Section 7 – Handling and Storage

<b>Precautions for safe handling</b>	Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build-up of electrostatic charge.
<b>Conditions for safe storage</b>	Keep container tightly closed in a dry and well-ventilated place.

**Incompatible Conditions**  
**Incompatible Materials**

Heat, flames and sparks.  
Strong oxidizing agents. Reducing agents. Acids. Alkalis.

### Section 8 – Exposure Controls / Personal Protection

#### Occupational Exposure Limits

**Ingredient Name**

**Exposure Limits**

n-hexane

**Canada, Alberta, Occupational Health and Safety Cote (table 2: OEL)**

TWA: 50ppm

**ACGIH TLV (USA, 4/2014). Absorbed through skin.**

TWA: 50ppm 8 Hours

Hexane, other isomers

**Canada, Alberta, Occupational Health and Safety Cote (table 2: OEL)**

TWA: 500ppm

Xylene (o, m, p isomers)

**Canada, Alberta, Occupational Health and Safety Cote (table 2: OEL)**

TWA: 100ppm, 435 mg/m<sup>3</sup> 8 Hours

STEL: 150ppm, 651 mg/m<sup>3</sup> 15 minutes

Heptane

**Canada, Alberta, Occupational Health and Safety Cote (table 2: OEL)**

TWA: 400ppm, 1640 mg/m<sup>3</sup> 8 Hours

STEL 500ppm, 2050 mg/m<sup>3</sup> 15 min

Methylcyclopentane

**ACGIH TLV (USA, 4/2014).**

TWA: 500ppm, 1760 mg/m<sup>3</sup> 8 Hours

STEL: 1000ppm, 1050 mg/m<sup>3</sup> 15 minutes

Ethylbenzene

**ACGIH**

TWA: 20ppm 8 Hours

STEL: 10000 ppm 15 minutes

**OSHA PEL**

TWA: 100 ppm, 435 mg/m<sup>3</sup>

2-Ethylhexanol

**Not Established**

Monoisopropylamine Sulfonate

**Not Established**

Cyclohexane

**Canada, Alberta, Occupational Health and Safety Cote (table 2: OEL).**

TWA: 100ppm, 344 mg/m<sup>3</sup> 8 Hours

Alkylphenol

**Not Established**

**Personal protective equipment**

**Eye/face protection**

Chemical safety glasses with side shields to prevent eye contact. As a general rule do not wear contact lenses when handling chemicals.

**Skin protection**

Wear chemical resistant gloves, impermeable protective clothing and safety shoes.

**Respiratory protection**

Use NIOSH approved respirators and components.

**General hygiene**

**Considerations**

Handle in accordance with good industrial hygiene and safety.

**Specific engineering controls**

Use mechanical exhaust or laboratory fumehood to avoid exposure. Safety shower, eye wash, and fire extinguisher should be present.

### Section 9 – Physical and Chemical Properties

**Physical State**

Liquid

**Water Solubility**

Insoluble

**Appearance & Odour**

Clear, Pale Amber solution.

**Boiling Point**

66°C

Distinct odour.

**Vapour Pressure**

Not available

**Boiling Range**

Not available

<b>Odour Threshold</b>	Not available	<b>Melting Point</b>	<-40°C
<b>Evaporation Rate</b>	Not available	<b>Freezing Point</b>	<-40°C
<b>Vapour Density</b>	>1 (Air = 1)	<b>Lower Explosive Limit (LEL)</b>	Not available
<b>Specific Gravity</b>	0.75-0.79	<b>Upper Explosive Limit (UEL)</b>	Not available
<b>pH</b>	Not available	<b>Partition coefficient (n-octanol/water)</b>	Not available
<b>Flash Point (Method)</b>	-30°C (PMCC)	<b>Autoignition Temperature</b>	Not available
<b>Flammability (Solid, Gas)</b>	Not applicable	<b>Viscosity</b>	Not available
<b>Decomposition Temperature</b>	Not available		

### Section 10 – Stability and Reactivity

<b>Reactivity</b>	Heating may cause fire.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions</b>	Under normal conditions of storage and use, hazardous reactions will not occur
<b>Conditions to avoid</b>	Heat, flames and sparks.
<b>Materials to avoid</b>	Oxidizing materials.
<b>Hazardous decomposition products</b>	Hazardous decomposition products formed under fire conditions. - Carbon oxides. Other decomposition products - No data available

### Section 11- Toxicological Information

#### Information on Likely Routes of Exposure

##### Inhalation:

In high concentrations, vapours are narcotic and may cause headache, fatigue, dizziness and nausea.

##### Skin contact

Prolonged or frequent contact may cause redness, itching, eczema and skin cracking. Defats the skin.

##### Eye contact

Causes eye irritation.

##### Eye contact

May irritate and cause redness and pain..

##### Ingestion

Ingestion of large amounts may cause unconsciousness. However, ingestion may cause nausea, headache, dizziness and intoxication. Ingestion may cause irritation of the gastrointestinal tract, vomiting and diarrhea. May cause irritation to the mouth and throat.

##### Acute and Chronic Toxicity

No data available

#### Acute toxicity

Product/Ingredient Name	Result	Species	Dose	Exposure
n-Hexane	LC50 Inhalation gas	Rat	48000ppm	4 Hr
	LD50 Oral	Rat	15840mg/kg	-
Hexane, other isomers	LC50 Inhalation gas	Rat	48000ppm	4 Hr

Xylene	LC50 Inhalation gas	Rat	6350ppm	4 Hr
	LD50 Oral	Rat	3253mg/kg	-
	LD50 Dermal	Rabbit	12126mg/kg	24 Hr
Heptane	LD50 Dermal	Rabbit	>2000mg/kg	-
	LD50 Oral	Rat	>5000mg/kg	-
Ethylbenzene	LD50 Oral	Rat	5.46g/kg	-
	LD50 Dermal	Rabbit	>5000mg/kg	-
2-Ethylhexanol	LD50 Oral	Rat	3730mg/kg	-
	LD 50 Dermal	Rabbit	>3000mg/kg	-
Monoisopropylamine Sulfonate	Not determined			
Cyclohexane	LC50 Inhalation Vapour	Mouse	70000mg/m <sup>3</sup>	2 Hr
	LD50 Oral	Rat	>5000mg/kg	-
Alkylphenol	LD50 Oral	Rat	>5000mg/kg	-
	LD 50 Dermal	Rabbit	>5000mg/kg	-

**Conclusion** **n-hexane:** n-hexane is a CNS depressant and narcosis at elevated concentrations.  
**Heptane:** heptane is a CNS depressant and narcosis at elevated concentrations.  
**Cyclohexane:** cyclohexane is a CNS depressant and narcosis at elevated concentrations.

**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/eye irritation** Causes eye irritation.

**Respiratory or skin sensitization** No data available

**Mutagenicity** Not assigned.

**Carcinogenicity** Suspected of causing cancer.

IARC:

Ethylbenzene 2B Possibly carcinogenic to humans

Xylene (o, m, p isomers) 3 Not classifiable as to carcinogenicity in humans

**Reproductive toxicity** Not assigned.

**Teratogenicity** No known significant effects or critical hazards.

**Specific target organ toxicity - single exposure (Globally Harmonized System)**

May cause drowsiness or dizziness.

**Specific target organ toxicity - repeated exposure (Globally Harmonized System)**

May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** May be fatal if swallowed and enters airways.

**Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure**

**Short Term Exposure**

**Potential immediate Health Effects** No data available.

**Potential Delayed Health Effects** No data available.

**Long Term Exposure**

**Potential immediate Health Effects** No data available.

**Potential Delayed Health Effects** No data available.

**Potential Chronic Effects** No data available.

**Synergistic effects** No data available

### Section 12 – Ecological Information

**Toxicity**

Product / Ingredient Name	Result	Species	Exposure
n-hexane	Acute LC50 2500µg/L Fresh Water	Fish – Pimephales promelas	96 Hr
Heptane	Acute EC50 1.5mg/L	Daphnia – Daphnia magna	48 Hr
	Acute LC50 4mg/L	Fish – Carassius auratus	24 Hr
Xylene (o, m, p isomers)	Acute LC50 13.1 - 16.5mg/L	Fish – Lepomis macrochirus	96 Hr
	Acute LC50 13.5 – 17.3mg/L	Fish – Oncorhynchus mykiss	96 Hr
Ethylbenzene	Acute LC50 4mg/L	Fish – Oncorhynchus mykiss	96 Hr
	Acute EC50 1 – 4mg/L	Daphnia – Daphnia magna	48 Hr
2-Ethylhexanol	Acute LC50 17.1mg/L	Fish – Leuciscus idus	96 Hr
	Acute EC50 14mg/L	Daphnia – Daphnia magna	48 Hr
Isopropylamine Sulfonate	No data available		
Cyclohexane	Acute LC50 4530µg/L Fresh Water	Fish – Pimephales promelas	96 Hr
Alkylphenol	No data available		

**Persistence and degradability**

Biodegradability                      No data available

**Bioaccumulative potential**

Product/Ingredient Name	LogP <sub>ow</sub>	BCF	Potential
n-hexane	4	502	High
Xylene (o, m, p isomers)	3.2	Not available	Not available
Heptane	4.66	552	High
Methylcyclopentane	3.37	-	Low
Ethylbenzene	3.15	Not available	Not available
2-Ethylhexanol	Not available	Not available	Not available
Cyclohexane	3.44	167	low

**Mobility in soil**

No data available

**PBT and vPvB assessment**

No data available

**Other adverse effects**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. 2-Ethylhexanol is harmful to aquatic life.

### Section 13 – Disposal Considerations

**Product**

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

**Contaminated packaging**

Dispose of as unused product.

### Section 14 - Transportation Information

CANADA Transportation of Dangerous Goods (TDG)

<b>Shipping Name</b>	UN1268, PETROLEUM DISTILLATES, N.O.S. (Naphtha Solvent), 3. PG II
<b>Class</b>	3
<b>UN Number</b>	UN1268
<b>Packaging Group:</b>	II



**Label****Reportable Quantity**

12345.7 lbs / 5604.9Kg [2177.5 gal / 8242.6L]

Package sizes shipped in quantities less than the product reportable quantity are not subject to the RW transportation requirements.

**Environmental hazards**

Not a marine pollutant.

**Transportation in bulk,  
if applicable**

No data available

**Special Precautions**

No data available

**Section 15 – Regulatory Information****DSL (Canadian Domestic Substances List)  
and CEPA (Canadian Environmental Protection Act)**

All components of this product are in compliance with the chemical notification requirements of the NSN Regulations under CEPA, 1999.

**TSCA Inventory 12(b)**

All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations and the SDS contains all the information required by the Hazardous Products Regulations.

**Section 16 – Other Information****REVISION SUMMARY:**

Date of Preparation	April 1, 2017
Date of Revision	June 29, 2019

SDS Prepared by: CFR Lab Manager

CFR Chemicals Inc. provides the information contained herein in good faith, but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. CFR Chemicals Inc. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, CFR CHEMICALS INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OR RELIANCE UPON THIS INFORMATION.