



Date of Revision: May 20, 2020

Section 1 - Chemical Product and Company Identification

Product Name StaTherm SRT 60 Synonyms inhibited TEG 60

Product Use Various use, chemical intermediate, heat transfer fluid

Restrictions On Use Not Applicable Supplier CFR Chemicals

38451 Range Road 22

County of Red Deer T4E 2N6

General Assistance 1 (877) 269-3419

Emergency Telephone Not Dangerous Goods – Call General Assistance

Date of Preparation of SDS April 1, 2017

Section 2 - Hazard Identification

Signal Word Warning GHS Pictogram(s) None

Hazard Statement:

H316 Causes mild skin irritation. H320 Causes eye irritation.

Precautionary Statement

P264 Wash skin thoroughly after handling.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P332 + P313 IF SKIN IRRITATION OCCURS: Get medical advice / attention.
P337 + P313 IF EYE IRRITATION PERSISTS: Get medical advice / attention.

Storage

No Statements.

Disposal

P501 Dispose of contents/container to an approved waste disposal unit.

GHS Classification Skin irritation (Category 3)

Eye irritation (Category 2B)

HMIS Classification

Health Hazard 1
Chronic Health Hazard *
Flammability 1
Physical Hazards 0

Section 3 – Composition Information on Ingredients

HAZARDOUS INGREDIENT,

Hazardous Ingredient, Synonyms

PERCENT

CAS NUMBER



Chemical Formula



Safety Data Sheet – GHS StaTherm SRT 60%

Date of Revision: May 20, 2020

Common Name			
Triethylene Glycol	TEG, 2,2'-(ethylenedioxy)diethanol; TEG; 2,2'-[1,2-ethanediylbis(oxy)]bisethanol; Triglycol	60%	112-27-6
Water	H₂O, Aqua	35 – 40%	7732-18-5
Potassium hydroxide	Caustic Potash, Lye	0 – 1%	1310-5-3
Phosphoric acid, 75%, aqueous solution	Orthophosphoric Acid	0 – 1%	7664-38-2
Ethylene Glycol	1,2-ethanediol, EG, Glycol	0 –1%	107-21-1
Disodium tetraborate, pentahydrate	·		12173-04-3
Sodium 4(or 5)-methyl-1H- benzotriazolide	Not Applicable	0 – 0.45%	64665-57-2
Sodium Nitrite	Not Applicable	0 -0.36%	7362-00-00
Non-hazardous corrosion inhibitors and pH buffers	Not Applicable	0 – 0.15%	Trade Secret
Polydimethylsiloxane	Not Applicable	0 - 0.1%	63147-62-9
Silica filled polydimethylsiloxane	Not Applicable	0 – 0.04%	67762-90-7
Sucrose distearate	Not Applicable	0 - 0.04%	27915-16-0
	* = Various ** = Mixture *** = Proprietary		

Section 4 - First Aid Measures

Inhalation	Move casualty to	o fresh air and keep	o at rest. If breathing	g is difficult, give oxygen. If

not breathing, give artificial respiration. Get medical attention.

Eye Contact Immediately flush eyes with plenty of water, occasionally lifting the upper and

lower lids. Check for and remove contact lenses. Continue to rinse for at least 15

minutes. Get medical attention.

Skin Contact Flush contaminated skin with plenty of water. Remove contaminated clothing and

shows. Continue to rinse for at least 10 minutes. Get medical attention. Wash

clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion Get medical attention immediately. Call a poison control centre or physician. IF

alert, rinse mouth and drink ½ to 1 glass of water to help dilute the material. Do not give liquids to a drowsy, convulsion, or unconscious patient. Do NOT induce vomiting. If vomiting occurs, the head should be kept low so vomit does not enter the lungs. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as collar, tie,

belt or waistband.

Not Applicable

Most Important Symptoms/Effects both Acute and Delayed

Harmful if swallowed. Symptoms may include headache, nausea, vomiting.. May cause slight eye and skin irritation. Symptoms include: Redness, swelling, itching and dryness.





Date of Revision: May 20, 2020

Note to Physician Consult a physician. Show this safety data sheet to the doctor in attendance.

Section 5 - Fire-Fighting Measures

Flash Point (°C) Not Flammable

Flash Point Method PMCC 347°C **Auto Ignition Temperature**

Conditions of Flammability Not flammable or combustible.

Water jet.

Extinguishing Media Unsuitable Extinguishing

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Media **Unusual Fire/**

Explosion Hazard No data available.

Hazardous Combustion

Products Carbon oxides.

Fire Fighting Equipment Wear appropriate protective equipment and self-contained breathing apparatus

with a full face-piece operated in positive pressure mode.

Special Precautions for

Firefighters No data available.

Section 6 – Accidental Release Measures

Personal precautions Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure

> adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapour

can accumulate in low areas.

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter

drains. Discharge into the environment must be avoided.

Methods and materials for

containment and cleaning up Soak up with inert absorbent material and dispose of as hazardous waste. Keep in

suitable, closed containers for disposal.

Section 7 – Handling and Storage

Precautions for safe handling Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. **Conditions for safe storage**

Keep container tightly closed in a dry and well-ventilated place. Containers which

are opened must be carefully resealed and kept upright to prevent leakage.

Hygroscopic.

Incompatible Materials Strong Acids, Strong Bases. Strong oxidizing agents.

Section 8 – Exposure Controls / Personal Protection

Occupational Exposure Limits

Ingredient Name Exposure Limits



Potassium hydroxide



Safety Data Sheet – GHS StaTherm SRT 60%

Date of Revision: May 20, 2020

Triethylene Glycol ACGIH TLV

Ceiling: 50ppm, 127mg/m³ Canada, Alberta OHSC Code

None established

ACGIH

Ceiling: 2mg/m³

Phosphoric acid, 75%, aqueous solution Canada, Alberta OHSC Code

1mg/m³

ACGIH

TWA: 1mg/m³ STEL: 3mg/m³

OSHA PEL

TWA 1mg/m³

Ethylene Glycol Canada, Alberta OHSC Code

100mg/m³

ACGIH

TLV: 100mg/m³

Disodium tetraborate, pentahydrate Canada, Alberta OHSC Code

TWA: 1mg/m³ Ceiling: 3mg/m³

ACGIH

TWA: 2mg/m³

Sodium 4(or 5)-methyl-1H-benzotriazolide Canada, Alberta OHSC Code

None established

Sodium Nitrite

Canada, Alberta OHSC Code None established

ACGIH

None Established

OSHA

None Established

Corrosion Inhibitors and pH Buffers Canada, Alberta OHSC Code

None established

Polydimethylsiloxane Canada, Alberta OHSC Code

None established

Canada, Alberta OHSC Code

Silica filled polydimethylsiloxane Canada, Alberta OHSC Code
None established

Canada, Alberta OHSC Code

TWA: 10mg/m³ (Stearates in general)

Personal protective equipment

Sucrose distearate

Eye/face protection Chemical safety glasses with side shields to prevent eye contact. As a general rule

do not wear contact lenses when handling chemicals. If contact is possible, the following protection should be worn: Splash goggles. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this

is necessary to avoid exposure to liquid splashes, mists, gases, or dusts. If inhalation hazards exist, a full-face respiratory may be required instead. Wear chemical resistant gloves, impermeable protective clothing and safety

shoes. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a

specialist before handling this product.

Respiratory protection Use a properly fitted, air-purifying or supplied air respirator complying with an

approved standard if a risk assessment indicates this is necessary.

General hygiene

Skin protection

Considerations Handle in accordance with good industrial hygiene and safety. Eye wash fountains

and safety showers must be easily accessible.





Date of Revision: May 20, 2020

Specific engineering controls

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Use explosion-proof ventilation equipment.

Section 9 – Physical and Chemical Properties

Physical StateLiquidWater SolubilitymiscibleAppearance & OdourClear, colourless. Odourless.Boiling Point140°C (15psig)Vapour Pressure<1 mmHg (20.0°C) (TEG)</th>Boiling Point RangeNot applicable

Vapour Density5.18(Air = 1) (TEG)Melting Point-35°CSpecific Gravity1.07-1.09Freezing Point-35°CPartition coefficient (n-Not available.Lower Explosive Limit (LEL)0.9% (TEG)

Partition coefficient (n-

octonal/water)

pH Not available. Upper Explosive Limit (UEL) 9.2% (TEG)
Flashpoint (Method) Not Flammable. Auto Ignition temperature 347°C (TEG)
Odour Threshold Not available. Evaporation Rate Not available.

Flammability (Solid, Gas) Not available.

Decomposition Temperature 203°C **Viscosity** Not available.

Section 10 – Stability and Reactivity

Reactivity No specific test data related to reactivity available for this product.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No data available.

Conditions to avoid No data available.

Materials to avoid Strong acids. Strong oxidizing agents. Strong bases

Hazardous decomposition products

Carbon oxides.

Section 11- Toxicological Information

Information on Likely Routes of Exposure

InhalationMay be harmful if inhaled. May cause respiratory tract irritation.Skin contactHarmful if absorbed through the skin. May cause skin irritation.

Eye contact May cause eye irritation.

Ingestion May cause abdominal discomfort or pain, nausea, vomiting

Acute and Chronic Toxicity No data available

Acute toxicity

Product/Ingredient Name Result **Species** Dose Triethylene Glycol LD50 Oral 17000mg/kg Rat LD50 Dermal Rabbit 22500mg/kg LD50 Oral Potassium hydroxide Rat 333mg/kg Phosphoric acid, 75%, aqueous LD50 Oral Rat 4400mg/kg





Date of Revision: May 20, 2020

solution

LD50 Oral 4700mg/kg Rat Ethylene Glycol LD50 Dermal Rabbit 10626mg/kg LD50 Oral >2000mg/kg Disodium tetraborate, Rat pentahydrate LD50 Dermal Rabbit >2000mg/kg LD50 Oral 640 - 1980mg/kg Sodium 4(or 5)-methyl-1H-Rat benzotriazolide LD50 Dermal Rabbit >2000mg/kg LD50 Oral Sodium nitrite Rat 4700mg/kg

Corrosion Inhibitors and pH

Buffers

No data available

Polydimethylsiloxane

No data available

Silica filled

polydimethylsiloxane

No data available

Sucrose distearate

No data available

Skin corrosion/irritation

Slightly irritating to skin.

Serious eye damage/ Eye irritation

Slightly irritating to the eye.

Respiratory or skin sensitization

No data available. Not expected to be a sensitizer.

Mutagenicity

No known significant effects or critical hazards.

Carcinogenicity

IARC:

No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH:

No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by ACGIH.

Reproductive toxicityNo data available. **Teratogenicity**No data available.

Specific target organ toxicity - single exposure (Globally Harmonized System)

No data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

No data available.

Aspiration hazard

No data available.

Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure

Short Term Exposure

Potential immediate Health Effects No data available.

Potential Delayed Health Effects No data available.

Long Term Exposure

Potential immediate Health Effects

Potential Delayed Health Effects

No data available.

Potential Chronic Effects

No data available.

Synergistic effects No data available

Section 12 - Ecological Information

Toxicity

Product / Ingredient NameResultSpeciesExposureTriethylene GlycolAcute LC50 >100mg/LFish - Leuciscus idus96 Hr





Date of Revision: May 20, 2020

		Acute EC50 46500mg/L	Daphnia – Daphnia magna	24 Hr
	Potassium hydroxide	LC50 28.6mgL	Fish – Pisces	96 Hr
	Phosphoric acid, 75%, aqueous solution	LC50 138mgL	Fish – Pisces	96 Hr
		LC50 18500mg/L	Fish – Oncorhynchus mykiss	96 Hr
	Ethylene Glycol	LC50 >1000mg/L	Fish – Leuciscus idus	48 Hr
		EC50 74000mg/L	Daphnia – Daphnia magna	24 Hr
	Diagdious tatualaguata usantalaguata	LC50 100 - 1000mg/L	Fish – Pisces	96 Hr
Disodium tetraborate, pentahydrate		EC50 340mg/L	Daphnia – Dapnhia magna	24 Hr
	Sodium 4(or 5)-methyl-1H-benzotriazolide	LC 50 25mgL	Fish – Oncorhynchus mykiss	96 Hr
		EC 50 280mg/L	Daphnia – Daphnia magna	24 Hr
	Sodium Nitrite	LC50 0.19mgL	Fish – Oncorhynchus mykiss	96 Hr
	Corrosion Inhibitors and pH Buffers	No data available		
	Polydimethylsiloxane	No data available		
	Silica filled polydimethylsiloxane	No data available		
	Sucrose distearate	No data available		

Persistence and degradability >70% - readily biodegradable

Bioaccumulative potential No bioaccumulation is to be expected (log Pow ≤4)

Mobility in soilNo data available.PBT and vPvB assessmentNo data available

Section 13 – Disposal Considerations

Product

Do not discharge substance/product into sewer system. Dispose of in accordance with national, regional, and local regulations.

Contaminated packaging

Dispose of as unused product in a licensed facility. Recommend crushing, puncturing, or other means to prevent unauthorized use of used containers. Do not cut, weld, or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled materials and runoff and contain with soil, waterways, drains, and sewers.

Section 14 - Transportation Information

CANADA Transportation of Dangerous Goods (TDG)

Not Dangerous Goods

Section 15 - Regulatory Information

DSL (Canadian Domestic Substances List)

and CEPA (Canadian Environmental Protection Act)

All components of this product are in compliance with the chemical notification

requirements of the NSN Regulations under CEPA, 1999.

TSCA Inventory All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations and the SDS contains all the information required by the Hazardous Products Regulations.





Date of Revision: May 20, 2020

Section 16 - Other Information

REVISION SUMMARY:

Date of Preparation April 1, 2017
Date of Revision May 20, 2020

SDS Prepared by: CFR Lab Manager

CFR Chemicals Inc. provides the information contained herein in good faith, but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. CFR Chemicals Inc. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, CFR CHEMICALS INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OR RELIANCE UPON THIS INFORMATION.