



Date of Revision: May 20, 2020

Section 1 - Chemical Product and Company Identification

Product Name
Synonyms
Product Use
Restrictions On Use
Supplier

General Assistance Emergency Telephone

Date of Preparation of SDS

StaTherm SRT 80 inhibited TEG 80 Various use, chemical intermediate, heat transfer fluid Not Applicable CFR Chemicals 38451 Range Road 22 County of Red Deer T4E 2N6 1 (877) 269-3419 Not Dangerous Goods – Call General Assistance April 1, 2017

Section 2 – Hazard Identification

Signal Word	Warning
GHS Pictogram(s)	None
Hazard Statement:	
H316	Causes mild skin irritation.
H320	Causes eye irritation.
Precautionary Statement	
P264	Wash skin thoroughly after handling.
Response	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332 + P313	IF SKIN IRRITATION OCCURS: Get medical advice / attention.
P337 + P313	IF EYE IRRITATION PERSISTS: Get medical advice / attention.
Storage	
No Statements.	
Disposal	
P501	Dispose of contents/container to an approved waste disposal unit.
GHS Classification	Skin irritation (Category 3)
	Eye irritation (Category 2B)
HMIS Classification	
Health Hazard	1
Chronic Health Hazard	*
Flammability	1
Physical Hazards	0

Section 3 – Composition Information on Ingredients

HAZARDOUS INGREDIENT,

Hazardous Ingredient, Synonyms

PERCENT CAS NUMBER





Date of Revision: May 20, 2020

Common Name			
Triethylene Glycol	TEG, 2,2'-(ethylenedioxy)diethanol; TEG; 2,2'- [1,2-ethanediylbis(oxy)]bisethanol; Triglycol	80%	112-27-6
Water	H₂O, Aqua	15 –20%	7732-18-5
Potassium hydroxide	Caustic Potash, Lye	0-1%	1310-5-3
Phosphoric acid, 75%, aqueous solution	s Orthophosphoric Acid	0-1%	7664-38-2
Ethylene Glycol	1,2-ethanediol, EG, Glycol	0-1%	107-21-1
Disodium tetraborate, pentahydrate	Aqua	0-0.9%	12173-04-3
Sodium 4(or 5)-methyl-1H- benzotriazolide	Not Applicable	0-0.45%	64665-57-2
Sodium Nitrite	Not Applicable	0 -0.36%	7362-00-00
Non-hazardous corrosion inhibitors and pH buffers	Not Applicable	0-0.15%	Trade Secret
Polydimethylsiloxane	Not Applicable	0-0.1%	63147-62-9
Silica filled polydimethylsiloxane	Not Applicable	0-0.04%	67762-90-7
Sucrose distearate	Not Applicable	0-0.04%	27915-16-0
	<pre>* = Various ** = Mixture *** = Proprietary</pre>		
Chemical Formula	Not Applicable		

Chemical Formula

Not Applicable

Section 4 - First Aid Measures

Inhalation	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.	
Eye Contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower lids. Check for and remove contact lenses. Continue to rinse for at least 15 minutes. Get medical attention.	
Skin Contact	Flush contaminated skin with plenty of water. Remove contaminated clothing and shows. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.	
Ingestion	Get medical attention immediately. Call a poison control centre or physician. IF alert, rinse mouth and drink ½ to 1 glass of water to help dilute the material. Do not give liquids to a drowsy, convulsion, or unconscious patient. Do NOT induce vomiting. If vomiting occurs, the head should be kept low so vomit does not enter the lungs. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as collar, tie, belt or waistband.	
Most Important Symptoms/Effects both Acute and Delayed		
	Harmful if swallowed. Symptoms may include headache, nausea, vomiting May cause slight eye and skin irritation. Symptoms include: Redness, swelling, itching and dryness.	





Date of Revision: May 20, 2020

Note to Physician

Consult a physician. Show this safety data sheet to the doctor in attendance.

Section 5 – Fire-Fighting Measures

Flash Point (°C) Flash Point Method Auto Ignition Temperature	Not Flammable PMCC 347°C
Conditions of Flammability	Not flammable or combustible.
Extinguishing Media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable Extinguishing	
Media	Water jet.
Unusual Fire/	
Explosion Hazard	No data available.
Hazardous Combustion	
Products	Carbon oxides.
Fire Fighting Equipment	Wear appropriate protective equipment and self-contained breathing apparatus with a full face-piece operated in positive pressure mode.
Special Precautions for Firefighters	No data available.

Section 6 – Accidental Release Measures

Personal precautions	Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapour can accumulate in low areas.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
Methods and materials for	
containment and cleaning up	Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

Section 7 – Handling and Storage

Precautions for safe handling Conditions for safe storage	Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Hygroscopic.	
Incompatible Materials	Strong Acids, Strong Bases. Strong oxidizing agents.	

Section 8 – Exposure Controls / Personal Protection

Exposure Limits



Triethylene Glycol

|--|

ACGIH TLV

Safety Data Sheet – GHS StaTherm SRT 80%

Date of Revision: May 20, 2020

	Colling: FOrnm 127mg/m3	
Potassium hydroxide	Ceiling: 50ppm, 127mg/m ³ Canada, Alberta OHSC Code	
i otassiani nyaroxiae	None established	
	ACGIH	
	Ceiling: 2mg/m ³	
Phosphoric acid, 75%, aqueous solutio		
	1mg/m ³	
	ACGIH	
	TWA: 1mg/m ³	
	STEL: 3mg/m ³	
	OSHA PEL	
	TWA 1mg/m ³	
Ethylene Glycol	Canada, Alberta OHSC Code	
	100mg/m ³	
	ACGIH	
	TLV: 100mg/m ³	
Disodium tetraborate, pentahydrate	Canada, Alberta OHSC Code	
	TWA: 1mg/m ³	
	Ceiling: 3mg/m ³	
	ACGIH	
	TWA: 2mg/m ³	
Sodium 4(or 5)-methyl-1H-benzotriazo	olide Canada, Alberta OHSC Code	
	None established	
Sodium Nitrite	Canada, Alberta OHSC Code	
	None established	
	ACGIH	
	None Established	
	OSHA	
	None Established	
Corrosion Inhibitors and pH Buffers	Canada, Alberta OHSC Code	
	None established	
Polydimethylsiloxane	Canada, Alberta OHSC Code	
	None established Canada, Alberta OHSC Code	
Silica filled polydimethylsiloxane	None established	
Commence distances to	Canada, Alberta OHSC Code	
Sucrose distearate	TWA: 10mg/m ³ (Stearates in general)	
Personal protective equipment		
Eye/face protection	Chemical safety glasses with side shields	
	do not wear contact lenses when handli following protection should be worn: Sp	
	with an approved standard should be use	
	is necessary to avoid exposure to liquid sp	
	inhalation hazards exist, a full-face respire	
Skin protection	Wear chemical resistant gloves, imperme	

Ρ

Eye/face protection	Chemical safety glasses with side shields to prevent eye contact. As a general rule
	do not wear contact lenses when handling chemicals. If contact is possible, the
	following protection should be worn: Splash goggles. Safety eyewear complying
	with an approved standard should be used when a risk assessment indicates this
	is necessary to avoid exposure to liquid splashes, mists, gases, or dusts. If
	inhalation hazards exist, a full-face respiratory may be required instead.
Skin protection	Wear chemical resistant gloves, impermeable protective clothing and safety
	shoes. Personal protective equipment for the body should be selected based on
	the task being performed and the risks involved and should be approved by a
	specialist before handling this product.
Respiratory protection	Use a properly fitted, air-purifying or supplied air respirator complying with an
	approved standard if a risk assessment indicates this is necessary.
General hygiene	
Considerations	Handle in accordance with good industrial hygiene and safety. Eye wash fountains and safety showers must be easily accessible.





Date of Revision: May 20, 2020

Specific engineering controls

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Use explosion-proof ventilation equipment.

Section 9 – Physical and Chemical Properties

Physical State
Appearance & Odour
Vapour Pressure
Vapour Density
Specific Gravity
Partition coefficient (n-
octonal/water)
рН
Flashpoint (Method)
Odour Threshold
Flammability (Solid, Gas)
Decomposition Temperature

Clear, colourless. Odourless <1 mmHg (20.0°C) (TEG) 5.18(Air = 1) (TEG) 1.10 – 1.12 Not available. Not available. Not Flammable. Not available. Not available. 203°C

Liquid

	Water Solubility	miscible
ss.	Boiling Point	150°C (psig)
	Boiling Point Range	Not applicable
	Melting Point	-35°C
	Freezing Point	-35°C
	Lower Explosive Limit (LEL)	0.9% (TEG)
	Upper Explosive Limit (UEL)	9.2% (TEG)
	Auto Ignition temperature	347°C (TEG)
	Evaporation Rate	Not available.
	Viscosity	Not available.

Section 10 – Stability and Reactivity

Reactivity Chemical stability Possibility of hazardous reactions	No specific test data related to reactivity available for this product. Stable under recommended storage conditions. No data available.			
Conditions to avoid	No data available.			
Materials to avoid	Strong acids. Strong oxidizing agents. Strong bases			
Hazardous decomposition products				
	Carbon oxides.			

Section 11- Toxicological Information

Information on Likely Routes of Exposure

Inhalation	May be harmful if ir	nhaled. May ca	May cause respiratory tract irritation.	
Skin contact	Harmful if absorbed	kin. May cause skin irritation.		
Eye contact	May cause eye irrita	ation.		
Ingestion	May cause abdominal discomfort or pain, nausea,		or pain, nausea, vomiting	
Acute and Chronic Toxici	y No data available			
Acute toxicity				
Product/Ingredient Name	Result	Species	Dose	
Triethylene Glycol	LD50 Oral	Rat	17000mg/kg	
	LD50 Dermal	Rabbit	22500mg/kg	
Potassium hydroxide	LD50 Oral	Rat	333mg/kg	
Phosphoric acid, 75%, aqueous	LD50 Oral	Rat	4400mg/kg	





Date of Revision: May 20, 2020

solution						
Ethylene Glycol	LD50 Oral	Rat	4700mg/kg			
	LD50 Dermal	Rabbit	10626mg/kg			
Disodium tetraborate, pentahydrate	LD50 Oral LD50 Dermal	Rat Rabbit	>2000mg/kg >2000mg/kg			
Sodium 4(or 5)-methyl-1H- benzotriazolide	LD50 Oral LD50 Dermal	Rat Rabbit	640 – 1980mg/kg >2000mg/kg			
Sodium nitrite	LD50 Oral	Rat	4700mg/kg			
Corrosion Inhibitors and pH						
Buffers	No data available					
Polydimethylsiloxane	No data available					
Silica filled polydimethylsiloxane	No data available	No data available				
Sucrose distearate	No data available					
Skin corrosion/irritation	Slightly irritati	ng to skin.				
Serious eye damage/ Eye i	irritation					
	Slightly irritati	ng to the eye.				
Respiratory or skin sensiti	zation					
	No data availa	ble. Not expected t	o be a sensitizer.			
Mutagenicity	No known sigr	nificant effects or c	ritical hazards.			
Carcinogenicity						
IARC:	No component of this product present at levels greater than or equal to 0.1% is					
	•	•	r confirmed human carcinogen by IARC.			
ACGIH:	No component of this product present at levels greater than or equal to 0.1% is					
	•	•	r confirmed human carcinogen by ACGIH.			
Reproductive toxicity		No data available.				
Teratogenicity	No data available.					
Specific target organ toxicity - single exposure (Globally Harmonized System)						
	No data availa					
Specific target organ toxic	• • •		nonized System)			
	No data availa					
Aspiration hazard	No data available.					
	ffects and also Chro	nic Effects from Sh	ort and Long Term Exposure			
Short Term Exposure						
Potential immediate Health Effects		No data available				
Potential Delayed	Health Effects	No data available	<u>.</u>			
Long Term Exposure						
Potential immedia		No data available				
Potential Delayed		No data available				
Potential Chronic Effe		No data available	<u>.</u>			
Synergistic effects	No data availa	bie				

Section 12 – Ecological Information

Toxicity

Product / Ingredient Name Triethylene Glycol ResultSpeciesAcute LC50 >100mg/LFish – Leuciscus idus

Exposure 96 Hr





Date of Revision: May 20, 2020

		Acute EC50 46500mg/L	Daphnia – Daphnia magna	24 Hr	
Potassium hydroxide		LC50 28.6mgL	Fish – Pisces	96 Hr	
Phosphoric acid, 75%, aqueous solution		LC50 138mgL	Fish – Pisces	96 Hr	
Ethylene Glycol		LC50 18500mg/L LC50 >1000mg/L EC50 74000mg/L	Fish – Oncorhynchus mykiss Fish – Leuciscus idus Daphnia – Daphnia magna	96 Hr 48 Hr 24 Hr	
Disodium tetraborate, pentahydrate		LC50 100 – 1000mg/L EC50 340mg/L	Fish – Pisces Daphnia – Dapnhia magna	96 Hr 24 Hr	
Sodium 4(or 5)-methyl-1H-benzotriazolide		LC 50 25mgL EC 50 280mg/L	Fish – Oncorhynchus mykiss Daphnia – Daphnia magna	96 Hr 24 Hr	
Sodium Nitrite		LC50 0.19mgL	Fish – Oncorhynchus mykiss	96 Hr	
Corrosion Inhibitors and pH Buffers		No data available			
Polydimethylsiloxane		No data available			
Silica filled polydimethylsiloxane		No data available			
Sucrose distearate		No data available			
Persistence and degradability	>70% ·	 readily biodegradabl 	e		
Mobility in soil No da		baccumulation is to be expected (log Pow ≤4) ta available. ta available			

Section 13 – Disposal Considerations

Product

Do not discharge substance/product into sewer system. Dispose of in accordance with national, regional, and local regulations.

Contaminated packaging

Dispose of as unused product in a licensed facility. Recommend crushing, puncturing, or other means to prevent unauthorized use of used containers. Do not cut, weld, or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled materials and runoff and contain with soil, waterways, drains, and sewers.

Section 14 - Transportation Information

CANADA Transportation of Dangerous Goods (TDG) **Not Dangerous Goods**

Section 15 – Regulatory Information

DSL (Canadian Domestic Substances List)

and CEPA (Canadian Environmental Protection Act)

All components of this product are in compliance with the chemical notification requirements of the NSN Regulations under CEPA, 1999.

TSCA Inventory

All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations and the SDS contains all the information required by the Hazardous Products Regulations.





Date of Revision: May 20, 2020

Section 16 – Other Information

REVISION SUMMARY:

Date of Preparation Date of Revision

April 1, 2017 May 20, 2020

SDS Prepared by: CFR Lab Manager

CFR Chemicals Inc. provides the information contained herein in good faith, but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. CFR Chemicals Inc. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, CFR CHEMICALS INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OR **RELIANCE UPON THIS INFORMATION.**