



CDG-202

Date of Revision: March 15, 2022

### **Section 1 - Chemical Product and Company Identification**

Product Name CDG 202

Synonyms Not Applicable
Product Use Degreaser
Restriction on Use None identified
Manufacturer/Supplier CFR Chemicals

38451 Range Road 22

County of Red Deer T4E 2N6

**General Assistance** 1 (877) 269-3419

Emergency Telephone 613-966-6666 (CANUTEC 24 Hour Phone Number)

**Date of Preparation of SDS** April 1, 2017

#### Section 2 – Hazard Identification

**Signal Word** 

**GHS Pictogram(s)** 









Target Organs Narcotic Effects

**Hazard Statement:** 

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H340 May cause genetic defects.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long-lasting effects.

**Precautionary Statement** 

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surface, sparks, open flames and other ignition sources.

No smoking

P233 Keep container tightly closed.

P240 Gound/bond container and receiving equipment.

P241 Use explosion-proof electrical, ventilating, lighting and all material-handling

equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.





CDG-202

Date of Revision: March 15, 2022

|          | P261               | Avoid breathing dust/fume/gas/mist/vapours/spray.   |
|----------|--------------------|---|
|          | P264               | Wash skin thoroughly after handling.  |
|          | P270               | Do not eat, drink or smoke when using this product.   |
|          | P271               | Use only outdoors or in a well-ventilated area.   |
|          | P271<br>P273       | Avoid release to the environment.   |
|          | P273<br>P280       |   |
| Daana    |                    | Wear protective gloves/eye protection/face protection.  |
| Respor   |                    |   |
|          | P321               | Specific treatment: See Response Statements on this label.  |
|          | P301 + P310        | IF SWALLOWED: Immediately call a POISON CENTRE / DOCTOR.  |
|          | P302 + P352        | IF ON SKIN: Wash with plenty of water.  |
|          | P303 + P361 + P353 | IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing. Rinse skin with water/shower. |
|          | P304 + P340        | IF INHALED: Remove person to fresh air and keep comfortable for breathing.                          |
|          | P305 + P331 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact                         |
|          |                    | lenses, if present and easy to do. Continue rinsing.  |
|          | P308 + P313        | If exposed or concerned: Get medical advice/attention.  |
|          | P312               | Call a POISON CENTRE or doctor/physician if you feel unwell.  |
|          | P330               | Rinse mouth.  |
|          | P331               | DO NOT induce vomiting.   |
|          | P332 + P313        | If skin irritation occurs: Get medical advice/attention.  |
|          | P337 + P313        | If eye irritation persists: Get medical advice/attention.   |
|          | P362 + P364        | Take off contaminated clothing and wash before reuse.   |
|          | P370 + P378        | In case of fire: Use dry sand, dry chemical, or alcohol-resistant foam to extinguish                |
|          | P391               | Collect spillage  |
| Storag   | e                  |   |
| · ·      | P403 + P233        | Store in well-ventilated place. Keep container tightly closed.                                      |
|          | P403 + P235        | Store in well-ventilated place. Keep cool.  |
|          | P405               | Store locked up.  |
| Disposal |                    |   |
| 2.0000   | P501               | Dispose of contents/container to an approved waste disposal unit.                                   |
|          |                    | 2.5perce a. contents, container to an approved maste disposar and                                   |
|          |                    | -1 11 12 11 (0 : 0)   |

**GHS Classification** Flammable liquids (Category 3)

Acute toxicity, Oral (Category 4)
Acute toxicity, Inhalation (Category 4)
Acute toxicity, Dermal (Category 4)
Skin corrosion/irritation (Category 2)

Serious eye damage/eye irritation (Category 2A)

Mutagenicity (Category 1B) Carcinogenicity (Category 1B) Reproductive Toxicity (Category 2)

Specific target organ toxicity - single exposure (Category 3)

Aspiration hazard (Category 1)

Hazardous to the aquatic environment, acute hazard (Category 2) Hazardous to the aquatic environment, acute chronic (Category 2)

#### **HMIS Classification**

Health Hazard 2
Chronic Health Hazard \*





CDG-202

Date of Revision: March 15, 2022

Flammability 3 Physical Hazards 0

**Potential Health Effects** 

**Inhalation** May be harmful if inhaled. Causes respiratory tract irritation.

**Skin** Causes skin irritation.

**Eye** Causes serious eye irritation. **Ingestion** May be harmful if swallowed.

### Section 3 – Composition Information on Ingredients

| HAZARDOUS INGREDIENT Naptha, petroleum, heavy catalytic reformed** | Hazardous Ingredient, Synonyms  Heavy aromatic naptha; Heavy aromatic naptha, gasoline re-run overhead; Aromatic hydrocarbon | PERCENT<br>70% | <b>CAS NUMBER</b> 64741-68-0 |
|--|--|----------------|------------------------------|
| catalytic reformed   | mixture  |                |                              |
| Ethylene Glycol Monobutyl Ether                                    | EGMBE; 2-Butoxyethanol; Glycol ether EB; Butyl cellosolve; Butyl glycol  | 18%            | 111-76-2                     |
| Monoisopropylamine Sulfonate                                       | Not Applicable   | 2%             | 26264-05-1                   |
| Ethoxylated Alcohol  | Not Applicable   | 10%            | 68439-46-3                   |
|  | * = Various ** = Mixture *** = Proprietary   |                |                              |
| Chamical Formula   | Mixturo  |                |                              |

Chemical Formula Mixture

#### Section 4 - First Aid Measures

Inhalation

Move victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that vas of vapour is still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular, or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison centre or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as collar, tie, belt or waistband.

**Eye Contact** 

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower lids. Check for and remove contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

**Skin Contact** 

Flush contaminated skin with plenty of water. Remove contaminated clothing and shows. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

**Ingestion** Get medical attention immedi

Get medical attention immediately. Call a poison control centre or physician. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and





CDG-202

Date of Revision: March 15, 2022

get medical attention immediately. Maintain an open airway. Loosen tight clothing such as collar, tie, belt or waistband.

**Most Important Symptoms/Effects** 

Acute No data available.

Delayed No data available.

Note to Physician Treat symptomatically.

# Section 5 – Fire-Fighting Measures

Flash Point (°C) 36°C Flash Point Method PMCC

**Auto Ignition Temperature** No data available.

**Conditions of Flammability** Flammable in the presence of a source of ignition when the temperature is above

the flash point. Keep away from heat/sparks/open flame/ hot surface. No

smoking.

Unsuitable Extinguising Media Water streams.

**Unusual Fire/** 

**Explosion Hazard** No data available.

**Hazardous Combustion** 

**Products** Carbon oxides. May release flammable gases.

**Special Protective Equipment and** 

**Precautions for Firefighters** Wear appropriate protective equipment and self-contained breathing apparatus

with a full face-piece operated in positive pressure mode.

#### Section 6 – Accidental Release Measures

adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations.

Vapours can accumulate in low areas.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter

drains. Discharge into the environment must be avoided.

Methods and materials for

containment and cleaning up Contain free liquid if possible. Pick up by covering with an activated carbon

absorbent or other suitable inert absorbent material (e.g. sand, sawdust, general-purpose binder). Take up & place in closed containers. Ventilate area & wash spill site after material pickup is complete. Contain and dispose of wash water in

site arter material prokap is completel contain and alsp

accordance with local regulations.

# Section 7 – Handling and Storage

Precautions for safe handling Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away

from sources of ignition - No smoking. Take measures to prevent the build-up of

electrostatic charge.





CDG-202

Date of Revision: March 15, 2022

Conditions for safe storage Incompatible Conditions Incompatible Materials

Keep container tightly closed in a dry and well-ventilated place.

Heat, flames and sparks.

Strong acids. Strong bases. Strong oxidizers.

### Section 8 – Exposure Controls / Personal Protection

**Occupational Exposure Limits** 

Ingredient Name Exposure Limits

Naptha, petroleum, heavy catalytic

reformed\*\*

Not Established

Canada, Alberta, Occupational Health and Safety Cote (table 2: OEL)

TWA: 20ppm

Ethylene Glycol Monobutyl Ether

ACGIH TLV

TWA: 20ppm

Monoisopropylamine Sulfonate

**Not Established** 

Ethoxylated Alcohol

**Not Established** 

Personal protective equipment

**Eye/face protection** Chemical safety glasses with side shields to prevent eye contact. As a general rule

do not wear contact lenses when handling chemicals.

**Skin protection** Wear chemical resistant gloves, impermeable protective clothing and safety

shoes.

**Respiratory protection** 

**General hygiene** 

Use NIOSH approved respirators and components.

**Considerations** Handle in accordance with good industrial hygiene and safety.

shower, eye wash, and fire extinguisher should be present.

# **Section 9 – Physical and Chemical Properties**

**Physical State** Liquid **Water Solubility** Insoluble **Appearance & Odour** Clear, straw colour. **Boiling Point** Not applicable Aromatic. 160 - 246.5°C **Vapour Pressure** No data available **Boiling Point Range** Vapour Density No data available **Melting Point** No data available **Specific Gravity** 0.89-0.91 **Freezing Point** No data available Partition coefficient (n-No data available **Lower Explosive Limit (LEL)** Not available octonal/water) No data available **Upper Explosive Limit (UEL)** Not available Hq Flashpoint (Method) 36°C (PMCC) **Auto Ignition temperature** Not available **Odour Threshold Evaporation Rate** Not available Not available Flammability (Solid, Gas) Not available **Decomposition Temperature** Not available Viscosity Not available





CDG-202

Date of Revision: March 15, 2022

# Section 10 - Stability and Reactivity

**Reactivity** Heating may cause fire.

**Chemical stability** Stable under recommended storage conditions.

Possibility of hazardous reactions

No data available

**Conditions to avoid** Heat, flames and sparks.

Materials to avoid Strong acids. Strong bases. Strong oxidizers.

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon

oxides. Other decomposition products - No data available

### **Section 11- Toxicological Information**

**Information on Likely Routes of Exposure** 

**Inhalation** May be harmful if inhaled. Causes respiratory tract irritation.

**Skin** Causes skin irritation.

**Eye** Causes serious eye irritation. **Ingestion** May be harmful if swallowed.

Acute and Chronic Toxicity No data available

**Acute toxicity** 

| Product/Ingredient Name   | Result              | Species | Dose       | Exposure |
|---------------------------|---------------------|---------|------------|----------|
| Naptha, petroleum, heavy  | LC50 Inhalation gas | Rat     | >5.04mg/L  | 4 Hr     |
| catalytic reformed**      | LD50 Dermal         | Rabbit  | >2000mg/kg | 24 Hr    |
| Ethylene Glycol Monobutyl | LD50 Oral           | Rat     | 3730mg/kg  | -        |
| Ether                     | LD50 Dermal         | Rat     | >3000mg/kg | -        |
| Isopropylamine Sulfonate  | Not determined      |         |            |          |
| Ethoxylated Alcohol       | LD50 Oral           | Rat     | >2000mg/kg | -        |

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Not classified.

**Mutagenicity** May cause genetic defects.

**Carcinogenicity** May cause cancer.

**Reproductive toxicity** Suspected of damaging fertility or the unborn child.

Specific target organ toxicity - single exposure (Globally Harmonized System)

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

Not assigned.

**Aspiration hazard** 

May be fatal if swallowed and enters airways.

Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure

**Short Term Exposure** 

Potential immediate Health Effects No data available.





CDG-202

Date of Revision: March 15, 2022

**Potential Delayed Health Effects** 

No data available.

**Long Term Exposure** 

Potential immediate Health EffectsNo data available.Potential Delayed Health EffectsNo data available.Potential Chronic EffectsNo data available.

**Synergistic effects** No data available

### Section 12 - Ecological Information

**Toxicity** 

Product / Ingredient Name Result Species Exposure

Naptha, petroleum, heavy catalytic reformed\*\* Acute EC50 – 11mg/L Pseudokirchneriella subcaptata 72 Hr

Ethylene Glycol Monobutyl Ether

Acute LC50 17.1mg/L

Acute EC50 39mg/L

Fish – Leuciscus idus

96 Hr

Acute EC50 39mg/L

Daphnia – Daphnia magna

48 Hr

Isopropylamine Sulfonate

Ethoxylated Alcohol

No data available

No data available

Persistence and degradability

Biodegradability No data available

**Bioaccumulative potential** 

Product/Ingredient NameLogPowBCFPotentialNaptha, petroleum heavyNot availableNot availableNot available

catalytic reformed

Mobility in soilNo data availablePBT and vPvB assessmentNo data availableOther adverse effectsNone known.

# **Section 13 – Disposal Considerations**

**Product** This combustible material may be burned in a chemical incinerator equipped with

an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service

to dispose of this material.

**Contaminated packaging** Dispose of as unused product.

### **Section 14 - Transportation Information**

CANADA Transportation of Dangerous Goods (TDG)

**Shipping Name** UN1268, Petroleum Distillates, N.O.S., 3. PG III

Class 3

UN Number UN1268 Packaging Group:

Label





CDG-202

Date of Revision: March 15, 2022



**Reportable Quantity** 12345.7 lbs / 5604.9Kg [2177.5 gal / 8242.6L]

Package sizes shipped in quantities less than the product reportable quantity are

not subject to the RW transportation requirements.

**Environmental hazards** 

Transportation in bulk,

if applicable Special Precautions Marine Pollutant

No data available No data available

# Section 15 - Regulatory Information

DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act)

All components of this product are in compliance with the chemical notification

requirements of the NSN Regulations under CEPA, 1999.

TSCA Inventory Listed

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations and the SDS contains all the information required by the Hazardous Products Regulations.

#### Section 16 - Other Information

**REVISION SUMMARY:** 

Date of Preparation April 1, 2017
Date of Revision March 15, 2022

SDS Prepared by: CFR Lab Manager

CFR Chemicals Inc. provides the information contained herein in good faith, but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. CFR Chemicals Inc. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, CFR CHEMICALS INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OR RELIANCE UPON THIS INFORMATION.