

Date of Revision: March 15, 2022

Section 1 - Chemical Product and Company Identification

Product Name StaFrost Booster Synonyms Not available

Product Use Various use, chemical intermediate, heat transfer fluid additive

Restrictions On Use Not Applicable Supplier CFR Chemicals

38451 Range Road 22

County of Red Deer T4E 2N6

General Assistance 1 (877) 269-3419

Emergency Telephone Not Dangerous Goods – Call General Assistance

Date of Preparation of SDS April 1, 2017

Section 2 – Hazard Identification

Signal Word GHS Pictogram(s)

Danger



Hazard Statement:

H314 Causes severe skin burns and eye damage.

Precautionary Statement

P260 Do not breath dust/gas/mist/vapours. P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/eye protection/face protection.

Response

P321 Specific treatment (see supplemental first aid instructions on this label).

P310 Immediately call a POISON Center or doctor/physician.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P363 Wash contaminated clothing before reuse.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing P305 + P351 +P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container to an approved waste disposal unit.

GHS Classification Skin corrosion/irritation (Category 1A)

HMIS Classification

Health Hazard 1



Date of Revision: March 15, 2022

Chronic Health Hazard *
Flammability 1
Physical Hazards 0

Potential Health Effects

Inhalation

Inhalation May be harmful if inhaled.

Skin Causes severe skin burns and eye damage.

Eye Causes eye irritation.

Ingestion May be harmful if swallowed.

Section 3 - Composition Information on Ingredients

HAZARDOUS INGREDIENT, Common Name	Hazardous Ingredient, Synonyms	PERCENT	CAS NUMBER
Potassium hydroxide	Caustic Potash, Lye	8 – 16%	1310-5-3
Phosphoric acid, 75%, aqueous solution	Orthophosphoric Acid	9 – 17%	7664-38-2
Propylene Glycol	1,2-propanediol, PG	5 – 12%	57-55-6
Boric Acid	Not Applicable	5 – 3%	10043-35-3
Sodium 4(or 5)-methyl-1H- benzotriazolide	Not Applicable	0 – 1.5%	64665-57-2
Polydimethylsiloxane	Not Applicable	0 - 0.30%	63147-62-9
Silica filled polydimethylsiloxane	Not Applicable	0-0.15%	67762-90-7
Sucrose distearate	Not Applicable	0-0.15%	27915-16-0
	* = Various ** = Mixture *** = Pr	roprietary	

Section 4 - First Aid Measures

IIIIIaiatioii	wove casualty to mesh an and keep at rest. If breathing is difficult, give oxygen. If
	not breathing, give artificial respiration. Get medical attention.

Eye Contact Immediately flush eyes with plenty of water, occasionally lifting the upper and

lower lids. Check for and remove contact lenses. Continue to rinse for at least 15

Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen, If

minutes. Get medical attention.

Skin Contact Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash

clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion Get medical attention immediately. Call a poison control centre or physician. IF

alert, rinse mouth and drink ½ to 1 glass of water to help dilute the material. Do not give liquids to a drowsy, convulsion, or unconscious patient. Do NOT induce vomiting. If vomiting occurs, the head should be kept low so vomit does not enter the lungs. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as collar, tie,

belt or waistband.

Most Important Symptoms/Effects both Acute and Delayed



Date of Revision: March 15, 2022

Causes severe skin burns and irritation.

Note to Physician No information available.

Section 5 – Fire-Fighting Measures

Flash Point (°C) Not applicable

Flash Point Method PMCC

Auto Ignition Temperature No data available

Conditions of Flammability Not flammable or combustible.

Extinguishing Media Unsuitable Extinguishing Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Media

Water jet.

Unusual Fire/

Explosion Hazard No data available.

Hazardous Combustion

Products Carbon oxides.

Fire Fighting Equipment Wear appropriate protective equipment and self-contained breathing apparatus

with a full face-piece operated in positive pressure mode.

Special Precautions for

Firefighters No data available.

Section 6 – Accidental Release Measures

Personal precautions Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure

> adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapour

can accumulate in low areas.

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter

drains. Discharge into the environment must be avoided.

Methods and materials for

containment and cleaning up Soak up with inert absorbent material and dispose of as hazardous waste. Keep in

suitable, closed containers for disposal.

Section 7 – Handling and Storage

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. **Precautions for safe handling**

Conditions for safe storage Keep container tightly closed in a dry and well-ventilated place. Containers which

are opened must be carefully resealed and kept upright to prevent leakage.

Hygroscopic.

Incompatible Materials Strong acids. Strong oxidizing agents. Strong bases

Section 8 – Exposure Controls / Personal Protection

Occupational Exposure Limits



Date of Revision: March 15, 2022

Ingredient Name Exposure Limits

Propylene Glycol Canada, Alberta OHSC Code

200mg/m³
ACGIH TLV

TLV: 100mg/m³

Potassium hydroxide Canada, Alberta OHSC Code

None established

ACGIH

Ceiling: 2mg/m³

Phosphoric acid, 75%, aqueous

solution

Canada, Alberta OHSC Code

1mg/m³

ACGIH

TWA: 1mg/m³ STEL: 3mg/m³

Boric Acid Canada, Alberta OHSC Code

None established

ACGIH

TWA: 2mg/m³ STEL: 6mg/m³

Sodium 4(or 5)-methyl-1H-

benzotriazolide

Canada, Alberta OHSC Code

None established

Polydimethylsiloxane Canada, Alberta OHSC Code

None established

Silica filled polydimethylsiloxane Canada, Alberta OHSC Code

None established

Sucrose distearate Canada, Alberta OHSC Code

TWA: 10mg/m³ (Stearates in general)

Personal protective equipment

Eye/face protection Chemical safety glasses with side shields to prevent eye contact. As a general rule

do not wear contact lenses when handling chemicals. If contact is possible, the following protection should be worn: Splash goggles. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this

is necessary to avoid exposure to liquid splashes, mists, gases, or dusts. If inhalation hazards exist, a full-face respiratory may be required instead. Wear chemical resistant gloves, impermeable protective clothing and safety

shoes. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a

specialist before handling this product.

Respiratory protection Use a properly fitted, air-purifying or supplied air respirator complying with an

approved standard if a risk assessment indicates this is necessary.

General hygiene

Skin protection

Considerations Handle in accordance with good industrial hygiene and safety. Eye wash fountains

and safety showers must be easily accessible.

Specific engineering controls Use only with adequate ventilation. Use process enclosures, local exhaust

ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Use explosion-proof

ventilation equipment.



Date of Revision: March 15, 2022

Section 9 – Physical and Chemical Properties

Physical State	Liquid	Water Solubility	miscible
Appearance & Odour	Clear, colourless to pale yellow. Odourless.	Boiling Point	100°C
Vapour Pressure	2.4 mmHg (20.0°C)	Boiling Point Range	100 – 196°C
Vapour Density	1.3 (Air = 1)	Melting Point	Not Available
Specific Gravity	1.44	Freezing Point	Not Available
Partition coefficient (n- octonal/water)	Not available.	Lower Explosive Limit (LEL)	Not Available
рН	Slightly alkaline	Upper Explosive Limit (UEL)	Not Available
Flashpoint (Method)	Not flammable	Auto Ignition temperature	Not Available
Odour Threshold	Not available.	Evaporation Rate	Not available.
Flammability (Solid, Gas)	Not available.		
Decomposition Temperature	Not available.	Viscosity	Not available.

Section 10 – Stability and Reactivity

Reactivity Thermal decomposition generates: Corrosive vapours.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous No data available.

reactions

Conditions to avoid No data available.

Materials to avoid Strong acids. Strong oxidizing agents. Strong bases

Hazardous decomposition products

Carbon oxides.

Section 11- Toxicological Information

Information on Likely Routes of Exposure

Inhalation:

May be harmful if inhaled. May cause respiratory tract irritation.

Skin contact

Causes severe skin burns and irritation.

Eye contact

May cause eye irritation.

Ingestion

May cause abdominal discomfort or pain, nausea, vomiting, dizziness, drowsiness, malaise, blurring of vision, irritability, lumbar pain, oliguria, uremia, and central nervous system effects, including irregular eye movements, convulsions and coma. Cardiac failure, pulmonary edema, and severe kidney damage may develop. May be fatal if swallowed, lethal dose in adult humans for ethylene glycol is approximately 100 mL

Acute and Chronic Toxicity

Poison. Toxic if swallowed. If swallowed there is a risk of blindness.



Date of Revision: March 15, 2022

Acute toxicity

Product/Ingredient Name	Result	Species	Dose	Exposure
Potassium hydroxide	LD50 Oral	Rat	333mg/kg	-
Phosphoric acid, 75%, aqueous solution	LD50 Oral	Rat	4400mg/kg	-
Propylene Glycol	LD50 Oral	Rat	20000mg/kg	-
	LD50 Dermal	Rabbit	20800mg/kg	-
Boric Acid	LD50 Oral	Rat	>2000mg/kg	-
BOTTC ACIU	LD50 Dermal	Rabbit	>2000mg/kg	-
Sodium 4(or 5)-methyl-1H-benzotriazolide	LD50 Oral	Rat	2660mg/kg	
30didiii 4(01 3)-iiietiiyi-1H-beiizotiiazoiide	LD50 Dermal	Rabbit	>2000mg/kg	
Polydimethylsiloxane	No data available			
Silica filled polydimethylsiloxane	No data available			
Sucrose distearate	No data available			

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/ Eye irritation

Not classified.

Respiratory or skin sensitization

Not classified. Not classified.

Carcinogenicity

Mutagenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity Not classified. TeratogenicityNot classified.

Specific target organ toxicity - single exposure (Globally Harmonized System)

No data available.

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

No data available.

Aspiration hazard No data available.

Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure

Short Term Exposure

Potential immediate Health Effects

No data available.

Potential Delayed Health Effects

No data available.

Long Term Exposure

Potential immediate Health Effects
Potential Delayed Health Effects
No data available.
Potential Chronic Effects
No data available.

Synergistic effects No data available

Section 12 – Ecological Information

Toxicity

Product / Ingredient NameResultSpeciesExposurePotassium hydroxideLC50 28.6mgLFish – Pisces96 Hr



Date of Revision: March 15, 2022

Phosphoric acid, 75%, aqueous solution	LC50 138mgL	Fish – Pisces	96 Hr
Propylene	LC50 52930mg/L	Fish – Pimephales promelas	96 Hr
	EC50 >10000mg/L	Daphnia – Daphnia magna	24 Hr
Boric Acid	LC50 100ppm	Fish – Oncorhynchus mykiss	96 Hr
	EC50 658-875mg/L	Daphnia – Dapnhia magna	48 Hr
Sodium 4(or 5)-methyl-1H-benzotriazolide	LC 50 25mgL	Fish – Oncorhynchus mykiss	96 Hr
Jodiani +(or 5) metry in benzotrazonae	EC 50 280mg/L	Daphnia – Daphnia magna	24 Hr

Polydimethylsiloxane No data available
Silica filled polydimethylsiloxane No data available
Sucrose distearate No data available

Persistence and degradability
Bioaccumulative potential
Mobility in soil

PBT and vPvB assessment

Not established.

No data available.

No data available.

Section 13 - Disposal Considerations

Product

Do not discharge substance/product into sewer system. Dispose of in accordance with national, regional, and local regulations.

Contaminated packaging

Dispose of as unused product in a licensed facility. Recommend crushing, puncturing, or other means to prevent unauthorized use of used containers. Do not cut, weld, or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled materials and runoff and contain with soil, waterways, drains, and sewers.

Section 14 - Transportation Information

CANADA Transportation of Dangerous Goods (TDG)

Not Dangerous Goods

Section 15 – Regulatory Information

DSL (Canadian Domestic Substances List)

and CEPA (Canadian Environmental Protection Act)

All components of this product are in compliance with the chemical notification

requirements of the NSN Regulations under CEPA, 1999.

TSCA Inventory All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations and the SDS contains all the information required by the Hazardous Products Regulations.



Date of Revision: March 15, 2022

Section 16 – Other Information

REVISION SUMMARY:

Date of Preparation April 1, 2017

Date of Revision March 15, 2022

SDS Prepared by: CFR Lab Manager

CFR Chemicals Inc. provides the information contained herein in good faith, but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. CFR Chemicals Inc. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, CFR CHEMICALS INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OR RELIANCE UPON THIS INFORMATION.