



Date of Revision: March 15, 2022

Section 1 - Chemical Product and Company Identification

Product Name StaTherm SRT 90 Synonyms inhibited TEG 90

Product Use Various use, chemical intermediate, heat transfer fluid

Restrictions On Use Not Applicable Supplier CFR Chemicals

38451 Range Road 22

County of Red Deer T4E 2N6

General Assistance 1 (877) 269-3419

Emergency Telephone Not Dangerous Goods – Call General Assistance

Date of Preparation of SDS April 1, 2017

Section 2 - Hazard Identification

Signal Word Warning GHS Pictogram(s) None

Hazard Statement:

H316 Causes mild skin irritation. H320 Causes eye irritation.

Precautionary Statement

P264 Wash skin thoroughly after handling.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P332 + P313 IF SKIN IRRITATION OCCURS: Get medical advice / attention.
P337 + P313 IF EYE IRRITATION PERSISTS: Get medical advice / attention.

Storage

No Statements.

Disposal

P501 Dispose of contents/container to an approved waste disposal unit.

GHS Classification Skin irritation (Category 3)

Eye irritation (Category 2B)

HMIS Classification

Health Hazard 1
Chronic Health Hazard *
Flammability 1
Physical Hazards 0





Date of Revision: March 15, 2022

Section 3 – Composition Information on Ingredients

| HAZARDOUS INGREDIENT, Common Name | Hazardous Ingredient, Synonyms | PERCENT | CAS NUMBER |
|---|--|-----------|--------------|
| Triethylene Glycol | TEG, 2,2'-(ethylenedioxy)diethanol; TEG; 2,2'- [1,2-ethanediylbis(oxy)]bisethanol; Triglycol | 90% | 112-27-6 |
| Water | H₂O, Aqua | 5 –10% | 7732-18-5 |
| Potassium hydroxide | Caustic Potash, Lye | 0 – 1% | 1310-5-3 |
| Phosphoric acid, 75%, aqueou solution | s Orthophosphoric Acid | 0 – 1% | 7664-38-2 |
| Ethylene Glycol | 1,2-ethanediol, EG, Glycol | 0 –1% | 107-21-1 |
| Disodium tetraborate, pentahydrate | Aqua | 0 – 0.9% | 12173-04-3 |
| Sodium 4(or 5)-methyl-1H- benzotriazolide | Not Applicable | 0 – 0.45% | 64665-57-2 |
| Sodium Nitrite | Not Applicable | 0 -0.36% | 7362-00-00 |
| Non-hazardous corrosion inhibitors and pH buffers | Not Applicable | 0 – 0.15% | Trade Secret |
| Polydimethylsiloxane | Not Applicable | 0-0.1% | 63147-62-9 |
| Silica filled polydimethylsiloxane | Not Applicable | 0 – 0.04% | 67762-90-7 |
| Sucrose distearate | Not Applicable | 0 – 0.04% | 27915-16-0 |
| Chemical Formula | * = Various ** = Mixture *** = Proprietary Not Applicable | | |
| Chemical Fulliula | Not Applicable | | |

Section 4 - First Aid Measures

Inhalation Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention. **Eye Contact** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower lids. Check for and remove contact lenses. Continue to rinse for at least 15 minutes. Get medical attention. **Skin Contact** Flush contaminated skin with plenty of water. Remove contaminated clothing and shows. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse. Ingestion Get medical attention immediately. Call a poison control centre or physician. IF alert, rinse mouth and drink ½ to 1 glass of water to help dilute the material. Do not give liquids to a drowsy, convulsion, or unconscious patient. Do NOT induce vomiting. If vomiting occurs, the head should be kept low so vomit does not enter

belt or waistband.

the lungs. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as collar, tie,





Date of Revision: March 15, 2022

Most Important Symptoms/Effects both Acute and Delayed

Harmful if swallowed. Symptoms may include headache, nausea, vomiting.. May cause slight eye and skin irritation. Symptoms include: Redness, swelling, itching

and dryness.

Note to Physician Consult a physician. Show this safety data sheet to the doctor in attendance.

Section 5 – Fire-Fighting Measures

Flash Point (°C) Not Flammable

Flash Point Method PMCC **Auto Ignition Temperature** 347°C

Conditions of Flammability Not flammable or combustible.

Extinguishing Media Unsuitable Extinguishing Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Media Water jet.

Unusual Fire/

Fynlosion Hazar

Explosion Hazard No data available.

Hazardous Combustion

Products Carbon oxides.

Fire Fighting Equipment Wear appropriate protective equipment and self-contained breathing apparatus

with a full face-piece operated in positive pressure mode.

Special Precautions for

Firefighters No data available.

Section 6 – Accidental Release Measures

Personal precautions Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure

adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapour

can accumulate in low areas.

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter

drains. Discharge into the environment must be avoided.

Methods and materials for

containment and cleaning up Soak up with inert absorbent material and dispose of as hazardous waste. Keep in

suitable, closed containers for disposal.

Section 7 – Handling and Storage

Precautions for safe handling Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Conditions for safe storage Keep container tightly closed in a dry and well-ventilated place. Containers which

are opened must be carefully resealed and kept upright to prevent leakage.

Hygroscopic.

Incompatible Materials Strong Acids, Strong Bases. Strong oxidizing agents.





Date of Revision: March 15, 2022

Section 8 – Exposure Controls / Personal Protection

Occupational Exposure Limits

Ethylene Glycol

Ingredient Name Exposure Limits
Triethylene Glycol ACGIH TLV

Ceiling: 50ppm, 127mg/m³

Potassium hydroxide Canada, Alberta OHSC Code

None established

ACGIH

Ceiling: 2mg/m³

Phosphoric acid, 75%, aqueous solution Canada, Alberta OHSC Code

1mg/m³

ACGIH

TWA: 1mg/m³ STEL: 3mg/m³

OSHA PEL

TWA 1mg/m³

Canada, Alberta OHSC Code

100mg/m³

ACGIH

TLV: 100mg/m³

Disodium tetraborate, pentahydrate Canada, Alberta OHSC Code

TWA: 1mg/m³ Ceiling: 3mg/m³

ACGIH

TWA: 2mg/m³

Sodium 4(or 5)-methyl-1H-benzotriazolide Canada, Alberta OHSC Code

None established

Sodium Nitrite Canada, Alberta OHSC Code

None established

ACGIH

None Established

OSHA

None Established

Corrosion Inhibitors and pH Buffers Canada, Alberta OHSC Code

None established

Polydimethylsiloxane Canada, Alberta OHSC Code

None established

Silica filled polydimethylsiloxane Canada, Alberta OHSC Code

None established

Canada, Alberta OHSC Code

TWA: 10mg/m³ (Stearates in general)

Personal protective equipment

Sucrose distearate

Eye/face protection Chemical safety glasses with side shields to prevent eye contact. As a general rule

do not wear contact lenses when handling chemicals. If contact is possible, the following protection should be worn: Splash goggles. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this

is necessary to avoid exposure to liquid splashes, mists, gases, or dusts. If inhalation hazards exist, a full-face respiratory may be required instead.

Skin protection Wear chemical resistant gloves, impermeable protective clothing and safety

shoes. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a

specialist before handling this product.





Date of Revision: March 15, 2022

Respiratory protection Use a properly fitted, air-purifying or supplied air respirator complying with an

approved standard if a risk assessment indicates this is necessary.

General hygiene Considerations

Handle in accordance with good industrial hygiene and safety. Eye wash fountains

and safety showers must be easily accessible.

ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Use explosion-proof

ventilation equipment.

Section 9 - Physical and Chemical Properties

Physical StateLiquidWater SolubilitymiscibleAppearance & OdourClear, colourless.Boiling Point170°C (15 psig)

Odourless.

Vapour Pressure <1 mmHg (20.0°C) (TEG) Boiling Point Range Not applicable

Vapour Density5.18(Air = 1) (TEG)Melting Point<-35°C</th>Specific Gravity1.11 - 1.13Freezing Point<-35°C</td>Partition coefficient (n-Not available.Lower Explosive Limit (LEL)0.9% (TEG)

octonal/water)

pHNot available.Upper Explosive Limit (UEL)9.2% (TEG)Flashpoint (Method)Not Flammable.Auto Ignition temperature347°C (TEG)Odour ThresholdNot available.Evaporation RateNot available.

Flammability (Solid, Gas) Not available.

Decomposition Temperature 203°C **Viscosity** Not available.

Section 10 – Stability and Reactivity

Reactivity No specific test data related to reactivity available for this product.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous No data available.

reactions

Conditions to avoid No data available.

Materials to avoid Strong acids. Strong oxidizing agents. Strong bases

Hazardous decomposition products

Carbon oxides.

Section 11- Toxicological Information

Information on Likely Routes of Exposure

InhalationMay be harmful if inhaled. May cause respiratory tract irritation.Skin contactHarmful if absorbed through the skin. May cause skin irritation.

Eye contact May cause eye irritation.

Ingestion May cause abdominal discomfort or pain, nausea, vomiting





Date of Revision: March 15, 2022

Acute and Chronic Toxicity No data available

Acute toxicity

Product/Ingredient Name Result Species Dose Triethylene Glycol LD50 Oral Rat 17000mg/kg LD50 Dermal Rabbit 22500mg/kg Potassium hydroxide LD50 Oral 333mg/kg Rat Phosphoric acid, 75%, aqueous LD50 Oral Rat 4400mg/kg solution LD50 Oral Rat 4700mg/kg Ethylene Glycol LD50 Dermal Rabbit 10626mg/kg

Disodium tetraborate, LD50 Oral Rat >2000mg/kg pentahydrate LD50 Dermal Rabbit >2000mg/kg Sodium 4(or 5)-methyl-1H-LD50 Oral Rat 640 - 1980mg/kg benzotriazolide LD50 Dermal Rabbit >2000mg/kg LD50 Oral Sodium nitrite Rat 4700mg/kg

Corrosion Inhibitors and pH

polydimethylsiloxane

Buffers No data available

Polydimethylsiloxane No data available
Silica filled No data available

Sucrose distearate No data available

Skin corrosion/irritation Slightly irritating to skin.

Serious eye damage/ Eye irritation

Slightly irritating to the eye.

Respiratory or skin sensitization

No data available. Not expected to be a sensitizer.

Mutagenicity No known significant effects or critical hazards.

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by ACGIH.

Reproductive toxicityNo data available. **Teratogenicity**No data available.

Specific target organ toxicity - single exposure (Globally Harmonized System)

No data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

No data available.

Aspiration hazard No data available.

Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure

Short Term Exposure

Potential immediate Health Effects

No data available.

Potential Delayed Health Effects

No data available.

Long Term Exposure

Potential immediate Health Effects
Potential Delayed Health Effects
No data available.
Potential Chronic Effects
No data available.

Synergistic effects No data available





Date of Revision: March 15, 2022

Section 12 – Ecological Information

Toxicity

| Product / Ingredient Name Triethylene Glycol | Result Acute LC50 >100mg/L Acute EC50 46500mg/L | Species Fish – Leuciscus idus Daphnia – Daphnia magna | Exposure 96 Hr 24 Hr |
|---|--|--|-----------------------------------|
| Potassium hydroxide | LC50 28.6mgL | Fish – Pisces | 96 Hr |
| Phosphoric acid, 75%, aqueous solution | LC50 138mgL | Fish – Pisces | 96 Hr |
| Ethylene Glycol | LC50 18500mg/L LC50 >1000mg/L EC50 74000mg/L | Fish – Oncorhynchus mykiss Fish – Leuciscus idus Daphnia – Daphnia magna | 96 Hr 48 Hr 24 Hr |
| Disodium tetraborate, pentahydrate | LC50 100 – 1000mg/L EC50 340mg/L | Fish – Pisces Daphnia – Dapnhia magna | 96 Hr 24 Hr |
| Sodium 4(or 5)-methyl-1H-benzotriazolide | LC 50 25mgL EC 50 280mg/L | Fish – Oncorhynchus mykiss Daphnia – Daphnia magna | 96 Hr 24 Hr |
| Sodium Nitrite | LC50 0.19mgL | Fish – Oncorhynchus mykiss | 96 Hr |
| Corrosion Inhibitors and pH Buffers | No data available | | |
| Polydimethylsiloxane | No data available | | |
| Silica filled polydimethylsiloxane | No data available | | |
| Sucrose distearate | No data available | | |
| rejetance and degradability >700/ | roadily biodogradable | | |

Persistence and degradability >70% - readily biodegradable

Bioaccumulative potential No bioaccumulation is to be expected (log Pow ≤4)

Mobility in soil No data available.

PBT and vPvB assessment No data available

Section 13 – Disposal Considerations

Product

Do not discharge substance/product into sewer system. Dispose of in accordance with national, regional, and local regulations.

Contaminated packaging

Dispose of as unused product in a licensed facility. Recommend crushing, puncturing, or other means to prevent unauthorized use of used containers. Do not cut, weld, or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled materials and runoff and contain with soil, waterways, drains, and sewers.

Section 14 - Transportation Information

CANADA Transportation of Dangerous Goods (TDG)

Not Dangerous Goods





Date of Revision: March 15, 2022

Section 15 - Regulatory Information

DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act)

All components of this product are in compliance with the chemical notification

requirements of the NSN Regulations under CEPA, 1999.

TSCA Inventory All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations and the SDS contains all the information required by the Hazardous Products Regulations.

Section 16 – Other Information

REVISION SUMMARY:

Date of Preparation April 1, 2017
Date of Revision March 15, 2022

SDS Prepared by: CFR Lab Manager

CFR Chemicals Inc. provides the information contained herein in good faith, but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. CFR Chemicals Inc. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, CFR CHEMICALS INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OR RELIANCE UPON THIS INFORMATION.