

### Section 1 - Chemical Product and Company Identification

|                                   |                                                                    |
|-----------------------------------|--------------------------------------------------------------------|
| <b>Product Name</b>               | 0.5% Inhibited Methanol                                            |
| <b>Synonyms</b>                   | None                                                               |
| <b>Product Use</b>                | Alcohol Solvent, Various Use                                       |
| <b>Restriction on Use</b>         | None identified                                                    |
| <b>Manufacturer/Supplier</b>      | CFR Chemicals<br>38451 Range Road 22<br>County of Red Deer T4E 2N6 |
| <b>General Assistance</b>         | 1 (877) 269-3419                                                   |
| <b>Emergency Telephone</b>        | <b>613-966-6666 (CANUTEC 24 Hour Phone Number)</b>                 |
| <b>Date of Preparation of SDS</b> | April 1, 2017                                                      |

### Section 2 – Hazard Identification

**Signal Word**  
**GHS Pictogram(s)**

Danger



**Hazard Statement:**

H225

Highly flammable liquid and vapour.

H301 +H311 +H331

Toxic if swallowed, in contact with skin or if inhaled.

H370

Causes damage to organs.

**Precautionary Statement**

**Prevention**

P210

Keep away from heat, hot surface, sparks, open flames and other ignition sources.

No smoking

P233

Keep Container tightly closed.

P240

Ground and bond container and receiving equipment.

P241

Use explosion-proof electrical/ventilating/lighting equipment.

P242

Use non sparking tools.

P243

Take action to prevent static discharges.

P260

Do not breathe dust/fume/gas/mist/vapours/spray.

P264

Wash thoroughly after handling.

P270

Do not eat, drink or smoke when using this product.

P271

Use only outdoors or in a well-ventilated area.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

**Response**

P301 + P310

IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician.

P302 + P352 +P312

IF ON SKIN: Wash with plenty of water. Call a POISON CENTRE or doctor/physician if you feel unwell.

P303 + P361 + P353

IF ON SKIN (or hair) Take off immediately all contaminated clothing, rinse skin with water (or shower).



# Safety Data Sheet - GHS

## 0.5% Inhibited Methanol

Date of Revision: April 1, 2025

|                    |                                                                                                                      |
|--------------------|----------------------------------------------------------------------------------------------------------------------|
| P304 + P340 + P311 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE or doctor/physician. |
| P308 + P311        | IF exposed or concerned: Call a POISON CENTRE or doctor/physician.                                                   |
| P321               | Specific Treatment (see label)                                                                                       |
| P330               | Rinse mouth.                                                                                                         |
| P361 + P364        | Take off immediately all contaminated clothing and wash it before reuse.                                             |
| P370 + P378        | In case of fire: use appropriate media to extinguish.                                                                |
| Storage            |                                                                                                                      |
| P235               | Keep Cool.                                                                                                           |
| P403 + P233        | Store in well-ventilated place. Keep contained tightly closed.                                                       |
| P405               | Store locked up.                                                                                                     |
| Disposal           |                                                                                                                      |
| P501               | Dispose of contents/container to an approved waste disposal unit.                                                    |

|                           |                                                               |
|---------------------------|---------------------------------------------------------------|
| <b>GHS Classification</b> | Flammable liquids (Category 2)                                |
|                           | Acute Toxicity, Oral (Category 3)                             |
|                           | Acute Toxicity, Inhalation (Category 3)                       |
|                           | Acute Toxicity, Dermal (Category 3)                           |
|                           | Specific target organ toxicity - single exposure (Category 1) |

|                            |   |
|----------------------------|---|
| <b>HMIS Classification</b> |   |
| Health Hazard              | 2 |
| Chronic Health Hazard      | * |
| Flammability               | 3 |
| Physical Hazards           | 0 |

|                                 |                                                            |
|---------------------------------|------------------------------------------------------------|
| <b>Potential Health Effects</b> |                                                            |
| Inhalation                      | Toxic if inhaled. May cause respiratory tract irritation.  |
| Skin                            | Toxic if absorbed through skin. May cause skin irritation. |
| Eye                             | May cause eye irritation.                                  |
| Ingestion                       | Toxic if swallowed.                                        |

### Section 3 – Composition Information on Ingredients

| HAZARDOUS INGREDIENT                                | Hazardous Ingredient, Synonyms                                                         | PERCENT | CAS NUMBER |
|-----------------------------------------------------|----------------------------------------------------------------------------------------|---------|------------|
| Methanol                                            | Methyl alcohol, wood alcohol, carbinol, wood spirits, methyl hydroxide, methyl hydrate | ≥99.5%  | 67-56-1    |
| Isopropanol                                         | IPA, Rubbing Alcohol, Isopropyl Alcohol                                                | <0.5 %  | 67-63-0    |
| Benzyl alkyl pyridinyl quaternary ammonium chloride | Not Applicable                                                                         | <0.5 %  | 68909-18-2 |
| Morpholine                                          | Diethylene imidoxide, Diethylene oximide, Tetrahydro-1,4-oxazine, Tetrahydro-p-oxazine | <0.5 %  | 110-91-8   |
| Ethoxylated amine                                   | Not Applicable                                                                         | <0.5 %  | 91791-17-1 |
| Cyclohexylamine                                     | 1-Aminocyclohexane;1-Cyclohexylamine;aminocyclohexane[qr];Amin                         | <0.5 %  | 108-91-8   |

ohexahydrobenzene;aminohexahydrobenzen  
e[qr];Aniline, hexahydro-;Benzenamine,  
hexahydro-;benzenamine,hexahydro-[qr]  
\* = Various \*\* = Mixture \*\*\* = Proprietary

**Chemical Formula**

Not Applicable

### Section 4 - First Aid Measures

|                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation</b>                      | Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Eye Contact</b>                     | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower lids. Check for and remove contact lenses. Continue to rinse for at least 15 minutes. Get medical attention.                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Skin Contact</b>                    | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Ingestion</b>                       | Get medical attention immediately. Call a poison control center or physician. Wash out mouth with water and give one half to one glass of water to dilute stomach contents. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do NOT induce vomiting. If vomiting occurs, the head should be kept low so vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as collar, tie, belt or waistband. |
| <b>Most Important Symptoms/Effects</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Acute                                  | Poison. May be fatal if swallowed. If swallowed there is a risk of blindness. Toxic if swallowed, in contact with skin or if inhaled. Ingestion causes nausea, weakness and central nervous system effects, headache, vomiting, dizziness, symptoms of drunkenness. Coma and death due to respiratory failure may follow severe exposures: Medical treatment necessary. A latent period of several hours may occur between exposure and the onset of symptoms.                                                                                                                                                                                                                |
| Delayed                                | May damage fertility or the unborn child.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Note to Physician</b>               | When plasma methanol concentration is higher than 20mg/dL, a 10% solution of ethanol in 5% aqueous dextrose is an effective intravenous antidote.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

### Section 5 – Fire-Fighting Measures

|                                       |                                                                                                                                                                  |
|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Flash Point (°C)</b>               | 11°C                                                                                                                                                             |
| <b>Flash Point Method</b>             | PMCC                                                                                                                                                             |
| <b>Auto Ignition Temperature</b>      | 464°C                                                                                                                                                            |
| <b>Conditions of Flammability</b>     | Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/ hot surface. No smoking. |
| <b>Extinguishing Media</b>            | Use water fog, alcohol-resistant foam, dry chemical or carbon dioxide                                                                                            |
| <b>Unsuitable Extinguishing Media</b> | Water jet.                                                                                                                                                       |



# Safety Data Sheet - GHS

## 0.5% Inhibited Methanol

Date of Revision: April 1, 2025

### Unusual Fire/

### Explosion Hazard

Vapors may collect in low spots and "flash back" from ignition sources.  
Lower explosive limit = 6%, upper explosive limit = 36.5%

### Hazardous Combustion

### Products

Carbon oxides

### Special Protective Equipment and

### Precautions for Firefighters

Wear full firefighting gear and self-contained breathing apparatus (SCBA) for protection against possible exposure..

## Section 6 – Accidental Release Measures

### Personal precautions

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

### Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### Methods and materials for containment and cleaning up

Contain free liquid if possible. Pick up by covering with an activated carbon absorbent or other suitable inert absorbent material (e.g. sand, sawdust, general-purpose binder). Take up & place in closed containers. Ventilate area & wash spill site after material pickup is complete. Contain and dispose of wash water in accordance with local regulations.

## Section 7 – Handling and Storage

### Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build-up of electrostatic charge.

### Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

### Incompatible Conditions

Heat, Flames, Sparks.

### Incompatible Materials

Oxidizing materials. Acids, Acid anhydrides, Acyl halides and Alkyl halides. Attacks copper, aluminum, zinc, nickel and cast iron.

## Section 8 – Exposure Controls / Personal Protection

### Occupational Exposure Limits

#### Ingredient Name

Methanol

#### Exposure Limits

Canada, Alberta, Occupational Health and Safety Code (table 2: OEL)

TWA: 200ppm

STEL: 250ppm

#### ACGIH TLV

TLV: 200ppm (SKIN)

STEL: 250ppm

#### OSHA PEL

200ppm (skin)

Isopropanol

Canada, Alberta, Occupational Health and Safety Code (table 2: OEL)

STEL: 400ppm

TWA: 200ppm

#### ACGIH TLV

|                                                     |                                                                                          |
|-----------------------------------------------------|------------------------------------------------------------------------------------------|
|                                                     | TWA: 200ppm 8 Hours<br>STEL: 500ppm                                                      |
|                                                     | <b>OSHA PEL</b><br>TWA: 400ppm                                                           |
| Benzyl alkyl pyridinyl quaternary ammonium chloride | Exposure limits are not established for this component                                   |
| Morpholine                                          | <b>Canada, Alberta, Occupational Health and Safety Code (table 2: OEL)</b><br>TWA: 20ppm |
|                                                     | <b>ACGIH TLV</b><br>TWA: 20ppm                                                           |
|                                                     | <b>OSHA PEL</b><br>TWA: 20ppm                                                            |
| Ethoxylated amine                                   | Exposure limits are not established for this component                                   |
| Cyclohexylamine                                     | <b>Canada, Alberta, Occupational Health and Safety Code (table 2: OEL)</b><br>TWA: 10ppm |
|                                                     | <b>ACGIH TLV</b><br>TWA: 20ppm                                                           |
|                                                     | <b>OSHA PEL</b><br>TWA: 20ppm                                                            |

### Personal protective equipment

#### Eye/face protection

Chemical safety glasses with side shields to prevent eye contact. As a general rule do not wear contact lenses when handling chemicals. If contact is possible, the following protection should be worn: Splash goggles. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases, or dusts. If inhalation hazards exist, a full-face respirator may be required instead.

#### Skin protection

Wear chemical resistant gloves, impermeable protective clothing and safety shoes. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### Respiratory protection

Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary.

#### General hygiene

#### Considerations

Handle in accordance with good industrial hygiene and safety practices. Eye wash fountains and safety showers must be easily accessible.

### Specific engineering controls

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Use explosion-proof ventilation equipment.

## Section 9 – Physical and Chemical Properties

|                               |                                                        |                                    |                     |
|-------------------------------|--------------------------------------------------------|------------------------------------|---------------------|
| <b>Physical State</b>         | Liquid                                                 | <b>Water Solubility</b>            | Completely miscible |
| <b>Appearance &amp; Odour</b> | Clear, colourless to pale brown liquid. Alcohol odour. | <b>Boiling Point</b>               | 64.7°C              |
| <b>Vapour Pressure</b>        | 97.7 mmHg @ 20.0°C                                     | <b>Boiling Range</b>               | Not Applicable      |
| <b>Odour Threshold</b>        | 4.2 – 5960 ppm                                         | <b>Melting Point</b>               | <-40°C              |
| <b>Evaporation Rate</b>       | 4.1 (Butyl acetate = 1)                                | <b>Freezing Point</b>              | <-40°C              |
| <b>Vapour Density</b>         | 1.11 (air = 1)                                         | <b>Lower Explosive Limit (LEL)</b> | 6 %                 |

|                                  |                    |                                                |               |
|----------------------------------|--------------------|------------------------------------------------|---------------|
| <b>Specific Gravity</b>          | 0.79               | <b>Upper Explosive Limit (UEL)</b>             | 36 %          |
| <b>pH</b>                        | No data available. | <b>Partition coefficient (n-octanol/water)</b> | -0.77         |
| <b>Flammability (Solid, Gas)</b> | Not applicable.    | <b>Viscosity</b>                               | 0.8 cP (20°C) |
| <b>Decomposition Temperature</b> | Not available.     |                                                |               |

## Section 10 – Stability and Reactivity

|                                           |                                                                                                                                     |
|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reactivity</b>                         | Containers may rupture or explode if exposed to heat.                                                                               |
| <b>Chemical stability</b>                 | Stable under recommended storage conditions.                                                                                        |
| <b>Possibility of hazardous Reactions</b> | Vapours may form explosive mixture with air.                                                                                        |
| <b>Conditions to avoid</b>                | Heat, flames and sparks.                                                                                                            |
| <b>Materials to avoid</b>                 | Oxidizing materials. Acids, Acid anhydrides, Acyl halides and Alkyl halides. Attacks copper, aluminum, zinc, nickel and cast iron.  |
| <b>Hazardous decomposition Products</b>   | Hazardous decomposition products formed under fire conditions. - Carbon oxides.<br>Other decomposition products - No data available |

## Section 11- Toxicological Information

### Information on Likely Routes of Exposure

|                                   |                                                                                                                                                                                                                                                                                                                                                                       |
|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation</b>                 | May cause headache, nausea, dizziness, loss of coordination, central nervous system depression, respiratory tract irritation, sensitivity to light, and/or blurred vision. Coma and death due to respiratory failure may follow severe exposures: Medical treatment necessary. A latent period of several hours may occur between exposure and the onset of symptoms. |
| <b>Skin contact</b>               | Harmful in contact with skin.                                                                                                                                                                                                                                                                                                                                         |
| <b>Eye contact</b>                | Causes serious eye irritation.                                                                                                                                                                                                                                                                                                                                        |
| <b>Ingestion</b>                  | Poison. May be fatal if swallowed. If swallowed there is a risk of blindness.                                                                                                                                                                                                                                                                                         |
| <b>Acute and Chronic Toxicity</b> | Poison. Toxic if swallowed, in contact with skin or if inhaled. If swallowed there is a risk of blindness.                                                                                                                                                                                                                                                            |

### Acute toxicity

| Product/Ingredient Name                             | Result                  | Species | Dose           | Exposure      |
|-----------------------------------------------------|-------------------------|---------|----------------|---------------|
| Methanol                                            | LC50 Inhalation, vapour | Rat     | 128.2mg/L      | 4 Hr          |
|                                                     | LD50 Oral               | Rat     | 1187-2769mg/kg | -             |
|                                                     | LD50 Dermal             | Rabbit  | 17100mg/kg     | -             |
| Isopropanol                                         | LC50 Inhalation gas     | Rat     | 73mg/L         | 4 Hr          |
|                                                     | LD50 Oral               | Rat     | 5045mg/kg      | -             |
|                                                     | LD50 Dermal             | Rabbit  | 12870mg/kg     | -             |
| Benzyl alkyl pyridinyl quaternary ammonium chloride | No data available       |         |                |               |
| Morpholine                                          | LC50 Inhalation, vapour | Rat     | 8mg/L          | Not specified |
|                                                     | LD50 Oral               | Rat     | 1910mg/kg      | -             |
|                                                     | LD50 Dermal             | Rabbit  | 500mg/kg       | -             |

|                   |                         |        |                       |               |
|-------------------|-------------------------|--------|-----------------------|---------------|
| Ethoxylated amine | No data available       |        |                       |               |
|                   | LC50 Inhalation, vapour | Rat    | 7500mg/m <sup>3</sup> | Not specified |
| Cyclohexylamine   | LD50 Oral               | Rat    | 300mg/kg              | -             |
|                   | LD50 Dermal             | Rabbit | 277mg/kg              | -             |

**Skin corrosion/irritation** No data available.

**Serious eye damage/eye irritation**

Components of this product (morpholine, cyclohexylamine) can cause serious damage to eyes. Eye irritant.

**Respiratory or skin sensitization**

Does not cause skin sensitization.

**Germ cell Mutagenicity**

No known significant effects or critical hazards.

**Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

**Reproductive toxicity**

Methanol may cause teratogenic/embryotoxic effects based on studies in laboratory animals.

**Specific target organ toxicity - single exposure (Globally Harmonized System)**

Causes damage to organs.

**Specific target organ toxicity - repeated exposure (Globally Harmonized System)**

This substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Aspiration hazard**

No aspiration toxicity classification.

**Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure**

**Short Term Exposure**

**Potential immediate Health Effects**

Poison. Toxic if swallowed, in contact with skin or if inhaled. May be fatal if swallowed. If swallowed there is a risk of blindness. Causes serious eye irritation. Causes damage to organs. Ingestion causes nausea, weakness and central nervous system effects, headache, vomiting, dizziness, symptoms of drunkenness, respiratory tract irritation. Coma and death due to respiratory failure may follow severe exposures: Medical treatment necessary. A latent period of several hours may occur between exposure and the onset of symptoms.

**Potential Delayed Health Effects**

Symptoms may be delayed. Toxic by ingestion, inhalation or skin contact. Can cause metabolic acidosis, blindness, seizures, liver and kidney damage, unconsciousness, coma and death.

**Long Term Exposure**

**Potential immediate Health Effects**

No data available.

**Potential Delayed Health Effects**

No data available.

**Potential Chronic Effects**

May cause liver and kidney damage.

**Synergistic effects**

Alcohols may interact synergistically with chlorinated solvents (example - carbon tetrachloride, chloroform, bromotrichloromethane), dithiocarbamates (example - disulfiram), dimethylnitrosamine and thioacetamide.

### Section 12 – Ecological Information

#### Toxicity

| Product / Ingredient Name                           | Result            | Species                    | Exposure |
|-----------------------------------------------------|-------------------|----------------------------|----------|
| Methanol                                            | LC50 15400mg/L    | Fish – Lepomis macrochirus | 96 Hr    |
|                                                     | NOEC 7900mg/L     | Fish – Oryzias Latipes     | 200 Hr   |
|                                                     | EC50 >10000mg/L   | Daphnia – Daphnia magna    | 48 Hr    |
| Isopropanol                                         | LC50 9640mg/L     | Fish – Pimephales promelas | 96 Hr    |
|                                                     | EC50 5102mg/L     | Daphnia – Daphnia magna    | 24 Hr    |
| Benzyl alkyl pyridinyl quaternary ammonium chloride | No data available |                            |          |
| Morpholine                                          | LC50 380mg/L      | Fish – Oncorhynchus mykiss | 96 Hr    |
|                                                     | EC50 45mg/L       | Daphnia – Daphnia magna    | 48 Hr    |
| Ethoxylated amine                                   | No data available |                            |          |
| Cyclohexylamine                                     | LC50 33mg/L       | Fish – Oryzias latimes     | 96 Hr    |
|                                                     | ED50 36.3mg/L     | Daphnia – Daphnia magna    | 48 Hr    |

#### Persistence and degradability

##### Biodegradability

|                                                 |                                                                                     |
|-------------------------------------------------|-------------------------------------------------------------------------------------|
| Methanol                                        | aerobic<br>Result: 72 % - readily biodegradable<br>Method: OECD Test Guideline 3-1D |
| Morpholine                                      | aerobic<br>Result: 93 % - readily biodegradable                                     |
| Cyclohexylamine                                 | aerobic<br>Result: 92 % - readily biodegradable                                     |
| Other components have unknown biodegradability. |                                                                                     |

##### Bioaccumulative potential

No data available.

##### Mobility in soil

No data available.

##### PBT and vPvB assessment

No data available.

##### Other adverse effects

No data available.

### Section 13 – Disposal Considerations

#### Product

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### Contaminated packaging

Dispose of as unused product.

### Section 14 - Transportation Information

CANADA Transportation of Dangerous Goods (TDG )

**Shipping Name** UN1230, Methanol Solution, 3. PG II

**Class** 3 (6.1)

**UN Number** UN1230

**Packaging Group:** II

**Label**





# Safety Data Sheet - GHS

## 0.5% Inhibited Methanol

Date of Revision: April 1, 2025

|                                              |                         |
|----------------------------------------------|-------------------------|
| <b>Environmental hazards</b>                 | Not a marine pollutant. |
| <b>Transportation in bulk, if applicable</b> | No data available       |
| <b>Special Precautions</b>                   | No data available       |

### Section 15 – Regulatory Information

#### DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act)

All components of this product are in compliance with the chemical notification requirements of the NSN Regulations under CEPA, 1999.

#### TSCA Inventory (8b)

All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations and the SDS contains all the information required by the Hazardous Products Regulations.

### Section 16 – Other Information

#### REVISION SUMMARY:

|                     |               |
|---------------------|---------------|
| Date of Preparation | April 1, 2017 |
| Date of Revision    | April 1, 2025 |

SDS Prepared by: CFR Lab Manager

CFR Chemicals Inc. provides the information contained herein in good faith, but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. CFR Chemicals Inc. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, CFR CHEMICALS INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OR RELIANCE UPON THIS INFORMATION.