



CDG-202

Date of Revision: April 1, 2025

Section 1 - Chemical Product and Company Identification

Product Name CDG 202

Synonyms Not Applicable
Product Use Degreaser
Restriction on Use None identified
Manufacturer/Supplier CFR Chemicals

38451 Range Road 22

County of Red Deer T4E 2N6

General Assistance 1 (877) 269-3419

Emergency Telephone 613-966-6666 (CANUTEC 24 Hour Phone Number)

Date of Preparation of SDS April 1, 2017

Section 2 – Hazard Identification

Signal Word

GHS Pictogram(s)

Danger







Target Organs Narcotic Effects

Hazard Statement:

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H340 May cause genetic defects.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long-lasting effects.

Precautionary Statement

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surface, sparks, open flames and other ignition sources.

No smoking

P233 Keep container tightly closed.

P240 Gound/bond container and receiving equipment.

P241 Use explosion-proof electrical, ventilating, lighting and all material-handling

equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.





CDG-202

Date of Revision: April 1, 2025

	P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	
	P264	Wash skin thoroughly after handling.	
	P270	Do not eat, drink or smoke when using this product.	
	P271	Use only outdoors or in a well-ventilated area.	
	P273	Avoid release to the environment.	
	P280	Wear protective gloves/eye protection/face protection.	
Respo	onse		
	P321	Specific treatment: See Response Statements on this label.	
	P301 + P310	IF SWALLOWED: Immediately call a POISON CENTRE / DOCTOR.	
	P302 + P352	IF ON SKIN: Wash with plenty of water.	
	P303 + P361 + P353	IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
	P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
	P305 + P331 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact	
		lenses, if present and easy to do. Continue rinsing.	
	P308 + P313	If exposed or concerned: Get medical advice/attention.	
	P312	Call a POISON CENTRE or doctor/physician if you feel unwell.	
	P330	Rinse mouth.	
	P331	DO NOT induce vomiting.	
	P332 + P313	If skin irritation occurs: Get medical advice/attention.	
	P337 + P313	If eye irritation persists: Get medical advice/attention.	
	P362 + P364	Take off contaminated clothing and wash before reuse.	
	P370 + P378	In case of fire: Use dry sand, dry chemical, or alcohol-resistant foam to extinguish	
	P391	Collect spillage	
Stora	ge		
	P403 + P233	Store in well-ventilated place. Keep container tightly closed.	
	P403 + P235	Store in well-ventilated place. Keep cool.	
	P405	Store locked up.	
Disposal			
	P501	Dispose of contents/container to an approved waste disposal unit.	

GHS Classification Flammable liquids (Category 3)

Acute toxicity, Oral (Category 4)
Acute toxicity, Inhalation (Category 4)
Acute toxicity, Dermal (Category 4)
Skin corrosion/irritation (Category 2)

Serious eye damage/eye irritation (Category 2A)

Mutagenicity (Category 1B) Carcinogenicity (Category 1B) Reproductive Toxicity (Category 2)

Specific target organ toxicity - single exposure (Category 3)

Aspiration hazard (Category 1)

Hazardous to the aquatic environment, acute hazard (Category 2) Hazardous to the aquatic environment, acute chronic (Category 2)

HMIS Classification

Health Hazard 2 Chronic Health Hazard *





CDG-202

Date of Revision: April 1, 2025

Flammability 3 Physical Hazards 0

Potential Health Effects

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.

Skin Causes skin irritation.

Eye Causes serious eye irritation. **Ingestion** May be harmful if swallowed.

Section 3 – Composition Information on Ingredients

HAZARDOUS INGREDIENT Naptha, petroleum, heavy catalytic reformed**	Hazardous Ingredient, Synonyms Heavy aromatic naptha; Heavy aromatic naptha, gasoline re-run overhead; Aromatic hydrocarbon	PERCENT 70%	CAS NUMBER 64741-68-0
Ethylene Glycol Monobutyl Ether	mixture EGMBE; 2-Butoxyethanol; Glycol ether EB; Butyl cellosolve; Butyl glycol	18%	111-76-2
Monoisopropylamine Sulfonate	Not Applicable	2%	26264-05-1
Ethoxylated Alcohol	Not Applicable	10%	68439-46-3
	* = Various ** = Mixture *** = Proprietary		
Chamical Formula	Mixturo		

Chemical Formula Mixture

Section 4 - First Aid Measures

Inhalation Move victim to fresh air and keep at rest in a position comfortable for breathing.

If it is suspected that vas of vapour is still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular, or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison centre or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing

such as collar, tie, belt or waistband.

Eye Contact Immediately flush eyes with plenty of water, occasionally lifting the upper and

lower lids. Check for and remove contact lenses. Continue to rinse for at least ${\bf 10}$

minutes. Get medical attention.

Skin Contact Flush contaminated skin with plenty of water. Remove contaminated clothing and

shows. Continue to rinse for at least 10 minutes. Get medical attention. Wash

clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion Get medical attention immediately. Call a poison control centre or physician.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and





CDG-202

Date of Revision: April 1, 2025

get medical attention immediately. Maintain an open airway. Loosen tight clothing such as collar, tie, belt or waistband.

Most Important Symptoms/Effects

Acute No data available.

Delayed No data available.

Note to Physician Treat symptomatically.

Section 5 – Fire-Fighting Measures

Flash Point (°C) 36°C Flash Point Method PMCC

Auto Ignition Temperature No data available.

Conditions of Flammability Flammable in the presence of a source of ignition when the temperature is above

the flash point. Keep away from heat/sparks/open flame/ hot surface. No

smoking.

Unsuitable Extinguising Media Water streams.

Unusual Fire/

Explosion Hazard No data available.

Hazardous Combustion

Products Carbon oxides. May release flammable gases.

Special Protective Equipment and

Precautions for Firefighters Wear appropriate protective equipment and self-contained breathing apparatus

with a full face-piece operated in positive pressure mode.

Section 6 – Accidental Release Measures

adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe

areas. Beware of vapours accumulating to form explosive concentrations.

Vapours can accumulate in low areas.

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter

drains. Discharge into the environment must be avoided.

Methods and materials for

containment and cleaning up Contain free liquid if possible. Pick up by covering with an activated carbon

absorbent or other suitable inert absorbent material (e.g. sand, sawdust, general-purpose binder). Take up & place in closed containers. Ventilate area & wash spill site after material pickup is complete. Contain and dispose of wash water in

accordance with local regulations.

Section 7 - Handling and Storage

Precautions for safe handling Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away

from sources of ignition - No smoking. Take measures to prevent the build-up of

electrostatic charge.





CDG-202

Date of Revision: April 1, 2025

Conditions for safe storage Incompatible Conditions Incompatible Materials

Keep container tightly closed in a dry and well-ventilated place.

Heat, flames and sparks.

Strong acids. Strong bases. Strong oxidizers.

Section 8 – Exposure Controls / Personal Protection

Occupational Exposure Limits

Ingredient Name Exposure Limits

Naptha, petroleum, heavy catalytic

reformed**

Not Established

Canada, Alberta, Occupational Health and Safety Cote (table 2: OEL)

TWA: 20ppm

Ethylene Glycol Monobutyl Ether

ACGIH TLV

Monoisopropylamine Sulfonate

TWA: 20ppm Not Established

Ethoxylated Alcohol

Not Established

Personal protective equipment

Eye/face protection Chemical safety glasses with side shields to prevent eye contact. As a general rule

do not wear contact lenses when handling chemicals.

Skin protection Wear chemical resistant gloves, impermeable protective clothing and safety

shoes.

Respiratory protection

General hygiene

Use NIOSH approved respirators and components.

Considerations Handle in accordance with good industrial hygiene and safety.

shower, eye wash, and fire extinguisher should be present.

Section 9 – Physical and Chemical Properties

Physical State Liquid **Water Solubility** Insoluble **Appearance & Odour** Clear, straw colour. **Boiling Point** Not applicable Aromatic. 160 - 246.5°C **Vapour Pressure** No data available **Boiling Point Range** Vapour Density No data available **Melting Point** No data available **Specific Gravity** 0.89-0.91 **Freezing Point** No data available Partition coefficient (n-No data available **Lower Explosive Limit (LEL)** Not available octonal/water) No data available **Upper Explosive Limit (UEL)** Not available Hq Flashpoint (Method) 36°C (PMCC) **Auto Ignition temperature** Not available **Odour Threshold Evaporation Rate** Not available Not available Flammability (Solid, Gas) Not available **Decomposition Temperature** Not available Viscosity Not available





CDG-202

Date of Revision: April 1, 2025

Section 10 - Stability and Reactivity

Reactivity Heating may cause fire.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous reactions

No data available

Conditions to avoid Heat, flames and sparks.

Materials to avoid Strong acids. Strong bases. Strong oxidizers.

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon

oxides. Other decomposition products - No data available

Section 11- Toxicological Information

Information on Likely Routes of Exposure

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.

Skin Causes skin irritation.

Eye Causes serious eye irritation. **Ingestion** May be harmful if swallowed.

Acute and Chronic Toxicity No data available

Acute toxicity

Product/Ingredient Name	Result	Species	Dose	Exposure
Naptha, petroleum, heavy	LC50 Inhalation gas	Rat	>5.04mg/L	4 Hr
catalytic reformed**	LD50 Dermal	Rabbit	>2000mg/kg	24 Hr
Ethylene Glycol Monobutyl	LD50 Oral	Rat	3730mg/kg	-
Ether	LD50 Dermal	Rat	>3000mg/kg	-
Isopropylamine Sulfonate	Not determined			
Ethoxylated Alcohol	LD50 Oral	Rat	>2000mg/kg	-

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Not classified.

Mutagenicity May cause genetic defects.

Carcinogenicity May cause cancer.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Specific target organ toxicity - single exposure (Globally Harmonized System)

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

Not assigned.

Aspiration hazard

May be fatal if swallowed and enters airways.

Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure

Short Term Exposure

Potential immediate Health Effects No data available.





CDG-202

Date of Revision: April 1, 2025

Potential Delayed Health Effects

No data available.

Long Term Exposure

Potential immediate Health EffectsNo data available.Potential Delayed Health EffectsNo data available.Potential Chronic EffectsNo data available.

Synergistic effects No data available

Section 12 - Ecological Information

Toxicity

Product / Ingredient Name Result Species Exposure

Naptha, petroleum, heavy catalytic reformed** Acute EC50 – 11mg/L Pseudokirchneriella subcaptata 72 Hr

Ethylene Glycol Monobutyl Ether

Acute LC50 17.1mg/L

Acute EC50 39mg/L

Fish – Leuciscus idus

96 Hr

Acute EC50 39mg/L

Daphnia – Daphnia magna

48 Hr

Isopropylamine Sulfonate No data available Ethoxylated Alcohol No data available

Persistence and degradability

Biodegradability No data available

Bioaccumulative potential

Product/Ingredient NameLogPowBCFPotentialNaptha, petroleum heavyNot availableNot availableNot available

catalytic reformed

Mobility in soilNo data availablePBT and vPvB assessmentNo data availableOther adverse effectsNone known.

Section 13 – Disposal Considerations

Product This combustible material may be burned in a chemical incinerator equipped with

an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service

to dispose of this material.

Contaminated packaging Dispose of as unused product.

Section 14 - Transportation Information

CANADA Transportation of Dangerous Goods (TDG)

Shipping Name UN1268, Petroleum Distillates, N.O.S., 3. PG III

Class 3

UN Number UN1268 Packaging Group:

Label





CDG-202

Date of Revision: April 1, 2025



Reportable Quantity 12345.7 lbs / 5604.9Kg [2177.5 gal / 8242.6L]

Package sizes shipped in quantities less than the product reportable quantity are

not subject to the RW transportation requirements.

Environmental hazards

Transportation in bulk,

if applicable
Special Precautions

Marine Pollutant

No data available No data available

Section 15 – Regulatory Information

DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act)

All components of this product are in compliance with the chemical notification

requirements of the NSN Regulations under CEPA, 1999.

TSCA Inventory Listed

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations and the SDS contains all the information required by the Hazardous Products Regulations.

Section 16 - Other Information

REVISION SUMMARY:

Date of Preparation April 1, 2017
Date of Revision April 1, 2025

SDS Prepared by: CFR Lab Manager

CFR Chemicals Inc. provides the information contained herein in good faith, but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. CFR Chemicals Inc. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, CFR CHEMICALS INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OR RELIANCE UPON THIS INFORMATION.