

Date of Revision: April 1, 2025

### **Section 1 - Chemical Product and Company Identification**

Product Name Hexane

**Synonyms** normal-Hexane; Hexyl hydride; n-Hexylhydride; n-Caproylhydride; Hexane,

normal

Product Use Hydrocarbon solvent
Restriction on Use None identified
Manufacturer/Supplier CFR Chemicals

38451 Range Road 22

County of Red Deer T4E 2N6

**General Assistance** 1 (877) 269-3419

Emergency Telephone 613-966-6666 (CANUTEC 24 Hour Phone Number)

**Date of Preparation of SDS** April 1, 2017

#### Section 2 - Hazard Identification

Signal Word GHS Pictogram(s)

Danger







**Target Organs** Peripheral nervous system, Kidney, Testes.

**Hazard Statement:** 

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways. H315 + H320 Causes skin irritation and causes eye irritation.

H336 May cause drowsiness or dizziness.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure if

swallowed.

H411 Toxic to aquatic life with long lasting effects

**Precautionary Statement** 

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surface, sparks, open flames and other ignition sources.

No smoking

P233 Keep container tightly closed.

P240 Ground/Bond container and receiving equipment.

P241 Use explosion-proof electrical, ventilating, lighting and all material-handling

equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.



Date of Revision: April 1, 2025

P273	Avoid release to the environment.			
P280	Wear protective gloves/eye protection/face protection.			
Response				
P321	Specific treatment: See Response Statements on this label.			
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.			
P302 + P352	IF ON SKIN: Wash with plenty of water.			
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminate clothing. Rinse skin with water / shower.			
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.			
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact			
	lenses, if present and easy to do. Continue rinsing.			
P308 + P313	If exposed or concerned: get medical advice / attention			
P312	Call a POISON CENTRE or doctor/physician if you feel unwell			
P331	DO NOT induce vomiting.			
P332 + P313	If skin irritation occurs: Get medical advice/attention.			
P337 + P313	If eye irritation persists: Get medical advice/attention.			
P362 + P364	Take off contaminated clothing and wash it before reuse.			
P370 + P378	In case of fire: Use dry sand, dry chemical, or alcohol-resistant foam to extinguish			
P391	Collect spillage			
Storage				
P403 + P233	Store in well-ventilated place. Keep contained tightly closed.			
P403 + P235	Store in well-ventilated place. Keep cool			
P405	Store locked up.			
Disposal				
P501	Dispose of contents/container to an approved waste disposal unit.			

**GHS Classification** Flammable liquids (Category 2)

Skin corrosion/irritation (Category 2)

Serious eye damage/eye irritation (Category 2B)

Reproductive toxicity (Category 2)

Specific target organ toxicity - single exposure (Category 3),

Specific target organ toxicity - repeated exposure: Oral (Category 2)

Aspiration hazard (Category 1)
Acute aquatic toxicity (Category 2)
Chronic aquatic toxicity (Category 2)

#### **HMIS Classification**

Health Hazard 2
Chronic Health Hazard \*
Flammability 3
Physical Hazards 0

#### **Potential health effects**

Inhalation Can cause central nervous system (CNS) depression. May cause drowsiness and dizziness. May

cause respiratory tract irritation.

**Ingestion** May be harmful if swallowed. Aspiration hazard if swallowed – can enter lungs and cause damage.

**Skin** May be harmful if absorbed through skin. May cause skin irritation.

**Eyes** May cause eye irritation.



Date of Revision: April 1, 2025

### **Section 3 – Composition Information on Ingredients**

HAZARDOUS INGREDIENT Hazardous Ingredient, Synonyms

PERCENT

**CAS NUMBER** 

Hexane

n-hexane, normal-Hexane; Hexyl hydride; n-Hexylhydride; n-Caproylhydride; Hexane, 100%

110-54-3

normale

\* = Various \*\* = Mixture \*\*\* = Proprietary

**Chemical Formula** 

 $C_4H_{14}$ 

#### Section 4 - First Aid Measures

**Inhalation** Move victim to fresh air and keep at rest in a position comfortable for breathing.

If it is suspected that vas of vapour is still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular, or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison centre or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing

such as collar, tie, belt or waistband.

**Eye Contact** Immediately flush eyes with plenty of water, occasionally lifting the upper and

lower lids. Check for and remove contact lenses. Continue to rinse for at least 10

minutes. Get medical attention.

**Skin Contact** Flush contaminated skin with plenty of water. Remove contaminated clothing and

shows. Continue to rinse for at least 10 minutes. Get medical attention. Wash

clothing before reuse. Clean shoes thoroughly before reuse.

**Ingestion** Get medical attention immediately. Call a poison control centre or physician.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight

clothing such as collar, tie, belt or waistband.

#### Most Important Symptoms/Effects

Acute

Eye contact No known significant effects or critical hazards.

Inhalation Can cause central nervous system (CNS) depression. May cause drowsiness or

dizziness.

Skin contact No known significant effects or critical hazards.

Frostbite Try to warm up the frozen tissues and seek medical attention.

Ingestion Can cause central nervous system (CNS) depression.

Delayed

Eye contact No specific data.



Date of Revision: April 1, 2025

Inhalation Adverse symptoms may include the following:, nausea or vomiting, headache,

drowsiness/fatigue, dizziness/vertigo, unconsciousness, reduced fetal weight,

increase in fetal deaths, skeletal malformations

Skin contact Adverse symptoms may include the following:, reduced fetal weight, increase in

fetal deaths, skeletal malformations

Ingestion Adverse symptoms may include the following:, reduced fetal weight, increase in

fetal deaths, skeletal malformations

**Note to Physician** Treat symptomatically.

### **Section 5 – Fire-Fighting Measures**

Flash Point (°C) -26°C
Flash Point Method PMCC
Auto Ignition Temperature 234°C

**Conditions of Flammability** Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion

hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any

waterway, sewer or drain.

**Extinguishing Media** Use water spray (fog), alcohol-resistant foam, dry chemical or carbon dioxide

Unsuitable Extinguising Media Do not use water jet.

**Unusual Fire/** 

**Explosion Hazard** No data available.

**Hazardous Combustion** 

**Products** Carbon oxides

**Special Protective Equipment and** 

**Precautions for Firefighters** Promptly isolate the scene by removing all persons from the vicinity of the

incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. Wear appropriate protective equipment and self-contained breathing apparatus with a

full face-piece operated in positive pressure mode.

#### Section 6 – Accidental Release Measures

adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations.

Vapours can accumulate in low areas.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter

drains. Discharge into the environment must be avoided.

Methods and materials for



Date of Revision: April 1, 2025

containment and cleaning up

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

#### Section 7 - Handling and Storage

Precautions for safe handling Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away

from sources of ignition - No smoking. Take measures to prevent the build-up of

electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Incompatible Conditions Heat, flames and sparks. Incompatible Materials Oxidizing materials.

### Section 8 – Exposure Controls / Personal Protection

**Occupational Exposure Limits** 

Ingredient Name

**Exposure Limits** 

n-hexane Canada, Alberta, Occupational Health and Safety Cote (table 2: OEL)

TWA: 50ppm

ACGIH TLV (USA, 4/2014). Absorbed through skin.

TWA: 50ppm 8 Hours

OSHA PEL (USA, 2/2013)

TWA: 500 ppm 8 hours

TWA: 1800 mg/m<sup>3</sup> 8 Hours

Personal protective equipment

**Eye/face protection** Chemical safety glasses with side shields to prevent eye contact. As a general rule

do not wear contact lenses when handling chemicals.

**Skin protection** Wear chemical resistant gloves, impermeable protective clothing and safety

shoes.

**Respiratory protection** 

**General hygiene** 

Use NIOSH approved respirators and components.

**Considerations** Handle in accordance with good industrial hygiene and safety.

Specific engineering controls Use mechanical exhaust or laboratory fumehood to avoid exposure. Safety

shower, eye wash, and fire extinguisher should be present.

### Section 9 – Physical and Chemical Properties

Physical StateLiquidWater SolubilityInsolubleAppearance & OdourClear, Colourless.Boiling Point69°C

Hydrocarbon solvent odour.

Vapour Pressure 132 mmHg (20.0°C) Boiling Range Not applicable

Odour ThresholdNot available.Melting Point<-40°C</th>Evaporation Rate6.82Freezing Point<-40°C</td>Vapour Density0.66Lower Explosive Limit (LEL)1.2%



Date of Revision: April 1, 2025

Specific Gravity 0.65-0.68 Upper Explosive Limit 7.7%

(UEL)

pH Not available. Partition coefficient (n- 4

octonal/water)

Flammability (Solid, Gas) Extremely flammable in the

presence of the following materials or conditions: oxidizing materials..

Decomposition Temperature Not available. Viscosity Not available.

### Section 10 – Stability and Reactivity

**Reactivity** No specific test data related to reactivity available for this product or its

ingredients.

**Chemical stability** Stable under recommended storage conditions.

**Possibility of hazardous** 

Under normal conditions of storage and use, hazardous reactions will not occur

reactions

**Conditions to avoid** Heat, flames and sparks. **Materials to avoid** Oxidizing materials.

**Hazardous decomposition products** 

Hazardous decomposition products formed under fire conditions. - Carbon

oxides.

Other decomposition products - No data available

### **Section 11- Toxicological Information**

#### Information on Likely Routes of Exposure

No data available

**Acute toxicity** 

Product/Ingredient	Result	Species	Dose	Exposure
Name				
n-Hexane	LC50 Inhalation gas	Rat	48000ppm	4 Hr
	LD50 Oral	Rat	15840mg/kg	-

**Skin corrosion/irritation** Irritating to skin

Serious eye damage/eye irritation

Eyes - Rabbit - n-hexane - Mild Irritant - 10mg

Respiratory or skin sensitization

No data available

**Mutagenicity** No known significant effects or critical hazards.

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

**Reproductive toxicity**Overexposure may cause reproductive disorder(s) based on tests with laboratory

animals. Suspected human reproductive toxicant. Suspected of damaging fertility.



Date of Revision: April 1, 2025

**Teratogenicity** No data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

NameCategoryRoute of ExposureTarget Organsn-hexaneCategory 3Not applicable.Narcotic Effects

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

NameCategoryRoute of ExposureTarget Organsn-hexaneCategory 2OralNot determinedInhalationNot determined

**Aspiration hazard** 

Name Result

n-hexane Aspiration Hazard - Category 1

**Potential health effects** 

Inhalation Can cause central nervous system (CNS) depression. May cause drowsiness and dizziness. May

cause respiratory tract irritation.

**Ingestion** May be harmful if swallowed. Aspiration hazard if swallowed – can enter lungs and cause damage.

**Skin** May be harmful if absorbed through skin. May cause skin irritation.

**Eyes** May cause eye irritation.

Signs and Symptoms of Exposure

Inhalation Adverse symptoms may include: nausea and vomiting, headache, drowsiness/fatigue,

dizziness/vertigo and unconsciousness

Ingestion Adverse symptoms may include: nausea and vomitingSkin Adverse symptoms may include: irritation, redness

**Eyes** Adverse symptoms may include: pain or irritation, watering, redness

Synergistic effects No data available

Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure

**Short Term Exposure** 

**Potential immediate Health Effects**No data available. **Potential Delayed Health Effects**No data available.

Long Term Exposure

Potential immediate Health EffectsNo data available.Potential Delayed Health EffectsNo data available.Potential Chronic EffectsNo data available.

### Section 12 - Ecological Information

**Toxicity** 

Product / Ingredient NameResultSpeciesExposuren-hexaneLC50 2.5mg/LFish – Pimephales promelas96 HrEC50 3878mg/LDaphnia – Daphnia magna48 Hr

Persistence and degradability

Biodegradability No data available

**Bioaccumulative potential** 

Product/Ingredient NameLogPowBCFPotentialn-hexane4502High

PAGE 7 of 9



Date of Revision: April 1, 2025

Mobility in soilNo data availablePBT and vPvB assessmentNo data available

**Other adverse effects** No known significant effects or critical hazards.

#### **Section 13 – Disposal Considerations**

**Product** This combustible material may be burned in a chemical incinerator equipped with

an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service

to dispose of this material.

**Contaminated packaging** Dispose of as unused product.

### **Section 14 - Transportation Information**

CANADA Transportation of Dangerous Goods (TDG)

Shipping Name UN1208, Hexane, 3. PG II

Class 3

UN Number UN1208

Packaging Group:

Label



Not a marine pollutant.

**Environmental hazards** 

Transportation in bulk,

if applicableNo data availableSpecial PrecautionsNo data available

### Section 15 - Regulatory Information

**DSL (Canadian Domestic Substances List)** 

and CEPA (Canadian Environmental Protection Act)

All components of this product are in compliance with the chemical notification

requirements of the NSN Regulations under CEPA, 1999.

**TSCA Inventory (8b)** All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations and the SDS contains all the information required by the Hazardous Products Regulations.

#### **Section 16 – Other Information**

**REVISION SUMMARY:** 

Date of Preparation April 1, 2017
Date of Revision April 1, 2025



Date of Revision: April 1, 2025

SDS Prepared by: CFR Lab Manager

CFR Chemicals Inc. provides the information contained herein in good faith, but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. CFR Chemicals Inc. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, CFR CHEMICALS INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OR RELIANCE UPON THIS INFORMATION.