



# Safety Data Sheet - GHS

## Recycled Propylene Glycol 57%

Date of Revision: April 1, 2025

### Section 1 - Chemical Product and Company Identification

<b>Product Name</b>	Recycled Propylene Glycol 57%
<b>Synonyms</b>	PG2-57
<b>Product Use</b>	Industrial Heat Transfer Fluid
<b>Restrictions On Use</b>	Not Applicable
<b>Supplier</b>	CFR Chemicals 38451 Range Road 22 County of Red Deer T4E 2N6
<b>General Assistance</b>	1 (877) 269-3419
<b>Emergency Telephone</b>	<b>Not Dangerous Goods – Call General Assistance</b>
<b>Date of Preparation of SDS</b>	<b>April 1, 2017</b>

### Section 2 – Hazard Identification

<b>Signal Word</b>	Warning
<b>GHS Pictogram(s)</b>	None
<b>Hazard Statement:</b>	
H316	Causes mild skin irritation.
H320	Causes eye irritation.
<b>Precautionary Statement</b>	
<b>Prevention</b>	
No Statements.	
<b>Response</b>	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>Storage</b>	
No Statements.	
<b>Disposal</b>	
P501	Dispose of contents/container to an approved waste disposal unit.
<b>GHS Classification</b>	None
<b>HMIS Classification</b>	
Health Hazard	0
Chronic Health Hazard	*
Flammability	1
Physical Hazards	0
<b>Potential Health Effects</b>	
Inhalation	May be harmful if inhaled. May cause respiratory tract irritation.
Ingestion	Harmful if swallowed.
Skin	Harmful if absorbed through the skin. May cause skin irritation.
Eye	May cause eye irritation.



# Safety Data Sheet - GHS

## Recycled Propylene Glycol 57%

Date of Revision: April 1, 2025

### Section 3 – Composition Information on Ingredients

HAZARDOUS INGREDIENT, Common Name	Hazardous Ingredient, Synonyms	PERCENT	CAS NUMBER
Propylene Glycol	Propylene glycol; 1,2-Propanediol; Propane-1,2-diol; PG	57%	57-55-6
Water	Aqua	43%	7732-18-5

\* = Various \*\* = Mixture \*\*\* = Proprietary

### Section 4 - First Aid Measures

<b>Inhalation</b>	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
<b>Eye Contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
<b>Skin Contact</b>	Wash off with plenty of water. Consult a physician.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
<b>Most Important Symptoms/Effects both Acute and Delayed</b>	Not expected to present a significant hazard under anticipated conditions of normal use.
<b>Note to Physician</b>	No specific antidote. Treatment of exposure should be directed at the control of the symptoms and the clinical condition of the patient.

### Section 5 – Fire-Fighting Measures

<b>Flash Point (°C)</b>	Not Flammable
<b>Flash Point Method</b>	PMCC
<b>Auto Ignition Temperature</b>	415°C
<b>Conditions of Flammability</b>	Not flammable or combustible.
<b>Extinguishing Media</b>	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
<b>Unsuitable Extinguishing Media</b>	Water jet.
<b>Unusual Fire/Explosion Hazard</b>	No data available.
<b>Hazardous Combustion Products</b>	Carbon oxides.
<b>Fire Fighting Equipment</b>	Wear appropriate protective equipment and self-contained breathing apparatus with a full face-piece operated in positive pressure mode.
<b>Special Precautions for Firefighters</b>	Do not enter fire area without proper protective equipment, including respiratory protection.

### Section 6 – Accidental Release Measures

<b>Personal precautions</b>	Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapour can accumulate in low areas.
<b>Environmental precautions</b>	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
<b>Methods and materials for containment and cleaning up</b>	Soak up with inert absorbent material and secure for safe disposal. Keep in suitable, closed containers for disposal. Ventilate and clean the affected area. Do not flush into sewerage system or to drains.

### Section 7 – Handling and Storage

<b>Precautions for safe handling</b>	Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.
<b>Conditions for safe storage</b>	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Hygroscopic.
<b>Incompatible Materials</b>	Strong acids, Strong bases, Sources of ignition, Direct sunlight.

### Section 8 – Exposure Controls / Personal Protection

#### Occupational Exposure Limits

Ingredient Name	Exposure Limits
	Canada, Alberta OHSC Code
Propylene Glycol	200mg/m <sup>3</sup>
	ACGIH TLV
	TLV: 100mg/m <sup>3</sup>

#### Personal protective equipment

<b>Eye/face protection</b>	Chemical safety glasses with side shields to prevent eye contact. As a general rule do not wear contact lenses when handling chemicals. If contact is possible, the following protection should be worn: Splash goggles. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases, or dusts. If inhalation hazards exist, a full-face respiratory may be required instead.
<b>Skin protection</b>	Wear chemical resistant gloves, impermeable protective clothing and safety shoes. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
<b>Respiratory protection</b>	Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary.
<b>General hygiene Considerations</b>	Handle in accordance with good industrial hygiene and safety. Eye wash fountains and safety showers must be easily accessible.

**Specific engineering controls** Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Use explosion-proof ventilation equipment.

### Section 9 – Physical and Chemical Properties

<b>Physical State</b>	Liquid	<b>Water Solubility</b>	miscible
<b>Appearance &amp; Odour</b>	Clear, colourless to pale yellow, or dyed Red. Odourless.	<b>Boiling Point</b>	>100°C
<b>Vapour Pressure</b>	0.011 kPa (20.0°C)	<b>Boiling Point Range</b>	Not applicable
<b>Vapour Density</b>	2.5 (Air = 1)	<b>Melting Point</b>	<-40°C
<b>Specific Gravity</b>	1.03 – 1.05	<b>Freezing Point</b>	<-40°C
<b>Partition coefficient (n-octonal/water)</b>	Not available.	<b>Lower Explosive Limit (LEL)</b>	2.6 %
<b>pH</b>	6.5 – 7.5	<b>Upper Explosive Limit (UEL)</b>	12.5 %
<b>Flashpoint (Method)</b>	Not flammable	<b>Auto Ignition temperature</b>	415°C
<b>Odour Threshold</b>	Not available.	<b>Evaporation Rate</b>	Not available.
<b>Flammability (Solid, Gas)</b>	Not available.		
<b>Decomposition Temperature</b>	Not available.	<b>Viscosity</b>	Not available.

### Section 10 – Stability and Reactivity

<b>Reactivity</b>	No specific test data related to reactivity available for this product.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions</b>	No data available.
<b>Conditions to avoid</b>	Sources of ignition, Direct sunlight
<b>Materials to avoid</b>	Acid chlorides, Acid anhydrides, Oxidizing agents, Chloroformates, Reducing agents
<b>Hazardous decomposition products</b>	Carbon oxides.

### Section 11- Toxicological Information

#### Information on Likely Routes of Exposure

<b>Inhalation</b>	May be harmful if inhaled. May cause respiratory tract irritation.
<b>Skin contact</b>	Harmful if absorbed through the skin. May cause skin irritation.
<b>Eye contact</b>	May cause eye irritation.
<b>Ingestion</b>	May be harmful if swallowed.
<b>Acute and Chronic Toxicity</b>	May be harmful if swallowed.
<b>Acute toxicity</b>	



# Safety Data Sheet - GHS

## Recycled Propylene Glycol 57%

Date of Revision: April 1, 2025

Product/Ingredient Name	Result	Species	Dose	Exposure
Propylene Glycol	LD50 Oral	Rat	20000mg/kg	-
	LD50 Dermal	Rabbit	20800mg/kg	-

**Skin corrosion/irritation** Not classified.

**Serious eye damage/ Eye irritation**

Not classified.

**Respiratory or skin sensitization**

Not classified.

**Mutagenicity**

Not classified.

**Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

**Reproductive toxicity**

Not classified.

**Teratogenicity**

Not classified.

**Specific target organ toxicity - single exposure (Globally Harmonized System)**

Not classified.

**Specific target organ toxicity - repeated exposure (Globally Harmonized System)**

Not classified.

**Aspiration hazard**

Not classified.

**Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure**

**Short Term Exposure**

**Potential immediate Health Effects** No data available.

**Potential Delayed Health Effects** No data available.

**Long Term Exposure**

**Potential immediate Health Effects** No data available.

**Potential Delayed Health Effects** No data available.

**Potential Chronic Effects** No data available.

**Synergistic effects** No data available

## Section 12 – Ecological Information

**Toxicity**

Product / Ingredient Name	Result	Species	Exposure
Propylene Glycol	LC50 52930mg/L	Fish – Pimephales promelas	96 Hr
	EC50 >10000mg/L	Daphnia – Daphnia magna	24 Hr

**Persistence and degradability** Biodegrades readily and rapidly in the presence of oxygen; 55-57% in 5 days, 78-84% in 20 days; also 99% in 1-2 days (2 tests) – **rapid biodegradation means Chronic Aquatic Toxicity testing not required**

**Bioaccumulative potential** Does not bioaccumulate.

**Mobility in soil** Water soluble; moves readily in soil and water.

**PBT and vPvB assessment** No data available



# Safety Data Sheet - GHS

## Recycled Propylene Glycol 57%

Date of Revision: April 1, 2025

### Section 13 – Disposal Considerations

#### Product

Do not discharge substance/product into sewer system. Dispose of in accordance with national, regional, and local regulations.

#### Contaminated packaging

Dispose of as unused product in a licensed facility. Recommend crushing, puncturing, or other means to prevent unauthorized use of used containers. Do not cut, weld, or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled materials and runoff and contain with soil, waterways, drains, and sewers.

### Section 14 - Transportation Information

CANADA Transportation of Dangerous Goods (TDG)

**Not Dangerous Goods**

### Section 15 – Regulatory Information

#### DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act)

All components of this product are in compliance with the chemical notification requirements of the NSN Regulations under CEPA, 1999.

#### TSCA Inventory

All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations and the SDS contains all the information required by the Hazardous Products Regulations.

### Section 16 – Other Information

#### REVISION SUMMARY:

Date of Preparation	April 1, 2017
Date of Revision	April 1, 2025

SDS Prepared by: CFR Lab Manager

CFR Chemicals Inc. provides the information contained herein in good faith, but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. CFR Chemicals Inc. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, CFR CHEMICALS INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OR RELIANCE UPON THIS INFORMATION.