



Date of Revision: March 15, 2022

Section 1 - Chemical Product and Company Identification

Product Name StaClean 220 – System Flush

Synonyms Not Applicable

Product Use Degreaser & Industrial Cleaning Product

Restriction on Use None identified Manufacturer/Supplier CFR Chemicals

38451 Range Road 22

County of Red Deer T4E 2N6

General Assistance 1 (877) 269-3419

Emergency Telephone 613-966-6666 (CANUTEC 24 Hour Phone Number)

Date of Preparation of SDS April 1, 2017

Section 2 – Hazard Identification

Signal Word

GHS Pictogram(s)









Target Organs Narcotic Effects

Hazard Statement:

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H340 May cause genetic defects.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long-lasting effects.

Precautionary Statement

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surface, sparks, open flames and other ignition sources.

No smoking

P233 Keep container tightly closed.

P240 Gound/bond container and receiving equipment.

P241 Use explosion-proof electrical, ventilating, lighting and all material-handling

equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.





Date of Revision: March 15, 2022

2004	
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
Response	
P321	Specific treatment: See Response Statements on this label.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTRE / DOCTOR.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P303 + P361 + P353	IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing. Rinse skin
	with water/shower.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P331 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P308 + P313	If exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P331	DO NOT induce vomiting.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical, or alcohol-resistant foam to extinguish
P391	Collect spillage
Storage	
P403 + P233	Store in well-ventilated place. Keep container tightly closed.
P403 + P235	Store in well-ventilated place. Keep cool.
P405	Store locked up.
Disposal	
P501	Dispose of contents/container to an approved waste disposal unit.
GHS Classification	Flammable liquids (Category 3)

GHS Classification Flammable liquids (Category 3)

Skin corrosion/irritation (Category 2)

Serious eye damage/eye irritation (Category 2A)

Mutagenicity (Category 1B)
Carcinogenicity (Category 1B)
Reproductive Toxicity (Category 2)

Specific target organ toxicity - single exposure (Category 3)

Aspiration hazard (Category 1)

Hazardous to the aquatic environment, acute hazard (Category 2) Hazardous to the aquatic environment, acute chronic (Category 2)

HMIS Classification

Health Hazard 2
Chronic Health Hazard *
Flammability 3
Physical Hazards 0

Potential Health Effects

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.

Skin Causes skin irritation.





Date of Revision: March 15, 2022

Eye Ingestion Causes serious eye irritation. May be harmful if swallowed.

Section 3 – Composition Information on Ingredients

HAZARDOUS INGREDIENT Naptha, petroleum, heavy catalytic reformed**	Hazardous Ingredient, Synonyms Heavy aromatic naptha; Heavy aromatic naptha, gasoline re-run overhead; Aromatic hydrocarbon mixture	PERCENT 5 – 20%	CAS NUMBER 64741-68-0				
Isopropyl Alcohol	2-propanol; IPA; Isopropyl Alcohol; 1- methylethanol; 1-methylethyl alcohol; 2- hydroxypropane; i-propanol; propan-2-ol; sec- propanol.	1 – 5%	67-63-0				
Terpene Hydrocarbon	Not Applicable	5 – 15%	5989-27-5				
Ethoxylated Alcohol	Not Applicable	1 – 5%	68439-46-3				
Formaldehyde, polymer with 4- nonylphenol and oxirane	Not Applicable	1 – 5%	30846-35-6				
* = Various ** = Mixture *** = Proprietary							

Chemical Formula Mixture

Section 4 - First Aid Measures

Inhalation

Move victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that vas of vapour is still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular, or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison centre or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as collar, tie, belt or waistband.

Eye Contact

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower lids. Check for and remove contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Skin Contact

Flush contaminated skin with plenty of water. Remove contaminated clothing and shows. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

Get medical attention immediately. Call a poison control centre or physician. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as collar, tie, belt or waistband.





Date of Revision: March 15, 2022

Most Important Symptoms/Effects

Acute No data available.
Delayed No data available.

Note to Physician Treat symptomatically.

Section 5 - Fire-Fighting Measures

Flash Point (°C) 39°C Flash Point Method PMCC

Auto Ignition Temperature No data available. .

Conditions of Flammability Flammable in the presence of a source of ignition when the temperature is above

the flash point. Keep away from heat/sparks/open flame/ hot surface. No

smoking.

Extinguishing MediaUse water spray (fog), alcohol-resistant foam, dry chemical or carbon dioxide

Unsuitable Extinguising Media Water streams.

Unusual Fire/

Explosion Hazard No data available.

Hazardous Combustion

Products Carbon oxides. May release flammable gases.

Special Protective Equipment and

Precautions for Firefighters Wear appropriate protective equipment and self-contained breathing apparatus

with a full face-piece operated in positive pressure mode.

Section 6 – Accidental Release Measures

Personal precautions Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure

adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe

areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter

drains. Discharge into the environment must be avoided.

Methods and materials for

containment and cleaning up Contain free liquid if possible. Pick up by covering with an activated carbon

absorbent or other suitable inert absorbent material (e.g. sand, sawdust, generalpurpose binder). Take up & place in closed containers. Ventilate area & wash spill site after material pickup is complete. Contain and dispose of wash water in

accordance with local regulations.

Section 7 – Handling and Storage

Precautions for safe handling Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away

from sources of ignition - No smoking. Take measures to prevent the build-up of

electrostatic charge.

Heat, flames and sparks.

Conditions for safe storage

Incompatible Conditions

Keep container tightly closed in a dry and well-ventilated place.

PAGE 4 of 8





Date of Revision: March 15, 2022

Incompatible Materials

Strong acids. Strong bases. Strong oxidizers.

Section 8 – Exposure Controls / Personal Protection

Occupational Exposure Limits

Ingredient Name Exposure Limits

Naptha, petroleum, heavy

Not Established

catalytic reformed**
Isopropanol

Canada, Alberta, Occupational Health and Safety Cote (table 2: OEL)

Canada, Alberta, Occupational Health and Safety Cote (table 2: OEL)

STEL: 400ppm TWA: 200ppm

Terpene Hydrocarbon

Canada, Alberta, Occupational Health and Safety Cote (table 2: OEL)

TWA: 20ppm

Ethoxylated Alcohol

Canada, Alberta, Occupational Health and Safety Cote (table 2: OEL)

Not Established

Formaldehyde, polymer with 4nonylphenol and oxirane **ACGIH TLV**

TWA: 25ppm 8 Hours

OSHA PEL

TWA: 25ppm

Personal Eye/face protection

Chemical safety glasses with side shields to prevent eye contact. As a general rule

do not wear contact lenses when handling chemicals.

Skin protection

Wear chemical resistant gloves, impermeable protective clothing and safety

shoes.

Respiratory protection

General hygiene Considerations

Use NIOSH approved respirators and components.

Specific engineering controls

Handle in accordance with good industrial hygiene and safety.

Use mechanical exhaust or laboratory fumehood to avoid exposure. Safety

shower, eye wash, and fire extinguisher should be present.

Section 9 – Physical and Chemical Properties

Physical State	Liquid	Water Solubility	Forms emulsion
Appearance & Odour	Clear, straw to dark brown	Boiling Point	> 100°C
	colour. Aromatic odour.		
Vapour Pressure	Not available	Boiling Point Range	Not available
Vapour Density	Not available	Melting Point	0°C
Specific Gravity	0.98	Freezing Point	0°C
Partition coefficient (n-	No data available	Lower Explosive Limit (LEL)	Not available
octonal/water)			
рН	No data available	Upper Explosive Limit (UEL)	Not available
Flashpoint (Method)	39°C (PMCC)	Auto Ignition temperature	Not available
Odour Threshold	Not available	Evaporation Rate	Not available
Flammability (Solid, Gas)	Not available		
Decomposition Temperature	Not available	Viscosity	Not available





Date of Revision: March 15, 2022

Section 10 - Stability and Reactivity

Reactivity Heating may cause fire.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous reactions

No data available

Conditions to avoid Heat, flames and sparks.

Materials to avoid Strong acids. Strong bases. Strong oxidizers.

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon

oxides. Other decomposition products - No data available

Section 11- Toxicological Information

Information on Likely Routes of Exposure

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.

Skin Causes skin irritation.

Eye Causes serious eye irritation. **Ingestion** May be harmful if swallowed.

Acute and Chronic Toxicity No data available

Acute toxicity

Product/Ingredient Name	Result	Species	Dose	Exposure
Naptha, petroleum heavy	LC50 Inhalation gas	Rat	>5.04mg/L	4 Hr
catalytic reformed	LD50 Dermal	Rabbit	>2000mg/kg	24 Hr
	LC50 Inhalation gas	Rat	73mg/L	4 Hr
Isopropanol	LD50 Oral	Rat	5045mg/kg	-
	LD50 Dermal	Rabbit	12870mg/kg	-
Terpene Hydrocarbon	LD50 Oral	Rat	4400ppm	-
	LD50 Dermal	Rabbit	>5000mg/kg	-
Ethoxylated Alcohol	LD50 Oral	Rat	>2000mg/kg	-

Formaldehyde, polymer

with 4-nonylphenol and No data available

oxirane

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Not classified.

Mutagenicity May cause genetic defects.

Carcinogenicity May cause cancer.

Reproductive toxicity Suspected of damaging fertility or the unborn child. **Specific target organ toxicity - single exposure (Globally Harmonized System)**

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

Not assigned.

Aspiration hazard

May be fatal if swallowed and enters airways.





Date of Revision: March 15, 2022

Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure

Short Term Exposure

Potential immediate Health Effects

No data available.

Potential Delayed Health Effects

No data available.

Long Term Exposure

Potential immediate Health EffectsNo data available.Potential Delayed Health EffectsNo data available.Potential Chronic EffectsNo data available.

Synergistic effects No data available

Section 12 – Ecological Information

Toxicity

Product / Ingredient Name Result Species Exposure

Naptha, petroleum heavy catalytic reformed Acute EC50 - Pseudokirchneriella subcaptata

11mg/L subcaptata

Acute LC50

Isopropanol 9640mg/L Fish – Pimephales promelas 96 Hr Acute EC50 Daphnia – Daphnia magna 24 Hr

5102mg/L

Terpene Hydrocarbon No data available Ethoxylated Alcohol No data available

Formaldehyde, polymer with 4-nonylphenol and

No data available

oxirane

Persistence and degradability

Biodegradability May cause long-term adverse effects in the environment.

Bioaccumulative potentialNo data availableMobility in soilNo data availablePBT and vPvB assessmentNo data availableOther adverse effectsNone known.

Section 13 – Disposal Considerations

Product This combustible material may be burned in a chemical incinerator equipped with

an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service

to dispose of this material.

Contaminated packaging Dispose of as unused product.

Section 14 - Transportation Information

CANADA Transportation of Dangerous Goods (TDG)

Shipping Name UN1268, Petroleum Distillates, N.O.S., 3. PG III

Class 3





Date of Revision: March 15, 2022

UN Number UN1268 **Packaging Group:** Ш

Label



Reportable Quantity 12345.7 lbs / 5604.9Kg [2177.5 gal / 8242.6L]

Package sizes shipped in quantities less than the product reportable quantity are

not subject to the RW transportation requirements.

Environmental hazards

Marine Pollutant

Transportation in bulk, if applicable

Special Precautions

No data available No data available

Section 15 – Regulatory Information

DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act)

All components of this product are in compliance with the chemical notification

requirements of the NSN Regulations under CEPA, 1999.

TSCA Inventory Listed

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations and the SDS contains all the information required by the Hazardous Products Regulations.

Section 16 – Other Information

REVISION SUMMARY:

Date of Preparation April 1, 2017 Date of Revision March 15, 2022

SDS Prepared by: CFR Lab Manager

CFR Chemicals Inc. provides the information contained herein in good faith, but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. CFR Chemicals Inc. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, CFR CHEMICALS INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OR RELIANCE UPON THIS INFORMATION.